


Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70\text{ }^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Albite 325	6	325	400	345	86	50	5	112-121	39-48	26-35	120	310	403	484	1650	4,02	5,15	0,51	0,03	500X372X128
	6	325	500	445	86	50	5	112-121	39-48	26-35	153	396	515	618	2108	4,82	6,07	0,60	0,03	600X372X128
	6	325	600	545	86	50	5	112-121	39-48	26-35	188	486	632	758	2585	5,61	6,85	0,68	0,04	700X372X128
	6	325	700	645	86	50	5	112-121	39-48	26-35	215	555	721	865	2951	6,41	7,89	0,77	0,04	800X372X128
	6	325	800	745	86	50	5	112-121	39-48	26-35	240	620	806	968	3300	7,20	8,79	0,85	0,05	900X372X128
	6	325	900	845	86	50	5	112-121	39-48	26-35	264	683	888	1065	3632	8,00	9,70	0,94	0,05	1000X372X128
	6	325	1000	945	86	50	5	112-121	39-48	26-35	287	742	965	1158	3948	8,80	10,62	1,03	0,06	1100X372X128
	6	325	1200	1145	86	50	5	112-121	39-48	26-35	330	852	1108	1329	4533	10,39	12,44	1,20	0,07	1300X372X128
	6	325	1400	1345	86	50	5	112-121	39-48	26-35	379	978	1272	1526	5205	11,98	14,26	1,37	0,08	1500X372X128
	6	325	1600	1545	86	50	5	112-121	39-48	26-35	435	1123	1460	1753	5976	13,54	16,05	1,54	0,09	1700X372X128
6	325	1800	1745	86	50	5	112-121	39-48	26-35	499	1290	1677	2012	6862	15,13	17,74	1,71	0,10	1900X372X128	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Albite 380	7	380	400	345	86	50	5	112-121	39-48	26-35	140	362	470	564	1925	4,70	5,91	0,60	0,03	500X427X128
	7	380	500	445	86	50	5	112-121	39-48	26-35	179	462	601	721	2459	5,62	6,95	0,70	0,04	600X427X128
	7	380	600	545	86	50	5	112-121	39-48	26-35	219	567	737	885	3016	6,55	7,88	0,80	0,04	700X427X128
	7	380	700	645	86	50	5	112-121	39-48	26-35	250	647	841	1010	3443	7,48	9,06	0,90	0,05	800X427X128
	7	380	800	745	86	50	5	112-121	39-48	26-35	280	724	941	1129	3850	8,41	10,11	1,00	0,05	900X427X128
	7	380	900	845	86	50	5	112-121	39-48	26-35	308	797	1036	1243	4237	9,34	11,16	1,10	0,06	1000X427X128
	7	380	1000	945	86	50	5	112-121	39-48	26-35	335	866	1126	1351	4607	10,26	12,21	1,20	0,07	1100X427X128
	7	380	1200	1145	86	50	5	112-121	39-48	26-35	385	994	1293	1551	5289	12,12	14,32	1,40	0,08	1300X427X128
	7	380	1400	1345	86	50	5	112-121	39-48	26-35	442	1142	1484	1781	6073	13,98	16,43	1,60	0,09	1500X427X128
7	380	1600	1545	86	50	5	112-121	39-48	26-35	507	1311	1704	2045	6972	15,79	18,49	1,80	0,10	1700X427X128	
7	380	1800	1745	86	50	5	112-121	39-48	26-35	582	1505	1956	2348	8005	17,65	20,46	2,00	0,11	1900X427X128	
Albite 435	8	435	300	245	86	50	5	112-121	39-48	26-35	117	303	394	473	1614	4,31	5,45	0,57	0,03	400X482X128
	8	435	400	345	86	50	5	112-121	39-48	26-35	160	414	538	645	2200	5,37	6,64	0,68	0,04	500X482X128
	8	435	500	445	86	50	5	112-121	39-48	26-35	204	528	687	824	2811	6,43	7,84	0,79	0,04	600X482X128
	8	435	600	545	86	50	5	112-121	39-48	26-35	251	648	842	1011	3447	7,49	8,91	0,91	0,05	700X482X128
	8	435	700	645	86	50	5	112-121	39-48	26-35	286	740	962	1154	3935	8,55	10,23	1,02	0,05	800X482X128
	8	435	800	745	86	50	5	112-121	39-48	26-35	320	827	1075	1290	4400	9,61	11,41	1,14	0,06	900X482X128
	8	435	900	845	86	50	5	112-121	39-48	26-35	352	910	1183	1420	4843	10,67	12,61	1,25	0,07	1000X482X128
	8	435	1000	945	86	50	5	112-121	39-48	26-35	383	990	1287	1544	5265	11,73	13,81	1,37	0,07	1100X482X128
	8	435	1200	1145	86	50	5	112-121	39-48	26-35	440	1136	1477	1773	6045	13,86	16,22	1,60	0,09	1300X482X128
8	435	1400	1345	86	50	5	112-121	39-48	26-35	505	1305	1696	2035	6940	15,98	18,59	1,82	0,10	1500X482X128	
8	435	1600	1545	86	50	5	112-121	39-48	26-35	580	1498	1947	2337	7968	18,05	20,93	2,05	0,11	1700X482X128	
8	435	1800	1745	86	50	5	112-121	39-48	26-35	666	1720	2236	2683	9149	20,17	23,19	2,28	0,12	1900X482X128	
Albite 490	9	490	300	245	86	50	5	112-121	39-48	26-35	132	341	444	533	1816	4,85	6,04	0,64	0,03	400X537X128
	9	490	400	345	86	50	5	112-121	39-48	26-35	180	465	605	726	2475	6,04	7,38	0,76	0,04	500X537X128
	9	490	500	445	86	50	5	112-121	39-48	26-35	230	594	773	927	3162	7,24	8,72	0,89	0,05	600X537X128
	9	490	600	545	86	50	5	112-121	39-48	26-35	282	729	948	1137	3878	8,43	9,93	1,02	0,05	700X537X128
	9	490	700	645	86	50	5	112-121	39-48	26-35	322	832	1082	1298	4427	9,62	11,40	1,15	0,06	800X537X128
	9	490	800	745	86	50	5	112-121	39-48	26-35	360	930	1210	1452	4950	10,82	12,73	1,28	0,07	900X537X128
	9	490	900	845	86	50	5	112-121	39-48	26-35	396	1024	1331	1598	5448	12,01	14,07	1,41	0,07	1000X537X128
	9	490	1000	945	86	50	5	112-121	39-48	26-35	431	1113	1447	1737	5923	13,20	15,41	1,54	0,08	1100X537X128
	9	490	1200	1145	86	50	5	112-121	39-48	26-35	495	1278	1662	1994	6800	15,59	18,09	1,79	0,09	1300X537X128
9	490	1400	1345	86	50	5	112-121	39-48	26-35	568	1468	1908	2290	7808	17,98	20,76	2,05	0,11	1500X537X128	
9	490	1600	1545	86	50	5	112-121	39-48	26-35	652	1685	2191	2629	8965	20,30	23,37	2,31	0,12	1700X537X128	
9	490	1800	1745	86	50	5	112-121	39-48	26-35	749	1935	2515	3018	10293	22,69	25,92	2,57	0,14	1900X537X128	
Albite 545	10	545	300	245	86	50	5	112-121	39-48	26-35	147	379	493	592	2018	5,39	6,65	0,71	0,04	400X592X128
	10	545	400	345	86	50	5	112-121	39-48	26-35	200	517	672	806	2750	6,72	8,13	0,85	0,04	500X592X128
	10	545	500	445	86	50	5	112-121	39-48	26-35	256	660	859	1030	3513	8,04	9,61	0,99	0,05	600X592X128
	10	545	600	545	86	50	5	112-121	39-48	26-35	313	810	1053	1264	4309	9,37	10,96	1,14	0,06	700X592X128
	10	545	700	645	86	50	5	112-121	39-48	26-35	358	925	1202	1442	4918	10,69	12,57	1,28	0,07	800X592X128
	10	545	800	745	86	50	5	112-121	39-48	26-35	400	1034	1344	1613	5500	12,02	14,04	1,42	0,07	900X592X128
	10	545	900	845	86	50	5	112-121	39-48	26-35	440	1138	1479	1775	6053	13,35	15,53	1,56	0,08	1000X592X128
	10	545	1000	945	86	50	5	112-121	39-48	26-35	479	1237	1608	1930	6581	14,67	17,00	1,71	0,09	1100X592X128
	10	545	1200	1145	86	50	5	112-121	39-48	26-35	550	1420	1846	2216	7556	17,32	19,97	1,99	0,10	1300X592X128
10	545	1400	1345	86	50	5	112-121	39-48	26-35	631	1631	2120	2544	8675	19,98	22,93	2,28	0,12	1500X592X128	
10	545	1600	1545	86	50	5	112-121	39-48	26-35	725	1872	2434	2921	9961	22,56	25,82	2,57	0,13	1700X592X128	
10	545	1800	1745	86	50	5	112-121	39-48	26-35	832	2150	2795	3354	11436	25,21	28,64	2,85	0,15	1900X592X128	
Albite 600	11	600	300	245	86	50	5	112-121	39-48	26-35	161	417	542	651	2220	5,93	7,25	0,78	0,04	400X647X128
	11	600	400	345	86	50	5	112-121	39-48	26-35	220	569	739	887	3025	7,39	8,87	0,93	0,05	500X647X128
	11	600	500	445	86	50	5	112-121	39-48	26-35	281	726	944	1133	3864	8,85	10,49	1,09	0,05	600X647X128
	11	600	600	545	86	50	5	112-121	39-48	26-35	345	891	1158	1390	4740	10,31	12,00	1,25	0,06	700X647X128
	11	600	700	645	86	50	5	112-121	39-48	26-35	394	1017	1322	1587	5410	11,77	13,74	1,41	0,07	800X647X128
	11	600	800	745	86	50	5	112-121	39-48	26-35	440	1137	1478	1774	6050	13,22	15,35	1,56	0,08	900X647X128
	11	600	900	845	86	50	5	112-121	39-48	26-35	484	1252	1627	1953	6659	14,68	16,98	1,72	0,09	1000X647X128
	11	600	1000	945	86	50	5	112-121	39-48	26-35	527	1361	1769	2123	7239	16,14	18,60	1,88	0,10	1100X647X128
	11	600	1200	1145	86	50	5	112-121	39-48	26-35	605	1562	2031	2437	8311	19,06	21,84	2,19	0,11	1300X647X128
11	600	1400	1345	86	50	5	112-121	39-48	26-35	694	1794	2332	2798	9543	21,98	25,09	2,51	0,13	1500X647X128	
11	600	1600	1545	86	50	5	112-121	39-48	26-35	797	2060	2678	3213	10957	24,82	28,28	2,82	0,15	1700X647X128	
11	600	1800	1745	86	50	5	112-121	39-48	26-35	915	2365	3074	3689	12580	27,74	31,54	3,14	0,16	1900X647X128	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70\text{ }^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Albite 655	12	655	300	245	86	50	5	112-121	39-48	26-35	176	455	592	710	2421	6,46	7,99	0,85	0,04	400X702X128
	12	655	400	345	86	50	5	112-121	39-48	26-35	240	620	806	968	3300	8,05	9,77	1,02	0,05	500X702X128
	12	655	500	445	86	50	5	112-121	39-48	26-35	307	793	1030	1236	4216	9,64	11,53	1,19	0,06	600X702X128
	12	655	600	545	86	50	5	112-121	39-48	26-35	376	972	1264	1516	5171	11,24	13,17	1,36	0,07	700X702X128
	12	655	700	645	86	50	5	112-121	39-48	26-35	429	1110	1442	1731	5902	12,83	15,06	1,53	0,08	800X702X128
	12	655	800	745	86	50	5	112-121	39-48	26-35	480	1241	1613	1935	6600	14,42	16,83	1,71	0,09	900X702X128
	12	655	900	845	86	50	5	112-121	39-48	26-35	528	1366	1775	2130	7264	16,01	18,59	1,88	0,09	1000X702X128
	12	655	1000	945	86	50	5	112-121	39-48	26-35	575	1485	1930	2316	7897	17,60	20,36	2,05	0,10	1100X702X128
	12	655	1200	1145	86	50	5	112-121	39-48	26-35	660	1704	2216	2659	9067	20,78	23,88	2,39	0,12	1300X702X128
	12	655	1400	1345	86	50	5	112-121	39-48	26-35	757	1957	2544	3053	10410	23,97	27,42	2,74	0,14	1500X702X128
12	655	1600	1545	86	50	5	112-121	39-48	26-35	870	2247	2921	3505	11953	27,08	30,87	3,08	0,16	1700X702X128	
12	655	1800	1745	86	50	5	112-121	39-48	26-35	998	2580	3354	4025	13724	30,26	34,27	3,42	0,18	1900X702X128	
Albite 710	13	710	300	245	86	50	5	112-121	39-48	26-35	191	493	641	769	2623	7,00	8,60	0,92	0,04	400X757X128
	13	710	400	345	86	50	5	112-121	39-48	26-35	260	672	874	1048	3575	8,73	10,51	1,10	0,05	500X757X128
	13	710	500	445	86	50	5	112-121	39-48	26-35	332	859	1116	1339	4567	10,45	12,42	1,29	0,06	600X757X128
	13	710	600	545	86	50	5	112-121	39-48	26-35	408	1053	1369	1643	5602	12,17	14,19	1,48	0,07	700X757X128
	13	710	700	645	86	50	5	112-121	39-48	26-35	465	1202	1563	1875	6394	13,90	16,23	1,66	0,08	800X757X128
	13	710	800	745	86	50	5	112-121	39-48	26-35	520	1344	1747	2097	7150	15,62	18,13	1,85	0,09	900X757X128
	13	710	900	845	86	50	5	112-121	39-48	26-35	573	1479	1923	2308	7870	17,35	20,05	2,03	0,10	1000X757X128
	13	710	1000	945	86	50	5	112-121	39-48	26-35	622	1608	2091	2509	8555	19,07	21,96	2,22	0,11	1100X757X128
	13	710	1200	1145	86	50	5	112-121	39-48	26-35	715	1846	2400	2881	9823	22,52	25,77	2,59	0,13	1300X757X128
	13	710	1400	1345	86	50	5	112-121	39-48	26-35	820	2120	2756	3307	11278	25,96	29,57	2,96	0,15	1500X757X128
13	710	1600	1545	86	50	5	112-121	39-48	26-35	942	2434	3164	3797	12949	29,33	33,31	3,33	0,17	1700X757X128	
13	710	1800	1745	86	50	5	112-121	39-48	26-35	1082	2795	3633	4360	14867	32,78	37,00	3,71	0,19	1900X757X128	
Albite 765	14	765	300	245	86	50	5	112-121	39-48	26-35	206	531	690	828	2825	7,54	9,19	0,99	0,05	400X812X128
	14	765	400	345	86	50	5	112-121	39-48	26-35	280	724	941	1129	3850	9,40	11,26	1,19	0,06	500X812X128
	14	765	500	445	86	50	5	112-121	39-48	26-35	358	925	1202	1442	4918	11,26	13,30	1,39	0,07	600X812X128
	14	765	600	545	86	50	5	112-121	39-48	26-35	439	1134	1474	1769	6032	13,11	15,22	1,59	0,08	700X812X128
	14	765	700	645	86	50	5	112-121	39-48	26-35	501	1294	1683	2019	6886	14,97	17,40	1,79	0,09	800X812X128
	14	765	800	745	86	50	5	112-121	39-48	26-35	560	1447	1882	2258	7700	16,82	19,44	1,99	0,10	900X812X128
	14	765	900	845	86	50	5	112-121	39-48	26-35	617	1593	2071	2485	8475	18,68	21,49	2,19	0,11	1000X812X128
	14	765	1000	945	86	50	5	112-121	39-48	26-35	670	1732	2251	2702	9213	20,54	23,55	2,39	0,12	1100X812X128
	14	765	1200	1145	86	50	5	112-121	39-48	26-35	770	1989	2585	3102	10578	24,25	27,64	2,79	0,14	1300X812X128
	14	765	1400	1345	86	50	5	112-121	39-48	26-35	884	2283	2968	3562	12145	27,96	31,75	3,19	0,16	1500X812X128
14	765	1600	1545	86	50	5	112-121	39-48	26-35	1014	2621	3408	4089	13945	31,59	35,76	3,59	0,18	1700X812X128	
14	765	1800	1745	86	50	5	112-121	39-48	26-35	1165	3010	3913	4695	16011	35,30	39,72	3,99	0,20	1900X812X128	
Albite 820	15	820	300	245	86	50	5	112-121	39-48	26-35	220	569	740	888	3027	8,08	9,79	1,06	0,05	400X867X128
	15	820	400	345	86	50	5	112-121	39-48	26-35	300	775	1008	1210	4125	10,07	11,99	1,27	0,06	500X867X128
	15	820	500	445	86	50	5	112-121	39-48	26-35	383	991	1288	1545	5270	12,06	14,19	1,49	0,07	600X867X128
	15	820	600	545	86	50	5	112-121	39-48	26-35	470	1215	1580	1895	6463	14,05	16,25	1,70	0,08	700X867X128
	15	820	700	645	86	50	5	112-121	39-48	26-35	537	1387	1803	2164	7378	16,04	18,56	1,92	0,09	800X867X128
	15	820	800	745	86	50	5	112-121	39-48	26-35	600	1551	2016	2419	8249	18,03	20,76	2,13	0,10	900X867X128
	15	820	900	845	86	50	5	112-121	39-48	26-35	661	1707	2219	2663	9080	20,02	22,95	2,35	0,12	1000X867X128
	15	820	1000	945	86	50	5	112-121	39-48	26-35	718	1856	2412	2895	9871	22,01	25,15	2,56	0,13	1100X867X128
	15	820	1200	1145	86	50	5	112-121	39-48	26-35	825	2131	2770	3324	11334	25,99	29,53	2,99	0,15	1300X867X128
	15	820	1400	1345	86	50	5	112-121	39-48	26-35	947	2446	3180	3816	13013	29,96	33,90	3,42	0,17	1500X867X128
15	820	1600	1545	86	50	5	112-121	39-48	26-35	1087	2809	3651	4381	14941	33,84	38,20	3,85	0,19	1700X867X128	
15	820	1800	1745	86	50	5	112-121	39-48	26-35	1248	3225	4192	5031	17155	37,82	42,45	4,28	0,22	1900X867X128	
Albite 875	16	875	300	245	86	50	5	112-121	39-48	26-35	235	607	789	947	3229	8,62	10,40	1,13	0,05	400X922X128
	16	875	400	345	86	50	5	112-121	39-48	26-35	320	827	1075	1290	4400	10,75	12,73	1,36	0,06	500X922X128
	16	875	500	445	86	50	5	112-121	39-48	26-35	409	1057	1374	1648	5621	12,87	15,07	1,59	0,08	600X922X128
	16	875	600	545	86	50	5	112-121	39-48	26-35	502	1296	1685	2022	6894	14,99	17,28	1,82	0,09	700X922X128
	16	875	700	645	86	50	5	112-121	39-48	26-35	573	1479	1923	2308	7870	17,11	19,73	2,04	0,10	800X922X128
	16	875	800	745	86	50	5	112-121	39-48	26-35	640	1654	2150	2580	8799	19,23	22,06	2,27	0,11	900X922X128
	16	875	900	845	86	50	5	112-121	39-48	26-35	705	1821	2367	2840	9686	21,35	24,40	2,50	0,12	1000X922X128
	16	875	1000	945	86	50	5	112-121	39-48	26-35	766	1979	2573	3088	10529	23,48	26,75	2,73	0,13	1100X922X128
	16	875	1200	1145	86	50	5	112-121	39-48	26-35	879	2273	2954	3545	12089	27,72	31,41	3,19	0,16	1300X922X128
	16	875	1400	1345	86	50	5	112-121	39-48	26-35	1010	2609	3392	4071	13880	31,96	36,08	3,65	0,18	1500X922X128
16	875	1600	1545	86	50	5	112-121	39-48	26-35	1159	2996	3895	4674	15937	36,10	40,64	4,10	0,21	1700X922X128	
16	875	1800	1745	86	50	5	112-121	39-48	26-35	1331	3440	4472	5366	18298	40,34	45,18	4,56	0,23	1900X922X128	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70\text{ }^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Albite 930	17	930	300	245	86	50	5	112-121	39-48	26-35	250	645	838	1006	3430	9,17	11,00	1,20	0,06	400X977X128
	17	930	400	345	86	50	5	112-121	39-48	26-35	340	879	1142	1371	4675	11,42	13,48	1,44	0,07	500X977X128
	17	930	500	445	86	50	5	112-121	39-48	26-35	434	1123	1460	1751	5972	13,67	15,96	1,69	0,08	600X977X128
	17	930	600	545	86	50	5	112-121	39-48	26-35	533	1377	1790	2148	7325	15,93	18,31	1,93	0,09	700X977X128
	17	930	700	645	86	50	5	112-121	39-48	26-35	608	1572	2043	2452	8361	18,18	20,90	2,17	0,11	800X977X128
	17	930	800	745	86	50	5	112-121	39-48	26-35	680	1758	2285	2742	9349	20,44	23,39	2,42	0,12	900X977X128
	17	930	900	845	86	50	5	112-121	39-48	26-35	749	1935	2515	3018	10291	22,69	25,86	2,66	0,13	1000X977X128
	17	930	1000	945	86	50	5	112-121	39-48	26-35	814	2103	2734	3281	11187	24,94	28,33	2,90	0,14	1100X977X128
	17	930	1200	1145	86	50	5	112-121	39-48	26-35	934	2415	3139	3767	12845	29,45	33,29	3,39	0,17	1300X977X128
	17	930	1400	1345	86	50	5	112-121	39-48	26-35	1073	2772	3604	4325	14748	33,96	38,25	3,87	0,19	1500X977X128
Albite 985	18	985	300	245	86	50	5	112-121	39-48	26-35	264	683	888	1065	3632	9,70	11,59	1,27	0,06	400X1032X128
	18	985	400	345	86	50	5	112-121	39-48	26-35	360	930	1210	1452	4950	12,08	14,20	1,53	0,07	500X1032X128
	18	985	500	445	86	50	5	112-121	39-48	26-35	460	1189	1545	1854	6324	14,47	16,83	1,79	0,08	600X1032X128
	18	985	600	545	86	50	5	112-121	39-48	26-35	564	1458	1895	2274	7756	16,86	19,32	2,04	0,10	700X1032X128
	18	985	700	645	86	50	5	112-121	39-48	26-35	644	1664	2164	2596	8853	19,24	22,06	2,30	0,11	800X1032X128
	18	985	800	745	86	50	5	112-121	39-48	26-35	720	1861	2419	2903	9899	21,63	24,68	2,56	0,12	900X1032X128
	18	985	900	845	86	50	5	112-121	39-48	26-35	793	2048	2663	3195	10896	24,02	27,31	2,81	0,14	1000X1032X128
	18	985	1000	945	86	50	5	112-121	39-48	26-35	862	2227	2895	3474	11845	26,40	29,92	3,07	0,15	1100X1032X128
	18	985	1200	1145	86	50	5	112-121	39-48	26-35	989	2557	3324	3988	13600	31,18	35,16	3,59	0,18	1300X1032X128
	18	985	1400	1345	86	50	5	112-121	39-48	26-35	1136	2935	3816	4579	15615	35,95	40,40	4,10	0,20	1500X1032X128
Albite 1040	19	1040	300	245	86	50	5	112-121	39-48	26-35	279	721	937	1124	3834	10,24	12,20	1,34	0,06	400X1087X128
	19	1040	400	345	86	50	5	112-121	39-48	26-35	380	982	1277	1532	5225	12,76	14,96	1,61	0,07	500X1087X128
	19	1040	500	445	86	50	5	112-121	39-48	26-35	486	1255	1631	1957	6675	15,28	17,72	1,88	0,09	600X1087X128
	19	1040	600	545	86	50	5	112-121	39-48	26-35	596	1539	2001	2401	8187	17,80	20,36	2,16	0,10	700X1087X128
	19	1040	700	645	86	50	5	112-121	39-48	26-35	680	1757	2284	2740	9345	20,32	23,24	2,43	0,12	800X1087X128
	19	1040	800	745	86	50	5	112-121	39-48	26-35	760	1964	2554	3064	10449	22,83	26,00	2,70	0,13	900X1087X128
	19	1040	900	845	86	50	5	112-121	39-48	26-35	837	2162	2811	3373	11502	25,35	28,76	2,97	0,14	1000X1087X128
	19	1040	1000	945	86	50	5	112-121	39-48	26-35	910	2350	3056	3667	12504	27,87	31,52	3,24	0,16	1100X1087X128
	19	1040	1200	1145	86	50	5	112-121	39-48	26-35	1044	2699	3508	4210	14356	32,91	37,04	3,79	0,19	1300X1087X128
	19	1040	1400	1345	86	50	5	112-121	39-48	26-35	1199	3099	4028	4834	16483	37,95	42,58	4,33	0,21	1500X1087X128
Albite 1095	20	1095	300	245	86	50	5	112-121	39-48	26-35	294	759	986	1183	4036	10,78	12,79	1,41	0,06	400X1142X128
	20	1095	400	345	86	50	5	112-121	39-48	26-35	400	1034	1344	1613	5500	13,43	15,69	1,70	0,08	500X1142X128
	20	1095	500	445	86	50	5	112-121	39-48	26-35	511	1321	1717	2061	7026	16,08	18,59	1,98	0,09	600X1142X128
	20	1095	600	545	86	50	5	112-121	39-48	26-35	627	1620	2106	2527	8618	18,73	21,38	2,27	0,11	700X1142X128
	20	1095	700	645	86	50	5	112-121	39-48	26-35	716	1849	2404	2885	9837	21,39	24,41	2,56	0,12	800X1142X128
	20	1095	800	745	86	50	5	112-121	39-48	26-35	800	2068	2688	3226	10999	24,04	27,31	2,84	0,14	900X1142X128
	20	1095	900	845	86	50	5	112-121	39-48	26-35	881	2276	2959	3550	12107	26,69	30,22	3,13	0,15	1000X1142X128
	20	1095	1000	945	86	50	5	112-121	39-48	26-35	958	2474	3216	3860	13162	29,34	33,12	3,41	0,17	1100X1142X128
	20	1095	1200	1145	86	50	5	112-121	39-48	26-35	1099	2841	3693	4432	15112	34,65	38,94	3,99	0,20	1300X1142X128
	20	1095	1400	1345	86	50	5	112-121	39-48	26-35	1262	3262	4240	5088	17351	39,95	44,74	4,56	0,22	1500X1142X128
Albite 1150	21	1150	300	245	86	50	5	112-121	39-48	26-35	308	797	1036	1243	4237	11,32	13,39	1,48	0,07	400X1197X128
	21	1150	400	345	86	50	5	112-121	39-48	26-35	420	1086	1411	1693	5775	14,10	16,44	1,78	0,08	500X1197X128
	21	1150	500	445	86	50	5	112-121	39-48	26-35	537	1387	1803	2164	7378	16,89	19,49	2,08	0,10	600X1197X128
	21	1150	600	545	86	50	5	112-121	39-48	26-35	658	1701	2211	2654	9049	19,67	22,40	2,38	0,11	700X1197X128
	21	1150	700	645	86	50	5	112-121	39-48	26-35	751	1942	2524	3029	10329	22,46	25,58	2,68	0,13	800X1197X128
	21	1150	800	745	86	50	5	112-121	39-48	26-35	840	2171	2822	3387	11549	25,24	28,63	2,98	0,14	900X1197X128
	21	1150	900	845	86	50	5	112-121	39-48	26-35	925	2390	3107	3728	12712	28,03	31,68	3,28	0,16	1000X1197X128
	21	1150	1000	945	86	50	5	112-121	39-48	26-35	1005	2598	3377	4053	13820	30,81	34,72	3,58	0,17	1100X1197X128
	21	1150	1200	1145	86	50	5	112-121	39-48	26-35	1154	2983	3878	4653	15867	36,38	40,81	4,18	0,20	1300X1197X128
	21	1150	1400	1345	86	50	5	112-121	39-48	26-35	1325	3425	4452	5343	18218	41,95	46,91	4,79	0,23	1500X1197X128
Albite 1205	22	1205	300	245	86	50	5	112-121	39-48	26-35	323	835	1085	1302	4439	11,86	13,99	1,55	0,07	400X1252X128
	22	1205	400	345	86	50	5	112-121	39-48	26-35	440	1137	1478	1774	6050	14,78	17,19	1,87	0,09	500X1252X128
	22	1205	500	445	86	50	5	112-121	39-48	26-35	562	1453	1889	2267	7729	17,69	20,38	2,18	0,10	600X1252X128
	22	1205	600	545	86	50	5	112-121	39-48	26-35	690	1782	2317	2780	9480	20,61	23,43	2,50	0,12	700X1252X128
	22	1205	700	645	86	50	5	112-121	39-48	26-35	787	2034	2644	3173	10821	23,53	26,75	2,81	0,13	800X1252X128
	22	1205	800	745	86	50	5	112-121	39-48	26-35	880	2274	2957	3548	12099	26,45	29,95	3,13	0,15	900X1252X128
	22	1205	900	845	86	50	5	112-121	39-48	26-35	969	2504	3255	3905	13318	29,36	33,12	3,44	0,17	1000X1252X128
	22	1205	1000	945	86	50	5	112-121	39-48	26-35	1053	2722	3538	4246	14478	32,28	36,33	3,75	0,18	1100X1252X128
	22	1205	1200	1145	86	50	5	112-121	39-48	26-35	1209	3125	4062	4875	16623	38,11	42,68	4,38	0,21	1300X1252X128
	22	1205	1400	1345	86	50	5	112-121	39-48	26-35	1388	3588	4664	5597	19086	43,95	49,07	5,01	0,25	1500X1252X128

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70\text{ }^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Albite 1260	23	1260	300	245	86	50	5	112-121	39-48	26-35	338	872	1134	1361	4641	12,40	14,59	1,62	0,07	400X1307X128
	23	1260	400	345	86	50	5	112-121	39-48	26-35	460	1189	1546	1855	6325	15,45	17,93	1,95	0,09	500X1307X128
	23	1260	500	445	86	50	5	112-121	39-48	26-35	588	1519	1975	2370	8080	18,50	21,26	2,28	0,11	600X1307X128
	23	1260	600	545	86	50	5	112-121	39-48	26-35	721	1863	2422	2906	9910	21,55	24,47	2,61	0,12	700X1307X128
	23	1260	700	645	86	50	5	112-121	39-48	26-35	823	2127	2765	3317	11312	24,60	27,92	2,94	0,14	800X1307X128
	23	1260	800	745	86	50	5	112-121	39-48	26-35	920	2378	3091	3709	12649	27,65	31,25	3,27	0,16	900X1307X128
	23	1260	900	845	86	50	5	112-121	39-48	26-35	1013	2617	3402	4083	13923	30,70	34,58	3,60	0,17	1000X1307X128
	23	1260	1000	945	86	50	5	112-121	39-48	26-35	1101	2845	3699	4439	15136	33,75	37,93	3,92	0,19	1100X1307X128
Albite 1315	24	1315	300	245	86	50	5	112-121	39-48	26-35	352	910	1183	1420	4843	12,93	15,18	1,69	0,07	400X1362X128
	24	1315	400	345	86	50	5	112-121	39-48	26-35	480	1241	1613	1935	6600	16,11	18,66	2,04	0,09	500X1362X128
	24	1315	500	445	86	50	5	112-121	39-48	26-35	613	1585	2061	2473	8432	19,30	22,15	2,38	0,11	600X1362X128
	24	1315	600	545	86	50	5	112-121	39-48	26-35	752	1944	2527	3033	10341	22,48	25,48	2,72	0,13	700X1362X128
	24	1315	700	645	86	50	5	112-121	39-48	26-35	859	2219	2885	3462	11804	25,66	29,08	3,07	0,14	800X1362X128
	24	1315	800	745	86	50	5	112-121	39-48	26-35	960	2481	3226	3871	13199	28,84	32,56	3,41	0,16	900X1362X128
	24	1315	900	845	86	50	5	112-121	39-48	26-35	1057	2731	3550	4261	14528	32,03	36,04	3,75	0,18	1000X1362X128
	24	1315	1000	945	86	50	5	112-121	39-48	26-35	1149	2969	3860	4632	15794	35,21	39,51	4,10	0,20	1100X1362X128
Albite 1370	24	1315	1200	1145	86	50	5	112-121	39-48	26-35	1319	3409	4432	5318	18134	41,57	46,45	4,78	0,23	1300X1362X128
	24	1315	1400	1345	86	50	5	112-121	39-48	26-35	1515	3914	5088	6106	20821	47,94	53,40	5,47	0,27	1500X1362X128
	25	1370	300	245	86	50	5	112-121	39-48	26-35	367	948	1233	1479	5045	13,47	15,78	1,76	0,08	400X1417X128
	25	1370	400	345	86	50	5	112-121	39-48	26-35	500	1292	1680	2016	6875	16,79	19,40	2,12	0,10	500X1417X128
	25	1370	500	445	86	50	5	112-121	39-48	26-35	639	1651	2146	2576	8783	20,10	23,01	2,48	0,11	600X1417X128
	25	1370	600	545	86	50	5	112-121	39-48	26-35	784	2025	2633	3159	10772	23,42	26,51	2,84	0,13	700X1417X128
	25	1370	700	645	86	50	5	112-121	39-48	26-35	895	2311	3005	3606	12296	26,73	30,25	3,19	0,15	800X1417X128
	25	1370	800	745	86	50	5	112-121	39-48	26-35	1000	2585	3360	4032	13749	30,05	33,86	3,55	0,17	900X1417X128
Albite 1425	25	1370	900	845	86	50	5	112-121	39-48	26-35	1101	2845	3698	4438	15134	33,36	37,48	3,91	0,19	1000X1417X128
	25	1370	1000	945	86	50	5	112-121	39-48	26-35	1197	3093	4021	4825	16452	36,68	41,11	4,27	0,20	1100X1417X128
	25	1370	1200	1145	86	50	5	112-121	39-48	26-35	1374	3551	4616	5539	18890	43,31	48,33	4,98	0,24	1300X1417X128
	26	1425	300	245	86	50	5	112-121	39-48	26-35	382	986	1282	1539	5246	14,01	16,38	1,83	0,08	400X1472X128
	26	1425	400	345	86	50	5	112-121	39-48	26-35	520	1344	1747	2097	7150	17,46	20,15	2,21	0,10	500X1472X128
	26	1425	500	445	86	50	5	112-121	39-48	26-35	665	1717	2232	2679	9134	20,91	23,91	2,58	0,12	600X1472X128
	26	1425	600	545	86	50	5	112-121	39-48	26-35	815	2106	2738	3285	11203	24,36	27,54	2,95	0,14	700X1472X128
	26	1425	700	645	86	50	5	112-121	39-48	26-35	930	2404	3125	3750	12788	27,80	31,41	3,32	0,16	800X1472X128
Albite 1480	26	1425	800	745	86	50	5	112-121	39-48	26-35	1040	2688	3494	4193	14299	31,25	35,18	3,69	0,17	900X1472X128
	26	1425	900	845	86	50	5	112-121	39-48	26-35	1145	2959	3846	4616	15739	34,70	38,94	4,06	0,19	1000X1472X128
	26	1425	1000	945	86	50	5	112-121	39-48	26-35	1245	3216	4181	5018	17110	38,15	42,71	4,44	0,21	1100X1472X128
	26	1425	1200	1145	86	50	5	112-121	39-48	26-35	1429	3693	4801	5761	19645	45,04	50,22	5,18	0,25	1300X1472X128
	27	1480	300	245	86	50	5	112-121	39-48	26-35	396	1024	1331	1598	5448	14,55	16,98	1,90	0,08	400X1527X128
	27	1480	400	345	86	50	5	112-121	39-48	26-35	540	1396	1814	2177	7425	18,13	20,88	2,29	0,10	500X1527X128
	27	1480	500	445	86	50	5	112-121	39-48	26-35	690	1783	2318	2782	9486	21,71	24,78	2,68	0,12	600X1527X128
	27	1480	600	545	86	50	5	112-121	39-48	26-35	846	2187	2843	3412	11634	25,29	28,56	3,06	0,14	700X1527X128
Albite 1535	27	1480	700	645	86	50	5	112-121	39-48	26-35	966	2496	3245	3894	13280	28,87	32,58	3,45	0,16	800X1527X128
	27	1480	800	745	86	50	5	112-121	39-48	26-35	1080	2791	3629	4355	14849	32,45	36,48	3,83	0,18	900X1527X128
	27	1480	900	845	86	50	5	112-121	39-48	26-35	1189	3072	3994	4793	16344	36,03	40,39	4,22	0,20	1000X1527X128
	27	1480	1000	945	86	50	5	112-121	39-48	26-35	1293	3340	4342	5211	17768	39,61	44,29	4,61	0,22	1100X1527X128
	27	1480	1200	1145	86	50	5	112-121	39-48	26-35	1484	3835	4986	5983	20401	46,78	52,10	5,38	0,26	1300X1527X128
	28	1535	300	245	86	50	5	112-121	39-48	26-35	411	1062	1381	1657	5650	15,09	17,59	1,97	0,09	400X1582X128
	28	1535	400	345	86	50	5	112-121	39-48	26-35	560	1447	1882	2258	7700	18,81	21,63	2,38	0,11	500X1582X128
	28	1535	500	445	86	50	5	112-121	39-48	26-35	716	1849	2404	2885	9837	22,52	25,68	2,78	0,13	600X1582X128
Albite 1590	28	1535	600	545	86	50	5	112-121	39-48	26-35	878	2268	2948	3538	12065	26,23	29,59	3,18	0,15	700X1582X128
	28	1535	700	645	86	50	5	112-121	39-48	26-35	1002	2589	3366	4039	13772	29,95	33,76	3,58	0,17	800X1582X128
	28	1535	800	745	86	50	5	112-121	39-48	26-35	1120	2895	3763	4516	15399	33,66	37,81	3,98	0,19	900X1582X128
	28	1535	900	845	86	50	5	112-121	39-48	26-35	1233	3186	4142	4971	16950	37,37	41,85	4,38	0,21	1000X1582X128
	28	1535	1000	945	86	50	5	112-121	39-48	26-35	1341	3464	4503	5404	18426	41,08	45,89	4,78	0,23	1100X1582X128
	29	1590	300	245	86	50	5	112-121	39-48	26-35	426	1100	1430	1716	5852	15,62	18,17	2,05	0,09	400X1637X128
	29	1590	400	345	86	50	5	112-121	39-48	26-35	580	1499	1949	2339	7975	19,47	22,36	2,46	0,11	500X1637X128
	29	1590	500	445	86	50	5	112-121	39-48	26-35	741	1915	2490	2988	10188	23,32	26,55	2,87	0,13	600X1637X128
Albite 1590	29	1590	600	545	86	50	5	112-121	39-48	26-35	909	2349	3054	3664	12496	27,16	30,61	3,29	0,15	700X1637X128
	29	1590	700	645	86	50	5	112-121	39-48	26-35	1038	2681	3486	4183	14263	31,01	34,92	3,70	0,17	800X1637X128
	29	1590	800	745	86	50	5	112-121	39-48	26-35	1160	2998	3898	4677	15949	34,85	39,11	4,12	0,19	900X1637X128
	29	1590	900	845	86	50	5	112-121	39-48	26-35	1277	3300	4290	5148	17555	38,70	43,30	4,53	0,21	1000X1637X128
	29	1590	1000	945	86	50	5	112-121	39-48	26-35	1388	3588	4664	5597	19084	42,54	47,48	4,95	0,24	1100X1637X128

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Albite 1645	30	1645	300	245	86	50	5	112-121	39-48	26-35	440	1138	1479	1775	6053	16,17	18,77	2,12	0,09	400X1692X128
	30	1645	400	345	86	50	5	112-121	39-48	26-35	600	1551	2016	2419	8249	20,14	23,10	2,54	0,11	500X1692X128
	30	1645	500	445	86	50	5	112-121	39-48	26-35	767	1981	2576	3091	10540	24,12	27,43	2,97	0,13	600X1692X128
	30	1645	600	545	86	50	5	112-121	39-48	26-35	940	2430	3159	3791	12927	28,10	31,63	3,40	0,16	700X1692X128
	30	1645	700	645	86	50	5	112-121	39-48	26-35	1073	2774	3606	4327	14755	32,08	36,09	3,83	0,18	800X1692X128
	30	1645	800	745	86	50	5	112-121	39-48	26-35	1200	3102	4032	4838	16499	36,06	40,43	4,26	0,20	900X1692X128
	30	1645	900	845	86	50	5	112-121	39-48	26-35	1321	3414	4438	5326	18160	40,03	44,75	4,69	0,22	1000X1692X128
Albite 1700	31	1700	300	245	86	50	5	112-121	39-48	26-35	455	1176	1529	1834	6255	16,71	19,38	2,19	0,09	400X1747X128
	31	1700	400	345	86	50	5	112-121	39-48	26-35	620	1602	2083	2500	8524	20,82	23,85	2,63	0,12	500X1747X128
	31	1700	500	445	86	50	5	112-121	39-48	26-35	792	2047	2661	3194	10891	24,93	28,32	3,07	0,14	600X1747X128
	31	1700	600	545	86	50	5	112-121	39-48	26-35	972	2511	3264	3917	13358	29,04	32,67	3,52	0,16	700X1747X128
	31	1700	700	645	86	50	5	112-121	39-48	26-35	1109	2866	3726	4471	15247	33,15	37,26	3,96	0,18	800X1747X128
	31	1700	800	745	86	50	5	112-121	39-48	26-35	1240	3205	4166	5000	17049	37,26	41,74	4,40	0,21	900X1747X128
	31	1700	900	845	86	50	5	112-121	39-48	26-35	1365	3528	4586	5503	18766	41,37	46,20	4,85	0,23	1000X1747X128
Albite 1755	32	1755	300	245	86	50	5	112-121	39-48	26-35	470	1214	1578	1894	6457	17,25	19,98	2,26	0,10	400X1802X128
	32	1755	400	345	86	50	5	112-121	39-48	26-35	640	1654	2150	2580	8799	21,49	24,60	2,71	0,12	500X1802X128
	32	1755	500	445	86	50	5	112-121	39-48	26-35	818	2113	2747	3297	11242	25,73	29,20	3,17	0,14	600X1802X128
	32	1755	600	545	86	50	5	112-121	39-48	26-35	1003	2592	3370	4044	13788	29,98	33,70	3,63	0,17	700X1802X128
	32	1755	700	645	86	50	5	112-121	39-48	26-35	1145	2959	3846	4616	15739	34,22	38,43	4,09	0,19	800X1802X128
	32	1755	800	745	86	50	5	112-121	39-48	26-35	1280	3308	4301	5161	17599	38,46	43,04	4,54	0,21	900X1802X128
	32	1755	900	845	86	50	5	112-121	39-48	26-35	1409	3641	4734	5681	19371	42,71	47,67	5,00	0,24	1000X1802X128
Albite 1810	33	1810	300	245	86	50	5	112-121	39-48	26-35	484	1252	1627	1953	6659	17,79	20,57	2,33	0,10	400X1857X128
	33	1810	400	345	86	50	5	112-121	39-48	26-35	660	1706	2218	2661	9074	22,16	25,33	2,80	0,12	500X1857X128
	33	1810	500	445	86	50	5	112-121	39-48	26-35	843	2179	2833	3400	11593	26,54	30,10	3,27	0,15	600X1857X128
	33	1810	600	545	86	50	5	112-121	39-48	26-35	1034	2673	3475	4170	14219	30,92	34,72	3,74	0,17	700X1857X128
	33	1810	700	645	86	50	5	112-121	39-48	26-35	1181	3051	3966	4760	16231	35,29	39,60	4,21	0,20	800X1857X128
	33	1810	800	745	86	50	5	112-121	39-48	26-35	1320	3412	4435	5322	18149	39,67	44,36	4,69	0,22	900X1857X128
	33	1810	900	845	86	50	5	112-121	39-48	26-35	1453	3755	4882	5858	19976	44,04	49,11	5,16	0,24	1000X1857X128
Albite 1865	34	1865	300	245	86	50	5	112-121	39-48	26-35	499	1290	1677	2012	6861	18,33	21,18	2,40	0,10	400X1912X128
	34	1865	400	345	86	50	5	112-121	39-48	26-35	680	1758	2285	2742	9349	22,84	26,08	2,88	0,13	500X1912X128
	34	1865	500	445	86	50	5	112-121	39-48	26-35	869	2245	2919	3503	11945	27,35	30,98	3,37	0,15	600X1912X128
	34	1865	600	545	86	50	5	112-121	39-48	26-35	1066	2754	3580	4296	14650	31,85	35,75	3,86	0,18	700X1912X128
	34	1865	700	645	86	50	5	112-121	39-48	26-35	1217	3144	4087	4904	16723	36,36	40,77	4,34	0,20	800X1912X128
	34	1865	800	745	86	50	5	112-121	39-48	26-35	1360	3515	4570	5484	18699	40,87	45,67	4,83	0,23	900X1912X128
	34	1865	900	845	86	50	5	112-121	39-48	26-35	1497	3869	5030	6036	20582	45,38	50,57	5,31	0,25	1000X1912X128
Albite 1920	35	1920	300	245	86	50	5	112-121	39-48	26-35	514	1328	1726	2071	7062	18,86	21,76	2,47	0,11	400X1967X128
	35	1920	400	345	86	50	5	112-121	39-48	26-35	700	1809	2352	2822	9624	23,50	26,81	2,97	0,13	500X1967X128
	35	1920	500	445	86	50	5	112-121	39-48	26-35	895	2311	3005	3606	12296	28,14	31,85	3,47	0,16	600X1967X128
	35	1920	600	545	86	50	5	112-121	39-48	26-35	1097	2835	3686	4423	15081	32,78	36,77	3,97	0,18	700X1967X128
Albite 1975	36	1975	300	245	86	50	5	112-121	39-48	26-35	528	1366	1775	2130	7264	19,40	22,37	2,54	0,11	400X2022X128
	36	1975	400	345	86	50	5	112-121	39-48	26-35	720	1861	2419	2903	9899	24,17	27,55	3,05	0,13	500X2022X128
	36	1975	500	445	86	50	5	112-121	39-48	26-35	920	2378	3091	3709	12647	28,95	32,74	3,57	0,16	600X2022X128
	36	1975	600	545	86	50	5	112-121	39-48	26-35	1128	2916	3791	4549	15512	33,72	37,64	4,08	0,19	700X2022X128