


Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Bamboo Double Lux 239	2	239	300	245	52	119	1	78-87	52-61	26-35	32	82	107	128	437	2,40	3,27	0,25	0,02	490X274X87
	2	239	400	345	52	119	1	78-87	52-61	26-35	43	112	145	175	595	2,85	3,80	0,28	0,02	590X274X87
	2	239	500	445	52	119	1	78-87	52-61	26-35	55	143	186	223	760	3,30	4,33	0,30	0,02	690X274X87
	2	239	600	545	52	119	1	78-87	52-61	26-35	68	175	228	273	933	3,76	4,87	0,33	0,02	790X274X87
	2	239	700	645	52	119	1	78-87	52-61	26-35	77	200	260	312	1064	4,21	5,40	0,36	0,03	890X274X87
	2	239	800	745	52	119	1	78-87	52-61	26-35	87	224	291	349	1190	4,66	5,92	0,39	0,03	990X274X87
	2	239	900	845	52	119	1	78-87	52-61	26-35	95	246	320	384	1310	5,11	6,46	0,42	0,03	1090X274X87
	2	239	1000	945	52	119	1	78-87	52-61	26-35	104	268	348	418	1424	5,57	6,99	0,45	0,03	1190X274X87
	2	239	1200	1145	52	119	1	78-87	52-61	26-35	119	307	400	480	1635	6,47	8,06	0,50	0,04	1390X274X87
2	239	1400	1345	52	119	1	78-87	52-61	26-35	137	353	459	551	1878	7,38	9,13	0,56	0,04	1590X274X87	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Bamboo Double Lux 359	3	359	300	245	52	119	1	78-87	52-61	26-35	48	123	160	192	655	3,37	4,37	0,35	0,02	490X394X87
	3	359	400	345	52	119	1	78-87	52-61	26-35	65	168	218	262	893	4,05	5,14	0,40	0,03	590X394X87
	3	359	500	445	52	119	1	78-87	52-61	26-35	83	214	279	334	1140	4,73	5,92	0,44	0,03	690X394X87
	3	359	600	545	52	119	1	78-87	52-61	26-35	102	263	342	410	1399	5,41	6,71	0,48	0,03	790X394X87
	3	359	700	645	52	119	1	78-87	52-61	26-35	116	300	390	468	1597	6,09	7,49	0,53	0,04	890X394X87
	3	359	800	745	52	119	1	78-87	52-61	26-35	130	336	436	524	1785	6,76	8,26	0,57	0,04	990X394X87
	3	359	900	845	52	119	1	78-87	52-61	26-35	143	369	480	576	1965	7,44	9,05	0,61	0,04	1090X394X87
	3	359	1000	945	52	119	1	78-87	52-61	26-35	155	402	522	626	2136	8,12	9,83	0,66	0,05	1190X394X87
	3	359	1200	1145	52	119	1	78-87	52-61	26-35	178	461	599	719	2453	9,48	11,39	0,74	0,05	1390X394X87
	3	359	1400	1345	52	119	1	78-87	52-61	26-35	205	529	688	826	2816	10,84	12,96	0,83	0,06	1590X394X87
Bamboo Double Lux 479	4	479	300	245	52	119	1	78-87	52-61	26-35	64	164	213	256	873	4,34	5,46	0,46	0,03	490X514X87
	4	479	400	345	52	119	1	78-87	52-61	26-35	87	224	291	349	1190	5,25	6,49	0,52	0,03	590X514X87
	4	479	500	445	52	119	1	78-87	52-61	26-35	111	286	372	446	1521	6,15	7,51	0,58	0,04	690X514X87
	4	479	600	545	52	119	1	78-87	52-61	26-35	136	351	456	547	1865	7,06	8,55	0,63	0,04	790X514X87
	4	479	700	645	52	119	1	78-87	52-61	26-35	155	400	520	624	2129	7,96	9,57	0,69	0,04	890X514X87
	4	479	800	745	52	119	1	78-87	52-61	26-35	173	447	582	698	2380	8,87	10,61	0,75	0,05	990X514X87
	4	479	900	845	52	119	1	78-87	52-61	26-35	191	493	640	768	2620	9,77	11,63	0,81	0,05	1090X514X87
	4	479	1000	945	52	119	1	78-87	52-61	26-35	207	535	696	835	2848	10,68	12,66	0,86	0,06	1190X514X87
	4	479	1200	1145	52	119	1	78-87	52-61	26-35	238	615	799	959	3270	12,49	14,72	0,98	0,07	1390X514X87
	4	479	1400	1345	52	119	1	78-87	52-61	26-35	273	706	918	1101	3755	14,30	16,79	1,09	0,08	1590X514X87
Bamboo Double Lux 599	5	599	300	245	52	119	1	78-87	52-61	26-35	79	205	267	320	1092	5,31	6,72	0,57	0,03	490X634X87
	5	599	400	345	52	119	1	78-87	52-61	26-35	108	280	364	436	1488	6,44	7,99	0,64	0,04	590X634X87
	5	599	500	445	52	119	1	78-87	52-61	26-35	138	357	465	557	1901	7,58	9,27	0,71	0,04	690X634X87
	5	599	600	545	52	119	1	78-87	52-61	26-35	170	438	570	684	2331	8,71	10,56	0,78	0,05	790X634X87
	5	599	700	645	52	119	1	78-87	52-61	26-35	194	500	650	780	2661	9,84	11,83	0,86	0,05	890X634X87
	5	599	800	745	52	119	1	78-87	52-61	26-35	216	559	727	873	2976	10,97	13,11	0,93	0,06	990X634X87
	5	599	900	845	52	119	1	78-87	52-61	26-35	238	616	800	960	3275	12,10	14,38	1,00	0,07	1090X634X87
	5	599	1000	945	52	119	1	78-87	52-61	26-35	259	669	870	1044	3561	13,24	15,65	1,07	0,07	1190X634X87
	5	599	1200	1145	52	119	1	78-87	52-61	26-35	297	768	999	1199	4088	15,50	18,21	1,21	0,08	1390X634X87
	5	599	1400	1345	52	119	1	78-87	52-61	26-35	341	882	1147	1376	4694	17,76	20,77	1,36	0,09	1590X634X87
Bamboo Double Lux 719	6	719	300	245	52	119	1	78-87	52-61	26-35	95	246	320	384	1310	6,27	7,81	0,68	0,04	490X754X87
	6	719	400	345	52	119	1	78-87	52-61	26-35	130	336	436	524	1785	7,63	9,32	0,76	0,04	590X754X87
	6	719	500	445	52	119	1	78-87	52-61	26-35	166	429	557	669	2281	8,99	10,86	0,85	0,05	690X754X87
	6	719	600	545	52	119	1	78-87	52-61	26-35	204	526	684	820	2798	10,35	12,38	0,93	0,06	790X754X87
	6	719	700	645	52	119	1	78-87	52-61	26-35	232	600	780	936	3193	11,71	13,92	1,02	0,06	890X754X87
	6	719	800	745	52	119	1	78-87	52-61	26-35	260	671	873	1047	3571	13,06	15,43	1,11	0,07	990X754X87
	6	719	900	845	52	119	1	78-87	52-61	26-35	286	739	960	1153	3930	14,42	16,96	1,19	0,08	1090X754X87
	6	719	1000	945	52	119	1	78-87	52-61	26-35	311	803	1044	1253	4273	15,78	18,48	1,28	0,08	1190X754X87
	6	719	1200	1145	52	119	1	78-87	52-61	26-35	357	922	1199	1439	4906	18,50	21,54	1,45	0,10	1390X754X87
	6	719	1400	1345	52	119	1	78-87	52-61	26-35	410	1059	1376	1652	5633	21,21	24,59	1,62	0,11	1590X754X87
Bamboo Double Lux 839	7	839	300	245	52	119	1	78-87	52-61	26-35	111	287	374	448	1528	7,24	8,91	0,78	0,04	490X874X87
	7	839	400	345	52	119	1	78-87	52-61	26-35	152	392	509	611	2083	8,83	10,67	0,88	0,05	590X874X87
	7	839	500	445	52	119	1	78-87	52-61	26-35	194	500	650	780	2661	10,41	12,45	0,98	0,06	690X874X87
	7	839	600	545	52	119	1	78-87	52-61	26-35	237	614	798	957	3264	12,00	14,23	1,08	0,07	790X874X87
	7	839	700	645	52	119	1	78-87	52-61	26-35	271	700	910	1093	3726	13,58	15,99	1,18	0,07	890X874X87
	7	839	800	745	52	119	1	78-87	52-61	26-35	303	783	1018	1222	4166	15,17	17,78	1,28	0,08	990X874X87
	7	839	900	845	52	119	1	78-87	52-61	26-35	334	862	1121	1345	4585	16,75	19,55	1,38	0,09	1090X874X87
	7	839	1000	945	52	119	1	78-87	52-61	26-35	363	937	1218	1462	4985	18,34	21,32	1,48	0,10	1190X874X87
	7	839	1200	1145	52	119	1	78-87	52-61	26-35	416	1076	1399	1678	5723	21,51	24,87	1,68	0,11	1390X874X87
	7	839	1400	1345	52	119	1	78-87	52-61	26-35	478	1235	1606	1927	6571	24,68	28,41	1,88	0,13	1590X874X87
Bamboo Double Lux 959	8	959	300	245	52	119	1	78-87	52-61	26-35	127	328	427	512	1747	8,21	10,00	0,89	0,05	490X994X87
	8	959	400	345	52	119	1	78-87	52-61	26-35	173	447	582	698	2380	10,03	12,02	1,01	0,06	590X994X87
	8	959	500	445	52	119	1	78-87	52-61	26-35	221	572	743	892	3041	11,84	14,05	1,12	0,06	690X994X87
	8	959	600	545	52	119	1	78-87	52-61	26-35	271	701	912	1094	3730	13,65	16,07	1,23	0,07	790X994X87
	8	959	700	645	52	119	1	78-87	52-61	26-35	310	800	1041	1249	4258	15,46	18,09	1,35	0,08	890X994X87
	8	959	800	745	52	119	1	78-87	52-61	26-35	346	895	1163	1396	4761	17,27	20,11	1,46	0,09	990X994X87
	8	959	900	845	52	119	1	78-87	52-61	26-35	381	985	1281	1537	5240	19,08	22,13	1,58	0,10	1090X994X87
	8	959	1000	945	52	119	1	78-87	52-61	26-35	414	1071	1392	1671	5697	20,89	24,15	1,69	0,11	1190X994X87
	8	959	1200	1145	52	119	1	78-87	52-61	26-35	476	1230	1598	1918	6541	24,52	28,20	1,92	0,13	1390X994X87
	8	959	1400	1345	52	119	1	78-87	52-61	26-35	546	1412	1835	2202	7510	28,14	32,24	2,15	0,14	1590X994X87

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70\text{ }^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Bamboo Double Lux 1079	9	1079	300	245	52	119	1	78-87	52-61	26-35	143	369	480	576	1965	9,41	11,33	1,01	0,05	490X1114X87
	9	1079	400	345	52	119	1	78-87	52-61	26-35	195	503	654	785	2678	11,45	13,60	1,14	0,06	590X1114X87
	9	1079	500	445	52	119	1	78-87	52-61	26-35	249	643	836	1003	3421	13,49	15,86	1,27	0,07	690X1114X87
	9	1079	600	545	52	119	1	78-87	52-61	26-35	305	789	1026	1231	4196	15,52	18,12	1,40	0,08	790X1114X87
	9	1079	700	645	52	119	1	78-87	52-61	26-35	348	900	1171	1405	4790	17,56	20,41	1,53	0,09	890X1114X87
	9	1079	800	745	52	119	1	78-87	52-61	26-35	390	1007	1309	1571	5356	19,60	22,68	1,66	0,10	990X1114X87
	9	1079	900	845	52	119	1	78-87	52-61	26-35	429	1108	1441	1729	5895	21,64	24,94	1,78	0,11	1090X1114X87
	9	1079	1000	945	52	119	1	78-87	52-61	26-35	466	1205	1566	1879	6409	23,68	27,21	1,91	0,12	1190X1114X87
	9	1079	1200	1145	52	119	1	78-87	52-61	26-35	535	1383	1798	2158	7359	27,75	31,75	2,17	0,14	1390X1114X87
9	1079	1400	1345	52	119	1	78-87	52-61	26-35	615	1588	2065	2478	8449	31,83	36,29	2,43	0,16	1590X1114X87	
Bamboo Double Lux 1199	10	1199	300	245	52	119	1	78-87	52-61	26-35	159	410	534	640	2183	10,38	12,44	1,12	0,06	490X1234X87
	10	1199	400	345	52	119	1	78-87	52-61	26-35	216	559	727	873	2976	12,65	14,95	1,26	0,07	590X1234X87
	10	1199	500	445	52	119	1	78-87	52-61	26-35	277	715	929	1115	3802	14,91	17,46	1,41	0,08	690X1234X87
	10	1199	600	545	52	119	1	78-87	52-61	26-35	339	877	1139	1367	4663	17,17	19,97	1,55	0,09	790X1234X87
	10	1199	700	645	52	119	1	78-87	52-61	26-35	387	1000	1301	1561	5322	19,44	22,50	1,69	0,10	890X1234X87
	10	1199	800	745	52	119	1	78-87	52-61	26-35	433	1119	1454	1745	5951	21,70	25,02	1,83	0,11	990X1234X87
	10	1199	900	845	52	119	1	78-87	52-61	26-35	477	1231	1601	1921	6550	23,97	27,53	1,98	0,12	1090X1234X87
	10	1199	1000	945	52	119	1	78-87	52-61	26-35	518	1339	1740	2088	7121	26,23	30,04	2,12	0,13	1190X1234X87
	10	1199	1200	1145	52	119	1	78-87	52-61	26-35	595	1537	1998	2398	8176	30,76	35,08	2,41	0,15	1390X1234X87
10	1199	1400	1345	52	119	1	78-87	52-61	26-35	683	1765	2294	2753	9388	35,29	40,11	2,69	0,18	1590X1234X87	
Bamboo Double Lux 1319	11	1319	300	245	52	119	1	78-87	52-61	26-35	175	452	587	704	2402	11,35	13,52	1,23	0,06	490X1354X87
	11	1319	400	345	52	119	1	78-87	52-61	26-35	238	615	800	960	3273	13,85	16,29	1,38	0,07	590X1354X87
	11	1319	500	445	52	119	1	78-87	52-61	26-35	304	786	1022	1226	4182	16,34	19,06	1,54	0,09	690X1354X87
	11	1319	600	545	52	119	1	78-87	52-61	26-35	373	964	1253	1504	5129	18,83	21,81	1,70	0,10	790X1354X87
	11	1319	700	645	52	119	1	78-87	52-61	26-35	426	1101	1431	1717	5854	21,32	24,60	1,86	0,11	890X1354X87
	11	1319	800	745	52	119	1	78-87	52-61	26-35	476	1231	1600	1920	6546	23,81	27,36	2,01	0,12	990X1354X87
	11	1319	900	845	52	119	1	78-87	52-61	26-35	524	1355	1761	2113	7206	26,30	30,11	2,17	0,13	1090X1354X87
	11	1319	1000	945	52	119	1	78-87	52-61	26-35	570	1473	1914	2297	7833	28,79	32,88	2,33	0,15	1190X1354X87
	11	1319	1200	1145	52	119	1	78-87	52-61	26-35	654	1691	2198	2637	8994	33,77	38,41	2,64	0,17	1390X1354X87
11	1319	1400	1345	52	119	1	78-87	52-61	26-35	751	1941	2524	3028	10326	38,75	43,93	2,96	0,19	1590X1354X87	
Bamboo Double Lux 1439	12	1439	300	245	52	119	1	78-87	52-61	26-35	191	493	640	768	2620	12,32	14,62	1,33	0,07	490X1474X87
	12	1439	400	345	52	119	1	78-87	52-61	26-35	260	671	873	1047	3571	15,03	17,62	1,51	0,08	590X1474X87
	12	1439	500	445	52	119	1	78-87	52-61	26-35	332	858	1115	1338	4562	17,75	20,64	1,68	0,09	690X1474X87
	12	1439	600	545	52	119	1	78-87	52-61	26-35	407	1052	1367	1641	5595	20,47	23,65	1,85	0,11	790X1474X87
	12	1439	700	645	52	119	1	78-87	52-61	26-35	465	1201	1561	1873	6387	23,18	26,67	2,02	0,12	890X1474X87
	12	1439	800	745	52	119	1	78-87	52-61	26-35	520	1342	1745	2094	7141	25,90	29,69	2,19	0,13	990X1474X87
	12	1439	900	845	52	119	1	78-87	52-61	26-35	572	1478	1921	2305	7861	28,62	32,69	2,36	0,14	1090X1474X87
	12	1439	1000	945	52	119	1	78-87	52-61	26-35	622	1606	2088	2506	8545	31,33	35,69	2,54	0,16	1190X1474X87
	12	1439	1200	1145	52	119	1	78-87	52-61	26-35	714	1844	2398	2877	9811	36,77	41,73	2,88	0,18	1390X1474X87
12	1439	1400	1345	52	119	1	78-87	52-61	26-35	820	2118	2753	3304	11265	42,20	47,75	3,22	0,21	1590X1474X87	
Bamboo Double Lux 1559	13	1559	300	245	52	119	1	78-87	52-61	26-35	207	534	694	832	2839	13,29	15,71	1,44	0,07	490X1594X87
	13	1559	400	345	52	119	1	78-87	52-61	26-35	281	727	945	1134	3868	16,23	18,97	1,63	0,09	590X1594X87
	13	1559	500	445	52	119	1	78-87	52-61	26-35	360	929	1208	1449	4942	19,17	22,23	1,81	0,10	690X1594X87
	13	1559	600	545	52	119	1	78-87	52-61	26-35	441	1139	1481	1778	6061	22,12	25,49	2,00	0,11	790X1594X87
	13	1559	700	645	52	119	1	78-87	52-61	26-35	503	1301	1691	2029	6919	25,06	28,75	2,19	0,13	890X1594X87
	13	1559	800	745	52	119	1	78-87	52-61	26-35	563	1454	1891	2269	7737	28,00	32,01	2,37	0,14	990X1594X87
	13	1559	900	845	52	119	1	78-87	52-61	26-35	620	1601	2081	2497	8516	30,95	35,28	2,56	0,16	1090X1594X87
	13	1559	1000	945	52	119	1	78-87	52-61	26-35	673	1740	2262	2715	9257	33,89	38,54	2,74	0,17	1190X1594X87
	13	1559	1200	1145	52	119	1	78-87	52-61	26-35	773	1998	2598	3117	10629	39,78	45,07	3,11	0,20	1390X1594X87
13	1559	1400	1345	52	119	1	78-87	52-61	26-35	888	2294	2982	3579	12204	45,66	51,57	3,49	0,23	1590X1594X87	
Bamboo Double Lux 1679	14	1679	300	245	52	119	1	78-87	52-61	26-35	222	575	747	896	3057	14,26	16,81	1,55	0,08	490X1714X87
	14	1679	400	345	52	119	1	78-87	52-61	26-35	303	783	1018	1222	4166	17,43	20,32	1,75	0,09	590X1714X87
	14	1679	500	445	52	119	1	78-87	52-61	26-35	387	1000	1301	1561	5322	20,60	23,83	1,95	0,11	690X1714X87
	14	1679	600	545	52	119	1	78-87	52-61	26-35	475	1227	1595	1914	6528	23,77	27,33	2,15	0,12	790X1714X87
	14	1679	700	645	52	119	1	78-87	52-61	26-35	542	1401	1821	2185	7451	26,94	30,85	2,35	0,14	890X1714X87
	14	1679	800	745	52	119	1	78-87	52-61	26-35	606	1566	2036	2443	8332	30,11	34,35	2,55	0,15	990X1714X87
	14	1679	900	845	52	119	1	78-87	52-61	26-35	667	1724	2241	2689	9171	33,27	37,86	2,75	0,17	1090X1714X87
	14	1679	1000	945	52	119	1	78-87	52-61	26-35	725	1874	2436	2924	9970	36,44	41,37	2,95	0,18	1190X1714X87
	14	1679	1200	1145	52	119	1	78-87	52-61	26-35	833	2152	2797	3357	11447	42,78	48,39	3,35	0,21	1390X1714X87
14	1679	1400	1345	52	119	1	78-87	52-61	26-35	956	2471	3212	3854	13143	49,12	55,40	3,75	0,24	1590X1714X87	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Bamboo Double Lux 1799	15	1799	300	245	52	119	1	78-87	52-61	26-35	238	616	800	960	3275	15,23	17,91	1,66	0,08	490X1834X87
	15	1799	400	345	52	119	1	78-87	52-61	26-35	325	839	1091	1309	4463	18,63	21,67	1,87	0,10	590X1834X87
	15	1799	500	445	52	119	1	78-87	52-61	26-35	415	1072	1394	1672	5702	22,02	25,42	2,09	0,12	690X1834X87
	15	1799	600	545	52	119	1	78-87	52-61	26-35	509	1315	1709	2051	6994	25,42	29,17	2,30	0,13	790X1834X87
	15	1799	700	645	52	119	1	78-87	52-61	26-35	581	1501	1951	2341	7983	28,81	32,94	2,51	0,15	890X1834X87
	15	1799	800	745	52	119	1	78-87	52-61	26-35	649	1678	2182	2618	8927	32,21	36,69	2,73	0,16	990X1834X87
	15	1799	900	845	52	119	1	78-87	52-61	26-35	715	1847	2401	2881	9826	35,61	40,45	2,94	0,18	1090X1834X87
	15	1799	1000	945	52	119	1	78-87	52-61	26-35	777	2008	2610	3132	10682	39,00	44,20	3,16	0,19	1190X1834X87
	15	1799	1200	1145	52	119	1	78-87	52-61	26-35	892	2305	2997	3597	12264	45,79	51,56	3,59	0,23	1390X1834X87
Bamboo Double Lux 1919	16	1919	300	245	52	119	1	78-87	52-61	26-35	254	657	854	1025	3494	16,20	18,85	1,76	0,09	490X1954X87
	16	1919	400	345	52	119	1	78-87	52-61	26-35	346	895	1163	1396	4761	19,82	22,85	1,99	0,11	590X1954X87
	16	1919	500	445	52	119	1	78-87	52-61	26-35	443	1143	1486	1784	6083	23,44	26,86	2,22	0,12	690X1954X87
	16	1919	600	545	52	119	1	78-87	52-61	26-35	543	1402	1823	2188	7460	27,07	30,86	2,45	0,14	790X1954X87
	16	1919	700	645	52	119	1	78-87	52-61	26-35	620	1601	2081	2497	8516	30,69	34,87	2,68	0,16	890X1954X87
	16	1919	800	745	52	119	1	78-87	52-61	26-35	693	1790	2327	2792	9522	34,31	38,86	2,91	0,17	990X1954X87
	16	1919	900	845	52	119	1	78-87	52-61	26-35	762	1970	2561	3074	10481	37,93	42,87	3,14	0,19	1090X1954X87
	16	1919	1000	945	52	119	1	78-87	52-61	26-35	829	2142	2784	3341	11394	41,56	46,88	3,36	0,21	1190X1954X87