





Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Bella Double 286	5	286	300	245	77	50	9	103-112	64-73	26-35	74	191	249	298	1018	2,68	3,66	0,36	0,02	410X333X119
	5	286	400	345	77	50	9	103-112	64-73	26-35	101	261	339	407	1387	3,30	4,38	0,44	0,03	510X333X119
	5	286	500	445	77	50	9	103-112	64-73	26-35	129	333	433	520	1772	3,92	5,10	0,51	0,03	610X333X119
	5	286	600	545	77	50	9	103-112	64-73	26-35	158	409	531	637	2173	4,54	5,72	0,58	0,03	710X333X119
	5	286	700	645	77	50	9	103-112	64-73	26-35	180	466	606	727	2480	5,17	6,58	0,65	0,04	810X333X119
	5	286	800	745	77	50	9	103-112	64-73	26-35	202	521	678	813	2774	5,79	7,30	0,72	0,04	910X333X119
	5	286	900	845	77	50	9	103-112	64-73	26-35	222	574	746	895	3053	6,41	8,02	0,79	0,05	1010X333X119
	5	286	1000	945	77	50	9	103-112	64-73	26-35	241	624	811	973	3319	7,03	8,74	0,86	0,05	1110X333X119
	5	286	1200	1145	77	50	9	103-112	64-73	26-35	277	716	931	1117	3811	8,28	10,20	1,01	0,06	1310X333X119
	5	286	1400	1345	77	50	9	103-112	64-73	26-35	318	822	1069	1283	4375	9,52	11,66	1,15	0,06	1510X333X119
	5	286	1600	1545	77	50	9	103-112	64-73	26-35	365	944	1228	1473	5023	10,73	13,09	1,29	0,07	1710X333X119
	5	286	1800	1745	77	50	9	103-112	64-73	26-35	420	1084	1409	1691	5768	11,97	14,43	1,44	0,08	1910X333X119
	5	286	2000	1945	77	50	9	103-112	64-73	26-35	482	1245	1618	1942	6622	13,22	16,00	1,58	0,09	2110X333X119

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Bella Double 345	6	345	300	245	77	50	9	103-112	64-73	26-35	89	230	298	358	1221	3,21	4,26	0,44	0,02	410X392X119
	6	345	400	345	77	50	9	103-112	64-73	26-35	121	313	407	488	1664	3,95	5,11	0,52	0,03	510X392X119
	6	345	500	445	77	50	9	103-112	64-73	26-35	155	400	520	623	2126	4,70	5,97	0,61	0,03	610X392X119
	6	345	600	545	77	50	9	103-112	64-73	26-35	190	490	637	765	2608	5,45	6,72	0,69	0,04	710X392X119
	6	345	700	645	77	50	9	103-112	64-73	26-35	217	560	727	873	2977	6,19	7,69	0,78	0,04	810X392X119
	6	345	800	745	77	50	9	103-112	64-73	26-35	242	626	813	976	3328	6,94	8,56	0,87	0,05	910X392X119
	6	345	900	845	77	50	9	103-112	64-73	26-35	267	689	895	1074	3663	7,69	9,43	0,95	0,05	1010X392X119
	6	345	1000	945	77	50	9	103-112	64-73	26-35	290	749	973	1168	3983	8,44	10,29	1,04	0,06	1110X392X119
	6	345	1200	1145	77	50	9	103-112	64-73	26-35	333	860	1117	1341	4573	9,93	12,02	1,21	0,07	1310X392X119
	6	345	1400	1345	77	50	9	103-112	64-73	26-35	382	987	1283	1540	5250	11,42	13,75	1,38	0,08	1510X392X119
	6	345	1600	1545	77	50	9	103-112	64-73	26-35	439	1133	1473	1768	6028	12,89	15,46	1,55	0,08	1710X392X119
	6	345	1800	1745	77	50	9	103-112	64-73	26-35	504	1301	1691	2030	6921	14,38	17,05	1,72	0,09	1910X392X119
6	345	2000	1945	77	50	9	103-112	64-73	26-35	578	1494	1942	2330	7947	15,88	18,90	1,89	0,10	2110X392X119	
Bella Double 404	7	404	300	245	77	50	9	103-112	64-73	26-35	104	268	348	418	1425	3,75	4,86	0,51	0,03	410X451X119
	7	404	400	345	77	50	9	103-112	64-73	26-35	141	365	474	569	1942	4,62	5,86	0,61	0,03	510X451X119
	7	404	500	445	77	50	9	103-112	64-73	26-35	180	466	606	727	2480	5,49	6,85	0,71	0,04	610X451X119
	7	404	600	545	77	50	9	103-112	64-73	26-35	221	572	743	892	3042	6,36	7,72	0,81	0,04	710X451X119
	7	404	700	645	77	50	9	103-112	64-73	26-35	253	653	849	1018	3473	7,23	8,84	0,91	0,05	810X451X119
	7	404	800	745	77	50	9	103-112	64-73	26-35	282	730	949	1139	3883	8,10	9,84	1,01	0,05	910X451X119
	7	404	900	845	77	50	9	103-112	64-73	26-35	311	803	1044	1253	4274	8,97	10,84	1,11	0,06	1010X451X119
	7	404	1000	945	77	50	9	103-112	64-73	26-35	338	873	1135	1363	4646	9,85	11,85	1,21	0,06	1110X451X119
	7	404	1200	1145	77	50	9	103-112	64-73	26-35	388	1003	1304	1564	5335	11,59	13,84	1,41	0,08	1310X451X119
	7	404	1400	1345	77	50	9	103-112	64-73	26-35	446	1151	1497	1796	6125	13,33	15,84	1,61	0,09	1510X451X119
	7	404	1600	1545	77	50	9	103-112	64-73	26-35	512	1322	1719	2062	7033	15,03	17,79	1,81	0,10	1710X451X119
	7	404	1800	1745	77	50	9	103-112	64-73	26-35	587	1518	1973	2368	8075	16,78	19,67	2,01	0,11	1910X451X119
7	404	2000	1945	77	50	9	103-112	64-73	26-35	674	1743	2266	2719	9271	18,52	21,79	2,21	0,12	2110X451X119	
Bella Double 463	8	463	300	245	77	50	9	103-112	64-73	26-35	118	306	398	477	1628	4,28	5,45	0,58	0,03	410X510X119
	8	463	400	345	77	50	9	103-112	64-73	26-35	161	417	542	651	2219	5,28	6,58	0,70	0,04	510X510X119
	8	463	500	445	77	50	9	103-112	64-73	26-35	206	533	693	831	2835	6,28	7,72	0,81	0,04	610X510X119
	8	463	600	545	77	50	9	103-112	64-73	26-35	253	654	850	1020	3477	7,27	8,73	0,92	0,05	710X510X119
	8	463	700	645	77	50	9	103-112	64-73	26-35	289	746	970	1164	3969	8,27	9,99	1,04	0,05	810X510X119
	8	463	800	745	77	50	9	103-112	64-73	26-35	323	834	1084	1301	4438	9,26	11,12	1,15	0,06	910X510X119
	8	463	900	845	77	50	9	103-112	64-73	26-35	355	918	1194	1432	4885	10,26	12,26	1,27	0,07	1010X510X119
	8	463	1000	945	77	50	9	103-112	64-73	26-35	386	998	1298	1557	5310	11,26	13,39	1,38	0,07	1110X510X119
	8	463	1200	1145	77	50	9	103-112	64-73	26-35	444	1146	1490	1788	6097	13,25	15,66	1,61	0,08	1310X510X119
	8	463	1400	1345	77	50	9	103-112	64-73	26-35	509	1316	1711	2053	7000	15,24	17,92	1,84	0,10	1510X510X119
	8	463	1600	1545	77	50	9	103-112	64-73	26-35	585	1511	1964	2357	8037	17,18	20,14	2,07	0,11	1710X510X119
	8																			

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Bella Double 640	11	640	300	245	77	50	9	103-112	64-73	26-35	163	421	547	657	2239	5,90	7,41	0,80	0,04	410X687X119
	11	640	400	345	77	50	9	103-112	64-73	26-35	222	574	746	895	3051	7,27	8,97	0,96	0,05	510X687X119
	11	640	500	445	77	50	9	103-112	64-73	26-35	284	733	953	1143	3898	8,64	10,51	1,11	0,05	610X687X119
	11	640	600	545	77	50	9	103-112	64-73	26-35	348	899	1168	1402	4781	10,01	11,91	1,27	0,06	710X687X119
	11	640	700	645	77	50	9	103-112	64-73	26-35	397	1026	1334	1600	5457	11,38	13,57	1,43	0,07	810X687X119
	11	640	800	745	77	50	9	103-112	64-73	26-35	444	1147	1491	1789	6102	12,75	15,12	1,59	0,08	910X687X119
	11	640	900	845	77	50	9	103-112	64-73	26-35	489	1263	1641	1970	6716	14,12	16,66	1,74	0,09	1010X687X119
	11	640	1000	945	77	50	9	103-112	64-73	26-35	531	1373	1784	2141	7301	15,49	18,19	1,90	0,10	1110X687X119
	11	640	1200	1145	77	50	9	103-112	64-73	26-35	610	1576	2049	2458	8383	18,23	21,27	2,22	0,11	1310X687X119
	11	640	1400	1345	77	50	9	103-112	64-73	26-35	700	1809	2352	2823	9625	20,97	24,35	2,53	0,13	1510X687X119
	11	640	1600	1545	77	50	9	103-112	64-73	26-35	804	2077	2701	3241	11051	23,64	27,37	2,84	0,14	1710X687X119
	11	640	1800	1745	77	50	9	103-112	64-73	26-35	923	2385	3101	3721	12689	26,37	30,31	3,16	0,16	1910X687X119
11	640	2000	1945	77	50	9	103-112	64-73	26-35	1060	2739	3560	4272	14569	29,11	33,52	3,47	0,18	2110X687X119	
Bella Double 699	12	699	300	245	77	50	9	103-112	64-73	26-35	178	459	597	716	2442	6,43	8,02	0,87	0,04	410X746X119
	12	699	400	345	77	50	9	103-112	64-73	26-35	242	626	813	976	3328	7,93	9,69	1,04	0,05	510X746X119
	12	699	500	445	77	50	9	103-112	64-73	26-35	309	799	1039	1247	4252	9,42	11,36	1,22	0,06	610X746X119
	12	699	600	545	77	50	9	103-112	64-73	26-35	379	980	1275	1529	5215	10,91	12,91	1,39	0,07	710X746X119
	12	699	700	645	77	50	9	103-112	64-73	26-35	433	1119	1455	1746	5953	12,41	14,71	1,56	0,08	810X746X119
	12	699	800	745	77	50	9	103-112	64-73	26-35	484	1251	1627	1952	6657	13,90	16,38	1,73	0,09	910X746X119
	12	699	900	845	77	50	9	103-112	64-73	26-35	533	1377	1791	2149	7327	15,40	18,06	1,90	0,09	1010X746X119
	12	699	1000	945	77	50	9	103-112	64-73	26-35	579	1497	1947	2336	7965	16,89	19,73	2,07	0,10	1110X746X119
	12	699	1200	1145	77	50	9	103-112	64-73	26-35	665	1719	2235	2682	9145	19,88	23,08	2,42	0,12	1310X746X119
	12	699	1400	1345	77	50	9	103-112	64-73	26-35	764	1974	2566	3079	10500	22,87	26,43	2,76	0,14	1510X746X119
	12	699	1600	1545	77	50	9	103-112	64-73	26-35	877	2266	2946	3535	12056	25,78	29,71	3,10	0,16	1710X746X119
	12	699	1800	1745	77	50	9	103-112	64-73	26-35	1007	2602	3383	4059	13842	28,77	32,94	3,45	0,17	1910X746X119
12	699	2000	1945	77	50	9	103-112	64-73	26-35	1156	2988	3884	4661	15893	31,76	36,41	3,79	0,19	2110X746X119	
Bella Double 758	13	758	300	245	77	50	9	103-112	64-73	26-35	192	497	647	776	2646	6,97	8,62	0,95	0,04	410X805X119
	13	758	400	345	77	50	9	103-112	64-73	26-35	262	678	881	1057	3606	8,59	10,43	1,13	0,05	510X805X119
	13	758	500	445	77	50	9	103-112	64-73	26-35	335	866	1126	1351	4607	10,21	12,24	1,32	0,06	610X805X119
	13	758	600	545	77	50	9	103-112	64-73	26-35	411	1062	1381	1657	5650	11,83	13,93	1,50	0,07	710X805X119
	13	758	700	645	77	50	9	103-112	64-73	26-35	469	1212	1576	1891	6449	13,44	15,84	1,69	0,08	810X805X119
	13	758	800	745	77	50	9	103-112	64-73	26-35	525	1356	1762	2115	7211	15,06	17,67	1,87	0,09	910X805X119
	13	758	900	845	77	50	9	103-112	64-73	26-35	577	1492	1940	2328	7938	16,68	19,47	2,06	0,10	1010X805X119
	13	758	1000	945	77	50	9	103-112	64-73	26-35	628	1622	2109	2530	8629	18,30	21,29	2,25	0,11	1110X805X119
	13	758	1200	1145	77	50	9	103-112	64-73	26-35	721	1862	2421	2905	9907	21,54	24,90	2,62	0,13	1310X805X119
	13	758	1400	1345	77	50	9	103-112	64-73	26-35	828	2138	2780	3336	11375	24,77	28,52	2,99	0,15	1510X805X119
	13	758	1600	1545	77	50	9	103-112	64-73											

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Bella Double 935	16	935	300	245	77	50	9	103-112	64-73	26-35	237	612	796	955	3256	8,59	10,43	1,16	0,05	410X982X119
	16	935	400	345	77	50	9	103-112	64-73	26-35	323	834	1084	1301	4438	10,58	12,64	1,39	0,06	510X982X119
	16	935	500	445	77	50	9	103-112	64-73	26-35	412	1066	1386	1663	5670	12,57	14,86	1,62	0,08	610X982X119
	16	935	600	545	77	50	9	103-112	64-73	26-35	506	1307	1699	2039	6954	14,56	16,94	1,85	0,09	710X982X119
	16	935	700	645	77	50	9	103-112	64-73	26-35	577	1492	1940	2328	7938	16,56	19,29	2,08	0,10	810X982X119
	16	935	800	745	77	50	9	103-112	64-73	26-35	646	1668	2169	2603	8875	18,55	21,50	2,31	0,11	910X982X119
	16	935	900	845	77	50	9	103-112	64-73	26-35	711	1836	2387	2865	9769	20,54	23,71	2,54	0,12	1010X982X119
	16	935	1000	945	77	50	9	103-112	64-73	26-35	773	1996	2595	3114	10620	22,53	25,92	2,77	0,13	1110X982X119
	16	935	1200	1145	77	50	9	103-112	64-73	26-35	887	2292	2980	3576	12194	26,52	30,37	3,22	0,16	1310X982X119
	16	935	1400	1345	77	50	9	103-112	64-73	26-35	1019	2632	3421	4106	14000	30,50	34,79	3,68	0,18	1510X982X119
	16	935	1600	1545	77	50	9	103-112	64-73	26-35	1169	3022	3928	4714	16075	34,37	39,10	4,14	0,20	1710X982X119
	16	935	1800	1745	77	50	9	103-112	64-73	26-35	1343	3469	4510	5412	18456	38,36	43,41	4,60	0,23	1910X982X119
16	935	2000	1945	77	50	9	103-112	64-73	26-35	1542	3984	5179	6214	21191	42,34	47,97	5,05	0,25	2110X982X119	
Bella Double 994	17	994	300	245	77	50	9	103-112	64-73	26-35	252	650	846	1015	3460	9,13	11,02	1,24	0,06	410X1041X119
	17	994	400	345	77	50	9	103-112	64-73	26-35	343	886	1152	1383	4715	11,24	13,37	1,48	0,07	510X1041X119
	17	994	500	445	77	50	9	103-112	64-73	26-35	438	1132	1472	1767	6024	13,36	15,72	1,72	0,08	610X1041X119
	17	994	600	545	77	50	9	103-112	64-73	26-35	538	1389	1806	2167	7388	15,48	17,95	1,97	0,09	710X1041X119
	17	994	700	645	77	50	9	103-112	64-73	26-35	614	1585	2061	2473	8434	17,59	20,42	2,21	0,11	810X1041X119
	17	994	800	745	77	50	9	103-112	64-73	26-35	686	1773	2305	2765	9430	19,71	22,77	2,45	0,12	910X1041X119
	17	994	900	845	77	50	9	103-112	64-73	26-35	755	1951	2537	3044	10380	21,83	25,13	2,69	0,13	1010X1041X119
	17	994	1000	945	77	50	9	103-112	64-73	26-35	821	2121	2758	3309	11284	23,94	27,47	2,94	0,14	1110X1041X119
	17	994	1200	1145	77	50	9	103-112	64-73	26-35	943	2435	3166	3799	12956	28,17	32,17	3,42	0,17	1310X1041X119
	17	994	1400	1345	77	50	9	103-112	64-73	26-35	1082	2796	3635	4362	14875	32,41	36,87	3,91	0,19	1510X1041X119
	17	994	1600	1545	77	50	9	103-112	64-73	26-35	1243	3211	4174	5009	17079	36,53	41,47	4,40	0,22	1710X1041X119
	17	994	1800	1745	77	50	9	103-112	64-73	26-35	1427	3686	4792	5751	19610	40,76	46,03	4,88	0,24	1910X1041X119
17	994	2000	1945	77	50	9	103-112	64-73	26-35	1638	4233	5502	6603	22515	45,00	50,87	5,37	0,27	2110X1041X119	
Bella Double 1053	18	1053	300	245	77	50	9	103-112	64-73	26-35	267	689	895	1074	3663	9,66	11,62	1,31	0,06	410X1100X119
	18	1053	400	345	77	50	9	103-112	64-73	26-35	363	939	1220	1464	4992	11,90	14,11	1,57	0,07	510X1100X119
	18	1053	500	445	77	50	9	103-112	64-73	26-35	464	1199	1559	1870	6378	14,14	16,59	1,82	0,08	610X1100X119
	18	1053	600	545	77	50	9	103-112	64-73	26-35	569	1471	1912	2294	7823	16,38	18,95	2,08	0,10	710X1100X119
	18	1053	700	645	77	50	9	103-112	64-73	26-35	650	1679	2182	2619	8930	18,62	21,57	2,34	0,11	810X1100X119
	18	1053	800	745	77	50	9	103-112	64-73	26-35	726	1877	2440	2928	9985	20,86	24,03	2,60	0,12	910X1100X119
	18	1053	900	845	77	50	9	103-112	64-73	26-35	800	2066	2686	3223	10990	23,10	26,52	2,85	0,14	1010X1100X119
	18	1053	1000	945	77	50	9	103-112	64-73	26-35	869	2246	2920	3504	11948	25,34	29,02	3,11	0,15	1110X1100X119
	18	1053	1200	1145	77	50	9	103-112	64-73	26-35	998	2579	3352	4023	13718	29,82	33,99	3,63	0,18	1310X1100X119
Bella Double 1112	19	1112	300	245	77	50	9	103-112	64-73	26-35										

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Bella Double 1289	22	1289	300	245	77	50	9	103-112	64-73	26-35	326	842	1094	1313	4478	11,81	14,04	1,60	0,07	410X1336X119
	22	1289	400	345	77	50	9	103-112	64-73	26-35	444	1147	1491	1789	6102	14,55	17,07	1,91	0,09	510X1336X119
	22	1289	500	445	77	50	9	103-112	64-73	26-35	567	1465	1905	2286	7796	17,29	20,08	2,23	0,10	610X1336X119
	22	1289	600	545	77	50	9	103-112	64-73	26-35	696	1797	2337	2804	9561	20,03	22,99	2,54	0,12	710X1336X119
	22	1289	700	645	77	50	9	103-112	64-73	26-35	794	2052	2667	3201	10914	22,77	26,14	2,86	0,13	810X1336X119
	22	1289	800	745	77	50	9	103-112	64-73	26-35	888	2294	2982	3579	12204	25,51	29,17	3,17	0,15	910X1336X119
	22	1289	900	845	77	50	9	103-112	64-73	26-35	977	2525	3283	3939	13433	28,25	32,20	3,49	0,17	1010X1336X119
	22	1289	1000	945	77	50	9	103-112	64-73	26-35	1062	2745	3569	4282	14603	30,99	35,21	3,80	0,18	1110X1336X119
	22	1289	1200	1145	77	50	9	103-112	64-73	26-35	1220	3152	4097	4917	16766	36,46	41,25	4,43	0,21	1310X1336X119
	22	1289	1400	1345	77	50	9	103-112	64-73	26-35	1400	3619	4704	5645	19251	41,94	47,32	5,06	0,25	1510X1336X119
Bella Double 1348	23	1348	300	245	77	50	9	103-112	64-73	26-35	341	880	1144	1373	4681	12,35	14,65	1,67	0,07	410X1395X119
	23	1348	400	345	77	50	9	103-112	64-73	26-35	464	1199	1559	1871	6379	15,22	17,81	2,00	0,09	510X1395X119
	23	1348	500	445	77	50	9	103-112	64-73	26-35	593	1532	1992	2390	8150	18,08	20,95	2,33	0,11	610X1395X119
	23	1348	600	545	77	50	9	103-112	64-73	26-35	727	1879	2443	2931	9996	20,94	24,00	2,66	0,12	710X1395X119
	23	1348	700	645	77	50	9	103-112	64-73	26-35	830	2145	2788	3346	11410	23,81	27,28	2,99	0,14	810X1395X119
	23	1348	800	745	77	50	9	103-112	64-73	26-35	928	2398	3118	3742	12759	26,67	30,44	3,32	0,16	910X1395X119
	23	1348	900	845	77	50	9	103-112	64-73	26-35	1022	2640	3432	4118	14043	29,53	33,60	3,65	0,17	1010X1395X119
	23	1348	1000	945	77	50	9	103-112	64-73	26-35	1111	2870	3731	4477	15267	32,40	36,76	3,97	0,19	1110X1395X119
	23	1348	1200	1145	77	50	9	103-112	64-73	26-35	1275	3295	4284	5140	17529	38,12	43,07	4,63	0,22	1310X1395X119
	23	1348	1400	1345	77	50	9	103-112	64-73	26-35	1464	3783	4918	5902	20126	43,85	49,40	5,29	0,26	1510X1395X119
Bella Double 1407	24	1407	300	245	77	50	9	103-112	64-73	26-35	355	918	1194	1432	4885	12,88	15,23	1,75	0,08	410X1454X119
	24	1407	400	345	77	50	9	103-112	64-73	26-35	484	1251	1627	1952	6657	15,87	18,53	2,09	0,09	510X1454X119
	24	1407	500	445	77	50	9	103-112	64-73	26-35	619	1599	2078	2494	8504	18,86	21,83	2,43	0,11	610X1454X119
	24	1407	600	545	77	50	9	103-112	64-73	26-35	759	1961	2549	3059	10431	21,84	24,98	2,77	0,13	710X1454X119
	24	1407	700	645	77	50	9	103-112	64-73	26-35	866	2238	2910	3492	11906	24,83	28,41	3,12	0,15	810X1454X119
	24	1407	800	745	77	50	9	103-112	64-73	26-35	969	2503	3253	3904	13313	27,82	31,70	3,46	0,16	910X1454X119
	24	1407	900	845	77	50	9	103-112	64-73	26-35	1066	2755	3581	4297	14654	30,81	35,01	3,80	0,18	1010X1454X119
	24	1407	1000	945	77	50	9	103-112	64-73	26-35	1159	2995	3893	4672	15930	33,80	38,30	4,15	0,20	1110X1454X119
Bella Double 1466	25	1466	300	245	77	50	9	103-112	64-73	26-35	370	956	1243	1492	5088	13,42	15,83	1,82	0,08	410X1513X119
	25	1466	400	345	77	50	9	103-112	64-73	26-35	504	1303	1695	2033	6934	16,53	19,26	2,18	0,10	510X1513X119
	25	1466	500	445	77	50	9	103-112	64-73	26-35	644	1665	2165	2598	8859	19,64	22,68	2,53	0,11	610X1513X119
	25	1466	600	545	77	50	9	103-112	64-73	26-35	790	2043	2655	3186	10865	22,76	26,00	2,89	0,13	710X1513X119
	25	1466	700	645	77	50	9	103-112	64-73	26-35	902	2331	3031	3637	12402	25,87	29,55	3,25	0,15	810X1513X119
	25	1466	800	745	77	50	9	103-112	64-73	26-35	1009	2607	3389	4067	10868	28,98	32,99	3,61	0,17	910X1513X119
	25	1466	900	845	77	50	9	103-112	64-73	26-35	1110	2869	3730	4476	15264	32,09	36,42	3,96	0,19	1010X1513X119
	25	1466	1000	945	77	50	9	103-112	64-73	26-35	1207	3119	4055	4866	16594	35,21	39,85	4,32	0,20	1110X1513X119
Bella Double 1525	26	1525	300	245	77	50	9	103-112	64-73	26-35	385	995	1293	1552	5292	13,96	16,44	1,89	0,08	410X1572X119
	26	1525	400	345	77	50	9	103-112	64-73	26-35	525	1356	1762	2115	7211	17,20	20,01	2,26	0,10	510X1572X119
	26	1525	500	445	77	50	9	103-112	64-73	26-35	670	1732	2252	2702	9213	20,43	23,58	2,63	0,12	610X1572X119
	26	1525	600	545	77	50	9	103-112	64-73	26-35	822	2124	2761	3314	11300	23,67	27,01	3,01	0,14	710X1572X119
	26	1525	700	645	77	50	9	103-112	64-73	26-35	938	2425	3152	3783	12898	26,91	30,70	3,38	0,16	810X1572X119
	26	1525	800	745	77	50	9	103-112	64-73	26-35	1049	2711	3525	4230	14423	30,14	34,26	3,75	0,18	910X1572X119
	26	1525	900	845	77	50	9	103-112	64-73	26-35	1155	2984	3880	4655	15875	33,38	37,83	4,12	0,19	1010X1572X119
	26	1525	1000	945	77	50	9	103-112	64-73	26-35	1256	3244	4217	5061	17258	36,62	41,40	4,49	0,21	1110X1572X119
Bella Double 1584	27	1584	300	245	77	50	9	103-112	64-73	26-35	400	1033	1343	1611	5495	14,50	17,04	1,96	0,08	410X1631X119
	27	1584	400	345	77	50	9	103-112	64-73	26-35	545	1408	1830	2196	7489	17,86	20,74	2,35	0,10	510X1631X119
	27	1584	500	445	77	50	9	103-112	64-73	26-35	696	1799	2338	2806	9568	21,22	24,44	2,74	0,12	610X1631X119
	27	1584	600	545	77	50	9	103-112	64-73	26-35	854	2206	2868	3441	11735	24,58	28,02	3,12	0,14	710X1631X119
	27	1584	700	645	77	50	9	103-112	64-73	26-35	974	2518	3273	3928	13395	27,94	31,84	3,51	0,16	810X1631X119
	27	1584	800	745	77	50	9	103-112	64-73	26-35	1090	2816	3660	4392	14977	31,31	35,55	3,89	0,18	910X1631X119
	27	1584	900	845	77	50	9	103-112	64-73	26-35	1199	3099	4029	4834	16486	34,67	39,25	4,28	0,20	1010X1631X119
	27	1584	1000	945	77	50	9	103-112	64-73	26-35	1304	3369	4380	5256	17922	38,03	42,95	4,67	0,22	1110X1631X119
Bella Double 1643	28	1643	300	245	77	50	9	103-112	64-73	26-35	415	1071	1393	1671	5699	15,04	17,64	2,04	0,09	410X1690X119
	28	1643	400	345	77	50	9	103-112	64-73	26-35	565	1460	1898	2277	7766	18,52	21,48	2,44	0,11	510X1690X119
	28	1643	500	445	77	50	9	103-112	64-73	26-35	722	1865	2425	2910	9922	22,01	25,32	2,84	0,13	610X1690X119
	28	1643	600	545	77	50	9	103-112	64-73	26-35	885	2288	2974	3569	12169	25,49	29,02	3,24	0,15	710X1690X119
	28	1643	700	645	77	50	9	103-112	64-73	26-35	1011	2611	3395	4074	13891	28,98	32,99	3,64	0,17	810X1690X119
	28	1643	800	745	77	50	9	103-112	64-73	26-35	1130	2920	3796	4555	15532	32,47	36,83	4,04	0,19	910X1690X119
	28	1643	900	845	77	50	9	103-112	64-73	26-35	1244	3214	4178	5014	17096	35,95	40,66	4,44	0,21	1010X1690X119
	28	1643	1000	945	77	50	9	103-112	64-73	26-35	1352	3494	4542	5450	18585	39,44	44,50	4,84	0,23	1110X1690X119

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Bella Double 1702	29	1702	300	245	77	50	9	103-112	64-73	26-35	429	1110	1442	1731	5902	15,57	18,24	2,11	0,09	410X1749X119
	29	1702	400	345	77	50	9	103-112	64-73	26-35	585	1512	1966	2359	8043	19,18	22,21	2,52	0,11	510X1749X119
	29	1702	500	445	77	50	9	103-112	64-73	26-35	748	1932	2511	3014	10276	22,79	26,19	2,94	0,13	610X1749X119
	29	1702	600	545	77	50	9	103-112	64-73	26-35	917	2369	3080	3696	12604	26,40	30,03	3,35	0,15	710X1749X119
	29	1702	700	645	77	50	9	103-112	64-73	26-35	1047	2704	3516	4219	14387	30,01	34,11	3,77	0,17	810X1749X119
	29	1702	800	745	77	50	9	103-112	64-73	26-35	1170	3024	3931	4718	16087	33,62	38,09	4,18	0,19	910X1749X119
	29	1702	900	845	77	50	9	103-112	64-73	26-35	1288	3329	4327	5193	17707	37,23	42,06	4,60	0,22	1010X1749X119
Bella Double 1761	29	1702	1000	945	77	50	9	103-112	64-73	26-35	1400	3619	4704	5645	19249	40,84	46,03	5,01	0,24	1110X1749X119
	30	1761	300	245	77	50	9	103-112	64-73	26-35	444	1148	1492	1791	6106	16,11	18,84	2,18	0,09	410X1808X119
	30	1761	400	345	77	50	9	103-112	64-73	26-35	605	1564	2033	2440	8321	19,84	22,95	2,61	0,11	510X1808X119
	30	1761	500	445	77	50	9	103-112	64-73	26-35	773	1998	2598	3117	10631	23,58	27,05	3,04	0,14	610X1808X119
	30	1761	600	545	77	50	9	103-112	64-73	26-35	949	2451	3186	3824	13038	27,31	31,04	3,47	0,16	710X1808X119
	30	1761	700	645	77	50	9	103-112	64-73	26-35	1083	2798	3637	4364	14883	31,05	35,26	3,90	0,18	810X1808X119
	30	1761	800	745	77	50	9	103-112	64-73	26-35	1211	3128	4067	4880	16642	34,78	39,37	4,33	0,20	910X1808X119
Bella Double 1820	30	1761	900	845	77	50	9	103-112	64-73	26-35	1333	3443	4476	5372	18317	38,52	43,48	4,76	0,22	1010X1808X119
	30	1761	1000	945	77	50	9	103-112	64-73	26-35	1449	3743	4866	5840	19913	42,25	47,58	5,18	0,24	1110X1808X119
	31	1820	300	245	77	50	9	103-112	64-73	26-35	459	1186	1542	1850	6309	16,64	19,44	2,25	0,10	410X1867X119
	31	1820	400	345	77	50	9	103-112	64-73	26-35	626	1616	2101	2521	8598	20,50	23,68	2,70	0,12	510X1867X119
	31	1820	500	445	77	50	9	103-112	64-73	26-35	799	2065	2684	3221	10985	24,36	27,93	3,14	0,14	610X1867X119
	31	1820	600	545	77	50	9	103-112	64-73	26-35	980	2533	3293	3951	13473	28,22	32,03	3,58	0,16	710X1867X119
	31	1820	700	645	77	50	9	103-112	64-73	26-35	1119	2891	3758	4510	15379	32,08	36,40	4,03	0,18	810X1867X119
Bella Double 1879	31	1820	800	745	77	50	9	103-112	64-73	26-35	1251	3233	4202	5043	17196	35,94	40,65	4,47	0,21	910X1867X119
	31	1820	900	845	77	50	9	103-112	64-73	26-35	1377	3558	4626	5551	18928	39,80	44,88	4,91	0,23	1010X1867X119
	31	1820	1000	945	77	50	9	103-112	64-73	26-35	1497	3868	5029	6034	20577	43,66	49,13	5,36	0,25	1110X1867X119
	32	1879	300	245	77	50	9	103-112	64-73	26-35	474	1224	1592	1910	6513	17,18	20,04	2,33	0,10	410X1926X119
	32	1879	400	345	77	50	9	103-112	64-73	26-35	646	1668	2169	2603	8875	21,17	24,42	2,78	0,12	510X1926X119
	32	1879	500	445	77	50	9	103-112	64-73	26-35	825	2132	2771	3325	11339	25,15	28,79	3,24	0,14	610X1926X119
	32	1879	600	545	77	50	9	103-112	64-73	26-35	1012	2614	3399	4078	13908	29,14	33,05	3,70	0,17	710X1926X119
Bella Double 1938	32	1879	700	645	77	50	9	103-112	64-73	26-35	1155	2984	3880	4655	15875	33,12	37,55	4,16	0,19	810X1926X119
	32	1879	800	745	77	50	9	103-112	64-73	26-35	1291	3337	4338	5206	17751	37,10	41,92	4,61	0,21	910X1926X119
	32	1879	900	845	77	50	9	103-112	64-73	26-35	1421	3673	4775	5730	19539	41,09	46,30	5,07	0,24	1010X1926X119
	32	1879	1000	945	77	50	9	103-112	64-73	26-35	1545	3993	5191	6229	21241	45,07	50,67	5,53	0,26	1110X1926X119
	33	1938	300	245	77	50	9	103-112	64-73	26-35	489	1263	1641	1970	6716	17,72	20,64	2,40	0,10	410X1985X119
	33	1938	400	345	77	50	9	103-112	64-73	26-35	666	1721	2237	2684	9153	21,83	25,16	2,87	0,13	510X1985X119
	33	1938	500	445	77	50	9	103-112	64-73	26-35	851	2198	2858	3429	11694	25,94	29,67	3,34	0,15	610X1985X119
Bella Double 1997	33	1938	600	545	77	50	9	103-112	64-73	26-35	1043	2696	3505	4206	14342	30,05	34,06	3,82	0,17	710X1985X119
	33	1938	700	645	77	50	9	103-112	64-73	26-35	1191	3078	4001	4801	16371	34,16	38,70	4,29	0,20	810X1985X119
	33	1938	800	745	77	50	9	103-112	64-73	26-35	1332	3441	4474	5368	18306	38,27	43,21	4,76	0,22	910X1985X119
	33	1938	900	845	77	50	9	103-112	64-73	26-35	1466	3788	4924	5909	20149	42,37	47,70	5,23	0,24	1010X1985X119
	33	1938	1000	945	77	50	9	103-112	64-73	26-35	1594	4118	5353	6424	21904	46,48	52,22	5,70	0,27	1110X1985X119
	34	1997	300	245	77	50	9	103-112	64-73	26-35	503	1301	1691	2029	6920	18,26	21,24	2,47	0,10	410X2044X119
	34	1997	400	345	77	50	9	103-112	64-73	26-35	686	1773	2305	2765	9430	22,49	25,89	2,96	0,13	510X2044X119
Bella Double 1997	34	1997	500	445	77	50	9	103-112	64-73	26-35	876	2265	2944	3533	12048	26,73	30,54	3,44	0,15	610X2044X119
	34	1997	600	545	77	50	9	103-112	64-73	26-35	1075	2778	3611	4333	14777	30,96	35,06	3,93	0,18	710X2044X119
	34	1997	700	645	77	50	9	103-112	64-73	26-35	1227	3171	4122	4946	16867	35,19	39,83	4,42	0,20	810X2044X119
	34	1997	800	745	77	50	9	103-112	64-73	26-35	1372	3545	4609	5531	18860	39,43	44,48	4,90	0,23	910X2044X119
	34	1997	900	845	77	50	9	103-112	64-73	26-35	1510	3902	5073	6088	20760	43,66	49,12	5,39	0,25	1010X2044X119
	34	1997	1000	945	77	50	9	103-112	64-73	26-35	1642	4242	5515	6618	22568	47,89	53,60	5,88	0,27	1110X2044X119