


Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70\text{ }^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Bella Double Lux 286	5	286	300	245	77	50	9	103-112	64-73	26-35	74	191	249	298	1018	2,92	3,97	0,39	0,02	500X333X119
	5	286	400	345	77	50	9	103-112	64-73	26-35	101	261	339	407	1387	3,54	4,70	0,46	0,03	600X333X119
	5	286	500	445	77	50	9	103-112	64-73	26-35	129	333	433	520	1772	4,17	5,43	0,54	0,03	700X333X119
	5	286	600	545	77	50	9	103-112	64-73	26-35	158	409	531	637	2173	4,79	6,05	0,61	0,04	800X333X119
	5	286	700	645	77	50	9	103-112	64-73	26-35	180	466	606	727	2480	5,41	6,89	0,68	0,04	900X333X119
	5	286	800	745	77	50	9	103-112	64-73	26-35	202	521	678	813	2774	6,03	7,62	0,75	0,04	1000X333X119
	5	286	900	845	77	50	9	103-112	64-73	26-35	222	574	746	895	3053	6,66	8,35	0,82	0,05	1100X333X119
	5	286	1000	945	77	50	9	103-112	64-73	26-35	241	624	811	973	3319	7,28	9,07	0,89	0,05	1200X333X119
	5	286	1200	1145	77	50	9	103-112	64-73	26-35	277	716	931	1117	3811	8,52	10,52	1,04	0,06	1400X333X119
5	286	1400	1345	77	50	9	103-112	64-73	26-35	318	822	1069	1283	4375	9,77	11,98	1,18	0,07	1600X333X119	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Bella Double Lux 345	6	345	300	245	77	50	9	103-112	64-73	26-35	89	230	298	358	1221	3,45	4,58	0,46	0,03	500X392X119
	6	345	400	345	77	50	9	103-112	64-73	26-35	121	313	407	488	1664	4,20	5,44	0,55	0,03	600X392X119
	6	345	500	445	77	50	9	103-112	64-73	26-35	155	400	520	623	2126	4,94	6,29	0,64	0,04	700X392X119
	6	345	600	545	77	50	9	103-112	64-73	26-35	190	490	637	765	2608	5,69	7,05	0,72	0,04	800X392X119
	6	345	700	645	77	50	9	103-112	64-73	26-35	217	560	727	873	2977	6,44	8,03	0,81	0,05	900X392X119
	6	345	800	745	77	50	9	103-112	64-73	26-35	242	626	813	976	3328	7,19	8,90	0,89	0,05	1000X392X119
	6	345	900	845	77	50	9	103-112	64-73	26-35	267	689	895	1074	3663	7,93	9,76	0,98	0,06	1100X392X119
	6	345	1000	945	77	50	9	103-112	64-73	26-35	290	749	973	1168	3983	8,68	10,61	1,07	0,06	1200X392X119
6	345	1200	1145	77	50	9	103-112	64-73	26-35	333	860	1117	1341	4573	10,17	12,34	1,24	0,07	1400X392X119	
6	345	1400	1345	77	50	9	103-112	64-73	26-35	382	987	1283	1540	5250	11,67	14,08	1,41	0,08	1600X392X119	
Bella Double Lux 404	7	404	300	245	77	50	9	103-112	64-73	26-35	104	268	348	418	1425	3,99	5,19	0,54	0,03	500X451X119
	7	404	400	345	77	50	9	103-112	64-73	26-35	141	365	474	569	1942	4,86	6,19	0,64	0,04	600X451X119
	7	404	500	445	77	50	9	103-112	64-73	26-35	180	466	606	727	2480	5,73	7,18	0,74	0,04	700X451X119
	7	404	600	545	77	50	9	103-112	64-73	26-35	221	572	743	892	3042	6,60	8,05	0,84	0,05	800X451X119
	7	404	700	645	77	50	9	103-112	64-73	26-35	253	653	849	1018	3473	7,48	9,18	0,94	0,05	900X451X119
	7	404	800	745	77	50	9	103-112	64-73	26-35	282	730	949	1139	3883	8,35	10,19	1,04	0,06	1000X451X119
	7	404	900	845	77	50	9	103-112	64-73	26-35	311	803	1044	1253	4274	9,22	11,18	1,14	0,06	1100X451X119
	7	404	1000	945	77	50	9	103-112	64-73	26-35	338	873	1135	1363	4646	10,09	12,18	1,24	0,07	1200X451X119
7	404	1200	1145	77	50	9	103-112	64-73	26-35	388	1003	1304	1564	5335	11,83	14,17	1,44	0,08	1400X451X119	
7	404	1400	1345	77	50	9	103-112	64-73	26-35	446	1151	1497	1796	6125	13,58	16,18	1,64	0,09	1600X451X119	
Bella Double Lux 463	8	463	300	245	77	50	9	103-112	64-73	26-35	118	306	398	477	1628	4,53	5,80	0,61	0,04	500X510X119
	8	463	400	345	77	50	9	103-112	64-73	26-35	161	417	542	651	2219	5,52	6,93	0,72	0,04	600X510X119
	8	463	500	445	77	50	9	103-112	64-73	26-35	206	533	693	831	2835	6,52	8,06	0,84	0,05	700X510X119
	8	463	600	545	77	50	9	103-112	64-73	26-35	253	654	850	1020	3477	7,52	9,08	0,95	0,05	800X510X119
	8	463	700	645	77	50	9	103-112	64-73	26-35	289	746	970	1164	3969	8,51	10,33	1,07	0,06	900X510X119
	8	463	800	745	77	50	9	103-112	64-73	26-35	323	834	1084	1301	4438	9,51	11,47	1,18	0,07	1000X510X119
	8	463	900	845	77	50	9	103-112	64-73	26-35	355	918	1194	1432	4885	10,50	12,60	1,30	0,07	1100X510X119
	8	463	1000	945	77	50	9	103-112	64-73	26-35	386	998	1298	1557	5310	11,50	13,73	1,41	0,08	1200X510X119
8	463	1200	1145	77	50	9	103-112	64-73	26-35	444	1146	1490	1788	6097	13,49	16,00	1,64	0,09	1400X510X119	
8	463	1400	1345	77	50	9	103-112	64-73	26-35	509	1316	1711	2053	7000	15,48	18,26	1,87	0,10	1600X510X119	
Bella Double Lux 522	9	522	300	245	77	50	9	103-112	64-73	26-35	133	344	448	537	1832	5,07	6,41	0,68	0,04	500X569X119
	9	522	400	345	77	50	9	103-112	64-73	26-35	182	469	610	732	2496	6,19	7,68	0,81	0,05	600X569X119
	9	522	500	445	77	50	9	103-112	64-73	26-35	232	600	779	935	3189	7,31	8,94	0,94	0,05	700X569X119
	9	522	600	545	77	50	9	103-112	64-73	26-35	285	735	956	1147	3912	8,43	10,09	1,07	0,06	800X569X119
	9	522	700	645	77	50	9	103-112	64-73	26-35	325	839	1091	1309	4465	9,55	11,49	1,20	0,07	900X569X119
	9	522	800	745	77	50	9	103-112	64-73	26-35	363	939	1220	1464	4992	10,67	12,76	1,33	0,07	1000X569X119
	9	522	900	845	77	50	9	103-112	64-73	26-35	400	1033	1343	1611	5495	11,79	14,02	1,46	0,08	1100X569X119
	9	522	1000	945	77	50	9	103-112	64-73	26-35	435	1123	1460	1752	5974	12,91	15,28	1,58	0,09	1200X569X119
9	522	1200	1145	77	50	9	103-112	64-73	26-35	499	1289	1676	2011	6859	15,15	17,82	1,84	0,10	1400X569X119	
9	522	1400	1345	77	50	9	103-112	64-73	26-35	573	1480	1925	2309	7875	17,39	20,37	2,10	0,11	1600X569X119	
Bella Double Lux 581	10	581	300	245	77	50	9	103-112	64-73	26-35	148	383	497	597	2035	5,61	7,18	0,76	0,04	500X628X119
	10	581	400	345	77	50	9	103-112	64-73	26-35	202	521	678	813	2774	6,85	8,59	0,90	0,05	600X628X119
	10	581	500	445	77	50	9	103-112	64-73	26-35	258	666	866	1039	3544	8,10	9,99	1,04	0,06	700X628X119
	10	581	600	545	77	50	9	103-112	64-73	26-35	316	817	1062	1275	4346	9,34	11,26	1,18	0,06	800X628X119
	10	581	700	645	77	50	9	103-112	64-73	26-35	361	933	1212	1455	4961	10,59	12,80	1,33	0,07	900X628X119
	10	581	800	745	77	50	9	103-112	64-73	26-35	404	1043	1356	1627	5547	11,83	14,20	1,47	0,08	1000X628X119
	10	581	900	845	77	50	9	103-112	64-73	26-35	444	1148	1492	1791	6106	13,08	15,61	1,61	0,09	1100X628X119
	10	581	1000	945	77	50	9	103-112	64-73	26-35	483	1248	1622	1947	6638	14,32	17,01	1,76	0,09	1200X628X119
10	581	1200	1145	77	50	9	103-112	64-73	26-35	554	1433	1862	2235	7621	16,81	19,81	2,04	0,11	1400X628X119	
10	581	1400	1345	77	50	9	103-112	64-73	26-35	637	1645	2138	2566	8750	19,30	22,62	2,33	0,12	1600X628X119	
Bella Double Lux 640	11	640	300	245	77	50	9	103-112	64-73	26-35	163	421	547	657	2239	6,15	7,79	0,83	0,05	500X687X119
	11	640	400	345	77	50	9	103-112	64-73	26-35	222	574	746	895	3051	7,52	9,34	0,99	0,05	600X687X119
	11	640	500	445	77	50	9	103-112	64-73	26-35	284	733	953	1143	3898	8,89	10,88	1,14	0,06	700X687X119
	11	640	600	545	77	50	9	103-112	64-73	26-35	348	899	1168	1402	4781	10,25	12,27	1,30	0,07	800X687X119
	11	640	700	645	77	50	9	103-112	64-73	26-35	397	1026	1334	1600	5457	11,62	13,94	1,46	0,08	900X687X119
	11	640	800	745	77	50	9	103-112	64-73	26-35	444	1147	1491	1789	6102	12,99	15,49	1,61	0,09	1000X687X119
	11	640	900	845	77	50	9	103-112	64-73	26-35	489	1263	1641	1970	6716	14,36	17,03	1,77	0,09	1100X687X119
	11	640	1000	945	77	50	9	103-112	64-73	26-35	531	1373	1784	2141	7301	15,73	18,56	1,93	0,10	1200X687X119
11	640	1200	1145	77	50	9	103-112	64-73	26-35	610	1576	2049	2458	8383	18,47	21,64	2,24	0,12	1400X687X119	
11	640	1400	1345	77	50	9	103-112	64-73	26-35	700	1809	2352	2823	9625	21,21	24,71	2,56	0,14	1600X687X119	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Bella Double Lux 699	12	699	300	245	77	50	9	103-112	64-73	26-35	178	459	597	716	2442	6,68	8,40	0,90	0,05	500X746X119
	12	699	400	345	77	50	9	103-112	64-73	26-35	242	626	813	976	3328	8,17	10,07	1,07	0,06	600X746X119
	12	699	500	445	77	50	9	103-112	64-73	26-35	309	799	1039	1247	4252	9,66	11,73	1,24	0,07	700X746X119
	12	699	600	545	77	50	9	103-112	64-73	26-35	379	980	1275	1529	5215	11,16	13,29	1,42	0,08	800X746X119
	12	699	700	645	77	50	9	103-112	64-73	26-35	433	1119	1455	1746	5953	12,65	15,08	1,59	0,08	900X746X119
	12	699	800	745	77	50	9	103-112	64-73	26-35	484	1251	1627	1952	6657	14,15	16,77	1,76	0,09	1000X746X119
	12	699	900	845	77	50	9	103-112	64-73	26-35	533	1377	1791	2149	7327	15,64	18,44	1,93	0,10	1100X746X119
	12	699	1000	945	77	50	9	103-112	64-73	26-35	579	1497	1947	2336	7965	17,13	20,10	2,10	0,11	1200X746X119
	12	699	1200	1145	77	50	9	103-112	64-73	26-35	665	1719	2235	2682	9145	20,12	23,45	2,45	0,13	1400X746X119
12	699	1400	1345	77	50	9	103-112	64-73	26-35	764	1974	2566	3079	10500	23,11	26,81	2,79	0,15	1600X746X119	
Bella Double Lux 758	13	758	300	245	77	50	9	103-112	64-73	26-35	192	497	647	776	2646	7,21	9,00	0,97	0,05	500X805X119
	13	758	400	345	77	50	9	103-112	64-73	26-35	262	678	881	1057	3606	8,83	10,82	1,16	0,06	600X805X119
	13	758	500	445	77	50	9	103-112	64-73	26-35	335	866	1126	1351	4607	10,45	12,62	1,35	0,07	700X805X119
	13	758	600	545	77	50	9	103-112	64-73	26-35	411	1062	1381	1657	5650	12,07	14,31	1,53	0,08	800X805X119
	13	758	700	645	77	50	9	103-112	64-73	26-35	469	1212	1576	1891	6449	13,69	16,24	1,72	0,09	900X805X119
	13	758	800	745	77	50	9	103-112	64-73	26-35	525	1356	1762	2115	7211	15,31	18,06	1,90	0,10	1000X805X119
	13	758	900	845	77	50	9	103-112	64-73	26-35	577	1492	1940	2328	7938	16,93	19,86	2,09	0,11	1100X805X119
	13	758	1000	945	77	50	9	103-112	64-73	26-35	628	1622	2109	2530	8629	18,54	21,67	2,28	0,12	1200X805X119
	13	758	1200	1145	77	50	9	103-112	64-73	26-35	721	1862	2421	2905	9907	21,78	25,28	2,65	0,14	1400X805X119
13	758	1400	1345	77	50	9	103-112	64-73	26-35	828	2138	2780	3336	11375	25,02	28,91	3,02	0,16	1600X805X119	
Bella Double Lux 817	14	817	300	245	77	50	9	103-112	64-73	26-35	207	536	696	836	2849	7,75	9,60	1,05	0,06	500X864X119
	14	817	400	345	77	50	9	103-112	64-73	26-35	282	730	949	1139	3883	9,50	11,56	1,25	0,07	600X864X119
	14	817	500	445	77	50	9	103-112	64-73	26-35	361	933	1212	1455	4961	11,24	13,51	1,45	0,08	700X864X119
	14	817	600	545	77	50	9	103-112	64-73	26-35	443	1144	1487	1784	6085	12,98	15,32	1,65	0,09	800X864X119
	14	817	700	645	77	50	9	103-112	64-73	26-35	505	1306	1697	2037	6945	14,72	17,39	1,85	0,10	900X864X119
	14	817	800	745	77	50	9	103-112	64-73	26-35	565	1460	1898	2277	7766	16,47	19,34	2,05	0,11	1000X864X119
	14	817	900	845	77	50	9	103-112	64-73	26-35	622	1607	2089	2507	8548	18,21	21,28	2,25	0,12	1100X864X119
	14	817	1000	945	77	50	9	103-112	64-73	26-35	676	1747	2271	2725	9293	19,95	23,23	2,45	0,13	1200X864X119
	14	817	1200	1145	77	50	9	103-112	64-73	26-35	776	2006	2607	3129	10670	23,44	27,11	2,85	0,15	1400X864X119
14	817	1400	1345	77	50	9	103-112	64-73	26-35	891	2303	2994	3592	12250	26,93	31,00	3,25	0,17	1600X864X119	
Bella Double Lux 876	15	876	300	245	77	50	9	103-112	64-73	26-35	222	574	746	895	3053	8,29	10,22	1,12	0,06	500X923X119
	15	876	400	345	77	50	9	103-112	64-73	26-35	303	782	1017	1220	4160	10,16	12,31	1,33	0,07	600X923X119
	15	876	500	445	77	50	9	103-112	64-73	26-35	387	999	1299	1559	5315	12,03	14,39	1,55	0,08	700X923X119
	15	876	600	545	77	50	9	103-112	64-73	26-35	474	1226	1593	1912	6519	13,90	16,34	1,76	0,09	800X923X119
	15	876	700	645	77	50	9	103-112	64-73	26-35	541	1399	1819	2182	7441	15,76	18,54	1,98	0,10	900X923X119
	15	876	800	745	77	50	9	103-112	64-73	26-35	605	1564	2033	2440	8321	17,63	20,63	2,19	0,11	1000X923X119
	15	876	900	845	77	50	9	103-112	64-73	26-35	666	1722	2238	2686	9159	19,50	22,70	2,41	0,13	1100X923X119
	15	876	1000	945	77	50	9	103-112	64-73	26-35	724	1872	2433	2920	9957	21,37	24,79	2,62	0,14	1200X923X119
	15	876	1200	1145	77	50	9	103-112	64-73	26-35	832	2149	2794	3352	11432	25,10	28,94	3,05	0,16	1400X923X119
15	876	1400	1345	77	50	9	103-112	64-73	26-35	955	2467	3208	3849	13125	28,84	33,10	3,48	0,18	1600X923X119	
Bella Double Lux 935	16	935	300	245	77	50	9	103-112	64-73	26-35	237	612	796	955	3256	8,83	10,83	1,19	0,06	500X982X119
	16	935	400	345	77	50	9	103-112	64-73	26-35	323	834	1084	1301	4438	10,82	13,05	1,42	0,08	600X982X119
	16	935	500	445	77	50	9	103-112	64-73	26-35	412	1066	1386	1663	5670	12,82	15,28	1,65	0,09	700X982X119
	16	935	600	545	77	50	9	103-112	64-73	26-35	506	1307	1699	2039	6954	14,81	17,36	1,88	0,10	800X982X119
	16	935	700	645	77	50	9	103-112	64-73	26-35	577	1492	1940	2328	7938	16,80	19,70	2,11	0,11	900X982X119
	16	935	800	745	77	50	9	103-112	64-73	26-35	646	1668	2169	2603	8875	18,79	21,90	2,34	0,12	1000X982X119
	16	935	900	845	77	50	9	103-112	64-73	26-35	711	1836	2387	2865	9769	20,78	24,12	2,56	0,13	1100X982X119
	16	935	1000	945	77	50	9	103-112	64-73	26-35	773	1996	2595	3114	10620	22,78	26,34	2,79	0,15	1200X982X119
	16	935	1200	1145	77	50	9	103-112	64-73	26-35	887	2292	2980	3576	12194	26,76	30,77	3,25	0,17	1400X982X119
16	935	1400	1345	77	50	9	103-112	64-73	26-35	1019	2632	3421	4106	14000	30,74	35,20	3,71	0,19	1600X982X119	
Bella Double Lux 994	17	994	300	245	77	50	9	103-112	64-73	26-35	252	650	846	1015	3460	9,37	11,44	1,26	0,07	500X1041X119
	17	994	400	345	77	50	9	103-112	64-73	26-35	343	886	1152	1383	4715	11,49	13,80	1,51	0,08	600X1041X119
	17	994	500	445	77	50	9	103-112	64-73	26-35	438	1132	1472	1767	6024	13,60	16,14	1,75	0,09	700X1041X119
	17	994	600	545	77	50	9	103-112	64-73	26-35	538	1389	1806	2167	7388	15,72	18,37	1,99	0,10	800X1041X119
	17	994	700	645	77	50	9	103-112	64-73	26-35	614	1585	2061	2473	8434	17,84	20,85	2,24	0,12	900X1041X119
	17	994	800	745	77	50	9	103-112	64-73	26-35	686	1773	2305	2765	9430	19,95	23,19	2,48	0,13	1000X1041X119
	17	994	900	845	77	50	9	103-112	64-73	26-35	755	1951	2537	3044	10380	22,07	25,54	2,72	0,14	1100X1041X119
	17	994	1000	945	77	50	9	103-112	64-73	26-35	821	2121	2758	3309	11284	24,19	27,90	2,97	0,15	1200X1041X119
	17	994	1200	1145	77	50	9	103-112	64-73	26-35	943	2435	3166	3799	12956	28,42	32,60	3,45	0,18	1400X1041X119
17	994	1400	1345	77	50	9	103-112	64-73	26-35	1082	2796	3635	4362	14875	32,65	37,29	3,94	0,20	1600X1041X119	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70\text{ }^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Bella Double Lux 1053	18	1053	300	245	77	50	9	103-112	64-73	26-35	267	689	895	1074	3663	10,02	12,17	1,35	0,07	500X1100X119
	18	1053	400	345	77	50	9	103-112	64-73	26-35	363	939	1220	1464	4992	12,26	14,65	1,61	0,08	600X1100X119
	18	1053	500	445	77	50	9	103-112	64-73	26-35	464	1199	1559	1870	6378	14,50	17,14	1,87	0,10	700X1100X119
	18	1053	600	545	77	50	9	103-112	64-73	26-35	569	1471	1912	2294	7823	16,74	19,49	2,12	0,11	800X1100X119
	18	1053	700	645	77	50	9	103-112	64-73	26-35	650	1679	2182	2619	8930	18,99	22,12	2,38	0,12	900X1100X119
	18	1053	800	745	77	50	9	103-112	64-73	26-35	726	1877	2440	2928	9985	21,23	24,59	2,64	0,14	1000X1100X119
	18	1053	900	845	77	50	9	103-112	64-73	26-35	800	2066	2686	3223	10990	23,47	27,07	2,90	0,15	1100X1100X119
	18	1053	1000	945	77	50	9	103-112	64-73	26-35	869	2246	2920	3504	11948	25,71	29,57	3,15	0,16	1200X1100X119
	18	1053	1200	1145	77	50	9	103-112	64-73	26-35	998	2579	3352	4023	13718	30,19	34,54	3,67	0,19	1400X1100X119
18	1053	1400	1345	77	50	9	103-112	64-73	26-35	1146	2961	3849	4619	15750	34,67	39,50	4,18	0,21	1600X1100X119	
Bella Double Lux 1112	19	1112	300	245	77	50	9	103-112	64-73	26-35	281	727	945	1134	3867	10,56	12,78	1,42	0,07	500X1159X119
	19	1112	400	345	77	50	9	103-112	64-73	26-35	383	991	1288	1545	5270	12,93	15,40	1,70	0,09	600X1159X119
	19	1112	500	445	77	50	9	103-112	64-73	26-35	490	1266	1645	1974	6733	15,29	18,03	1,97	0,10	700X1159X119
	19	1112	600	545	77	50	9	103-112	64-73	26-35	601	1552	2018	2422	8258	17,66	20,52	2,24	0,12	800X1159X119
	19	1112	700	645	77	50	9	103-112	64-73	26-35	686	1772	2303	2764	9426	20,02	23,26	2,51	0,13	900X1159X119
	19	1112	800	745	77	50	9	103-112	64-73	26-35	767	1981	2576	3091	10540	22,39	25,89	2,78	0,14	1000X1159X119
	19	1112	900	845	77	50	9	103-112	64-73	26-35	844	2181	2835	3402	11601	24,75	28,50	3,05	0,16	1100X1159X119
	19	1112	1000	945	77	50	9	103-112	64-73	26-35	917	2371	3082	3698	12612	27,12	31,12	3,33	0,17	1200X1159X119
	19	1112	1200	1145	77	50	9	103-112	64-73	26-35	1053	2722	3539	4246	14480	31,85	36,36	3,87	0,20	1400X1159X119
19	1112	1400	1345	77	50	9	103-112	64-73	26-35	1210	3125	4063	4876	16625	36,58	41,60	4,41	0,23	1600X1159X119	
Bella Double Lux 1171	20	1171	300	245	77	50	9	103-112	64-73	26-35	296	765	995	1194	4071	11,10	13,40	1,50	0,08	500X1218X119
	20	1171	400	345	77	50	9	103-112	64-73	26-35	404	1043	1356	1627	5547	13,59	16,15	1,78	0,09	600X1218X119
	20	1171	500	445	77	50	9	103-112	64-73	26-35	516	1332	1732	2078	7087	16,08	18,90	2,07	0,11	700X1218X119
	20	1171	600	545	77	50	9	103-112	64-73	26-35	632	1634	2124	2549	8692	18,57	21,54	2,36	0,12	800X1218X119
	20	1171	700	645	77	50	9	103-112	64-73	26-35	722	1865	2425	2910	9922	21,06	24,42	2,64	0,14	900X1218X119
	20	1171	800	745	77	50	9	103-112	64-73	26-35	807	2086	2711	3253	11094	23,55	27,18	2,93	0,15	1000X1218X119
	20	1171	900	845	77	50	9	103-112	64-73	26-35	888	2296	2984	3581	12212	26,04	29,93	3,21	0,16	1100X1218X119
	20	1171	1000	945	77	50	9	103-112	64-73	26-35	966	2496	3244	3893	13275	28,53	32,68	3,50	0,18	1200X1218X119
	20	1171	1200	1145	77	50	9	103-112	64-73	26-35	1109	2865	3725	4470	15242	33,51	38,19	4,07	0,21	1400X1218X119
20	1171	1400	1345	77	50	9	103-112	64-73	26-35	1273	3290	4277	5132	17500	38,49	43,69	4,64	0,24	1600X1218X119	
Bella Double Lux 1230	21	1230	300	245	77	50	9	103-112	64-73	26-35	311	803	1044	1253	4274	11,64	14,01	1,57	0,08	500X1277X119
	21	1230	400	345	77	50	9	103-112	64-73	26-35	424	1095	1423	1708	5825	14,25	16,89	1,87	0,10	600X1277X119
	21	1230	500	445	77	50	9	103-112	64-73	26-35	541	1399	1819	2182	7441	16,87	19,79	2,17	0,11	700X1277X119
	21	1230	600	545	77	50	9	103-112	64-73	26-35	664	1716	2230	2676	9127	19,48	22,54	2,47	0,13	800X1277X119
	21	1230	700	645	77	50	9	103-112	64-73	26-35	758	1958	2546	3055	10418	22,10	25,57	2,77	0,14	900X1277X119
	21	1230	800	745	77	50	9	103-112	64-73	26-35	847	2190	2847	3416	11649	24,71	28,46	3,07	0,16	1000X1277X119
	21	1230	900	845	77	50	9	103-112	64-73	26-35	933	2410	3133	3760	12822	27,33	31,35	3,37	0,17	1100X1277X119
	21	1230	1000	945	77	50	9	103-112	64-73	26-35	1014	2620	3406	4088	13939	29,94	34,23	3,67	0,19	1200X1277X119
	21	1230	1200	1145	77	50	9	103-112	64-73	26-35	1164	3009	3911	4693	16004	35,17	40,02	4,27	0,22	1400X1277X119
21	1230	1400	1345	77	50	9	103-112	64-73	26-35	1337	3454	4491	5389	18376	40,40	45,79	4,87	0,25	1600X1277X119	
Bella Double Lux 1289	22	1289	300	245	77	50	9	103-112	64-73	26-35	326	842	1094	1313	4478	12,18	14,63	1,64	0,08	500X1336X119
	22	1289	400	345	77	50	9	103-112	64-73	26-35	444	1147	1491	1789	6102	14,92	17,66	1,96	0,10	600X1336X119
	22	1289	500	445	77	50	9	103-112	64-73	26-35	567	1465	1905	2286	7796	17,66	20,67	2,27	0,12	700X1336X119
	22	1289	600	545	77	50	9	103-112	64-73	26-35	696	1797	2337	2804	9561	20,40	23,58	2,59	0,13	800X1336X119
	22	1289	700	645	77	50	9	103-112	64-73	26-35	794	2052	2667	3201	10914	23,13	26,72	2,90	0,15	900X1336X119
	22	1289	800	745	77	50	9	103-112	64-73	26-35	888	2294	2982	3579	12204	25,87	29,75	3,22	0,16	1000X1336X119
	22	1289	900	845	77	50	9	103-112	64-73	26-35	977	2525	3283	3939	13433	28,61	32,78	3,53	0,18	1100X1336X119
	22	1289	1000	945	77	50	9	103-112	64-73	26-35	1062	2745	3569	4282	14603	31,35	35,79	3,84	0,20	1200X1336X119
	22	1289	1200	1145	77	50	9	103-112	64-73	26-35	1220	3152	4097	4917	16766	36,83	41,84	4,47	0,23	1400X1336X119
22	1289	1400	1345	77	50	9	103-112	64-73	26-35	1400	3619	4704	5645	19251	42,31	47,91	5,10	0,26	1600X1336X119	
Bella Double Lux 1348	23	1348	300	245	77	50	9	103-112	64-73	26-35	341	880	1144	1373	4681	12,72	15,24	1,72	0,09	500X1395X119
	23	1348	400	345	77	50	9	103-112	64-73	26-35	464	1199	1559	1871	6379	15,58	18,39	2,04	0,10	600X1395X119
	23	1348	500	445	77	50	9	103-112	64-73	26-35	593	1532	1992	2390	8150	18,44	21,54	2,37	0,12	700X1395X119
	23	1348	600	545	77	50	9	103-112	64-73	26-35	727	1879	2443	2931	9996	21,31	24,59	2,70	0,14	800X1395X119
	23	1348	700	645	77	50	9	103-112	64-73	26-35	830	2145	2788	3346	11410	24,17	27,87	3,03	0,15	900X1395X119
	23	1348	800	745	77	50	9	103-112	64-73	26-35	928	2398	3118	3742	12759	27,04	31,04	3,36	0,17	1000X1395X119
	23	1348	900	845	77	50	9	103-112	64-73	26-35	1022	2640	3432	4118	14043	29,90	34,20	3,69	0,19	1100X1395X119
	23	1348	1000	945	77	50	9	103-112	64-73	26-35	1111	2870	3731	4477	15267	32,76	37,34	4,02	0,20	1200X1395X119
	23	1348	1200	1145	77	50	9	103-112	64-73	26-35	1275	3295	4284	5140	17529	38,49	43,51	4,68	0,24	1400X1395X119
23	1348	1400	1345	77	50	9	103-112	64-73	26-35	1464	3783	4918	5902	20126	44,22	49,84	5,33	0,27	1600X1395X119	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Bella Double Lux 1407	24	1407	300	245	77	50	9	103-112	64-73	26-35	355	918	1194	1432	4885	13,25	15,84	1,79	0,09	500X1454X119
	24	1407	400	345	77	50	9	103-112	64-73	26-35	484	1251	1627	1952	6657	16,23	19,13	2,13	0,11	600X1454X119
	24	1407	500	445	77	50	9	103-112	64-73	26-35	619	1599	2078	2494	8504	19,22	22,42	2,47	0,13	700X1454X119
	24	1407	600	545	77	50	9	103-112	64-73	26-35	759	1961	2549	3059	10431	22,21	25,59	2,82	0,14	800X1454X119
	24	1407	700	645	77	50	9	103-112	64-73	26-35	866	2238	2910	3492	11906	25,20	29,01	3,16	0,16	900X1454X119
	24	1407	800	745	77	50	9	103-112	64-73	26-35	969	2503	3253	3904	13313	28,19	32,32	3,50	0,18	1000X1454X119
	24	1407	900	845	77	50	9	103-112	64-73	26-35	1066	2755	3581	4297	14654	31,17	35,60	3,85	0,20	1100X1454X119
24	1407	1000	945	77	50	9	103-112	64-73	26-35	1159	2995	3893	4672	15930	34,16	38,90	4,19	0,21	1200X1454X119	
Bella Double Lux 1466	25	1466	300	245	77	50	9	103-112	64-73	26-35	370	956	1243	1492	5088	13,79	16,45	1,86	0,10	500X1513X119
	25	1466	400	345	77	50	9	103-112	64-73	26-35	504	1303	1695	2033	6934	16,90	19,88	2,22	0,11	600X1513X119
	25	1466	500	445	77	50	9	103-112	64-73	26-35	644	1665	2165	2598	8859	20,01	23,29	2,58	0,13	700X1513X119
	25	1466	600	545	77	50	9	103-112	64-73	26-35	790	2043	2655	3186	10865	23,12	26,61	2,93	0,15	800X1513X119
	25	1466	700	645	77	50	9	103-112	64-73	26-35	902	2331	3031	3637	12402	26,24	30,17	3,29	0,17	900X1513X119
	25	1466	800	745	77	50	9	103-112	64-73	26-35	1009	2607	3389	4067	13868	29,35	33,60	3,65	0,19	1000X1513X119
	25	1466	900	845	77	50	9	103-112	64-73	26-35	1110	2869	3730	4476	15264	32,46	37,03	4,01	0,20	1100X1513X119
25	1466	1000	945	77	50	9	103-112	64-73	26-35	1207	3119	4055	4866	16594	35,57	40,45	4,36	0,22	1200X1513X119	
Bella Double Lux 1525	26	1525	300	245	77	50	9	103-112	64-73	26-35	385	995	1293	1552	5292	14,33	17,07	1,93	0,10	500X1572X119
	26	1525	400	345	77	50	9	103-112	64-73	26-35	525	1356	1762	2115	7211	17,56	20,63	2,31	0,12	600X1572X119
	26	1525	500	445	77	50	9	103-112	64-73	26-35	670	1732	2252	2702	9213	20,80	24,19	2,68	0,14	700X1572X119
	26	1525	600	545	77	50	9	103-112	64-73	26-35	822	2124	2761	3314	11300	24,04	27,63	3,05	0,15	800X1572X119
	26	1525	700	645	77	50	9	103-112	64-73	26-35	938	2425	3152	3783	12898	27,27	31,31	3,42	0,17	900X1572X119
	26	1525	800	745	77	50	9	103-112	64-73	26-35	1049	2711	3525	4230	14423	30,51	34,89	3,79	0,19	1000X1572X119
	26	1525	900	845	77	50	9	103-112	64-73	26-35	1155	2984	3880	4655	15875	33,75	38,45	4,16	0,21	1100X1572X119
26	1525	1000	945	77	50	9	103-112	64-73	26-35	1256	3244	4217	5061	17258	36,98	42,01	4,54	0,23	1200X1572X119	
Bella Double Lux 1584	27	1584	300	245	77	50	9	103-112	64-73	26-35	400	1033	1343	1611	5495	14,86	17,67	2,01	0,10	500X1631X119
	27	1584	400	345	77	50	9	103-112	64-73	26-35	545	1408	1830	2196	7489	18,23	21,37	2,39	0,12	600X1631X119
	27	1584	500	445	77	50	9	103-112	64-73	26-35	696	1799	2338	2806	9568	21,59	25,07	2,78	0,14	700X1631X119
	27	1584	600	545	77	50	9	103-112	64-73	26-35	854	2206	2868	3441	11735	24,95	28,65	3,16	0,16	800X1631X119
	27	1584	700	645	77	50	9	103-112	64-73	26-35	974	2518	3273	3928	13395	28,31	32,47	3,55	0,18	900X1631X119
	27	1584	800	745	77	50	9	103-112	64-73	26-35	1090	2816	3660	4392	14977	31,67	36,17	3,94	0,20	1000X1631X119
	27	1584	900	845	77	50	9	103-112	64-73	26-35	1199	3099	4029	4834	16486	35,03	39,87	4,32	0,22	1100X1631X119
27	1584	1000	945	77	50	9	103-112	64-73	26-35	1304	3369	4380	5256	17922	38,39	43,57	4,71	0,24	1200X1631X119	
Bella Double Lux 640	28	1643	300	245	77	50	9	103-112	64-73	26-35	415	1071	1393	1671	5699	15,40	18,27	2,08	0,11	500X1690X119
	28	1643	400	345	77	50	9	103-112	64-73	26-35	565	1460	1898	2277	7766	18,89	22,12	2,48	0,13	600X1690X119
	28	1643	500	445	77	50	9	103-112	64-73	26-35	722	1865	2425	2910	9922	22,37	25,95	2,88	0,15	700X1690X119
	28	1643	600	545	77	50	9	103-112	64-73	26-35	885	2288	2974	3569	12169	25,86	29,66	3,28	0,17	800X1690X119
	28	1643	700	645	77	50	9	103-112	64-73	26-35	1011	2611	3395	4074	13891	29,35	33,63	3,68	0,19	900X1690X119
	28	1643	800	745	77	50	9	103-112	64-73	26-35	1130	2920	3796	4555	15532	32,83	37,46	4,08	0,21	1000X1690X119
	28	1643	900	845	77	50	9	103-112	64-73	26-35	1244	3214	4178	5014	17096	36,32	41,30	4,48	0,23	1100X1690X119
28	1643	1000	945	77	50	9	103-112	64-73	26-35	1352	3494	4542	5450	18585	39,80	45,12	4,88	0,25	1200X1690X119	
Bella Double Lux 1702	29	1702	300	245	77	50	9	103-112	64-73	26-35	429	1110	1442	1731	5902	15,93	18,88	2,15	0,11	500X1749X119
	29	1702	400	345	77	50	9	103-112	64-73	26-35	585	1512	1966	2359	8043	19,54	22,85	2,57	0,13	600X1749X119
	29	1702	500	445	77	50	9	103-112	64-73	26-35	748	1932	2511	3014	10276	23,15	26,83	2,98	0,15	700X1749X119
	29	1702	600	545	77	50	9	103-112	64-73	26-35	917	2369	3080	3696	12604	26,76	30,66	3,40	0,17	800X1749X119
	29	1702	700	645	77	50	9	103-112	64-73	26-35	1047	2704	3516	4219	14387	30,37	34,75	3,81	0,19	900X1749X119
	29	1702	800	745	77	50	9	103-112	64-73	26-35	1170	3024	3931	4718	16087	33,98	38,73	4,23	0,21	1000X1749X119
	29	1702	900	845	77	50	9	103-112	64-73	26-35	1288	3329	4327	5193	17707	37,59	42,70	4,64	0,23	1100X1749X119
29	1702	1000	945	77	50	9	103-112	64-73	26-35	1400	3619	4704	5645	19249	41,21	46,68	5,05	0,25	1200X1749X119	
Bella Double Lux 1761	30	1761	300	245	77	50	9	103-112	64-73	26-35	444	1148	1492	1791	6106	16,47	19,49	2,22	0,11	500X1808X119
	30	1761	400	345	77	50	9	103-112	64-73	26-35	605	1564	2033	2440	8321	20,21	23,60	2,65	0,13	600X1808X119
	30	1761	500	445	77	50	9	103-112	64-73	26-35	773	1998	2598	3117	10631	23,94	27,71	3,08	0,16	700X1808X119
	30	1761	600	545	77	50	9	103-112	64-73	26-35	949	2451	3186	3824	13038	27,68	31,69	3,51	0,18	800X1808X119
	30	1761	700	645	77	50	9	103-112	64-73	26-35	1083	2798	3637	4364	14883	31,41	35,91	3,94	0,20	900X1808X119
	30	1761	800	745	77	50	9	103-112	64-73	26-35	1211	3128	4067	4880	16642	35,15	40,03	4,37	0,22	1000X1808X119
	30	1761	900	845	77	50	9	103-112	64-73	26-35	1333	3443	4476	5372	18317	38,88	44,12	4,80	0,24	1100X1808X119
30	1761	1000	945	77	50	9	103-112	64-73	26-35	1449	3743	4866	5840	19913	42,62	48,24	5,23	0,26	1200X1808X119	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Bella Double Lux 1820	31	1820	300	245	77	50	9	103-112	64-73	26-35	459	1186	1542	1850	6309	17,01	20,10	2,30	0,12	500X1867X119
	31	1820	400	345	77	50	9	103-112	64-73	26-35	626	1616	2101	2521	8598	20,87	24,35	2,74	0,14	600X1867X119
	31	1820	500	445	77	50	9	103-112	64-73	26-35	799	2065	2684	3221	10985	24,73	28,59	3,18	0,16	700X1867X119
	31	1820	600	545	77	50	9	103-112	64-73	26-35	980	2533	3293	3951	13473	28,59	32,70	3,63	0,18	800X1867X119
	31	1820	700	645	77	50	9	103-112	64-73	26-35	1119	2891	3758	4510	15379	32,45	37,07	4,07	0,20	900X1867X119
	31	1820	800	745	77	50	9	103-112	64-73	26-35	1251	3233	4202	5043	17196	36,31	41,31	4,51	0,23	1000X1867X119
	31	1820	900	845	77	50	9	103-112	64-73	26-35	1377	3558	4626	5551	18928	40,17	45,55	4,96	0,25	1100X1867X119
Bella Double Lux 1879	32	1879	300	245	77	50	9	103-112	64-73	26-35	474	1224	1592	1910	6513	17,55	20,72	2,37	0,12	500X1926X119
	32	1879	400	345	77	50	9	103-112	64-73	26-35	646	1668	2169	2603	8875	21,53	25,09	2,83	0,14	600X1926X119
	32	1879	500	445	77	50	9	103-112	64-73	26-35	825	2132	2771	3325	11339	25,52	29,47	3,29	0,17	700X1926X119
	32	1879	600	545	77	50	9	103-112	64-73	26-35	1012	2614	3399	4078	13908	29,50	33,71	3,74	0,19	800X1926X119
	32	1879	700	645	77	50	9	103-112	64-73	26-35	1155	2984	3880	4655	15875	33,49	38,23	4,20	0,21	900X1926X119
	32	1879	800	745	77	50	9	103-112	64-73	26-35	1291	3337	4338	5206	17751	37,47	42,60	4,66	0,23	1000X1926X119
	32	1879	900	845	77	50	9	103-112	64-73	26-35	1421	3673	4775	5730	19539	41,45	46,96	5,12	0,26	1100X1926X119
Bella Double Lux 1938	33	1938	300	245	77	50	9	103-112	64-73	26-35	489	1263	1641	1970	6716	18,09	21,32	2,44	0,12	500X1985X119
	33	1938	400	345	77	50	9	103-112	64-73	26-35	666	1721	2237	2684	9153	22,20	25,84	2,91	0,15	600X1985X119
	33	1938	500	445	77	50	9	103-112	64-73	26-35	851	2198	2858	3429	11694	26,31	30,35	3,39	0,17	700X1985X119
	33	1938	600	545	77	50	9	103-112	64-73	26-35	1043	2696	3505	4206	14342	30,41	34,73	3,86	0,19	800X1985X119
	33	1938	700	645	77	50	9	103-112	64-73	26-35	1191	3078	4001	4801	16371	34,52	39,38	4,33	0,22	900X1985X119
	33	1938	800	745	77	50	9	103-112	64-73	26-35	1332	3441	4474	5368	18306	38,63	43,88	4,80	0,24	1000X1985X119
	33	1938	900	845	77	50	9	103-112	64-73	26-35	1466	3788	4924	5909	20149	42,74	48,39	5,27	0,26	1100X1985X119
Bella Double Lux 1997	34	1997	300	245	77	50	9	103-112	64-73	26-35	503	1301	1691	2029	6920	18,63	21,77	2,52	0,13	500X2044X119
	34	1997	400	345	77	50	9	103-112	64-73	26-35	686	1773	2305	2765	9430	22,86	26,42	3,00	0,15	600X2044X119
	34	1997	500	445	77	50	9	103-112	64-73	26-35	876	2265	2944	3533	12048	27,09	31,06	3,49	0,18	700X2044X119
	34	1997	600	545	77	50	9	103-112	64-73	26-35	1075	2778	3611	4333	14777	31,33	35,59	3,97	0,20	800X2044X119
	34	1997	700	645	77	50	9	103-112	64-73	26-35	1227	3171	4122	4946	16867	35,56	40,36	4,46	0,22	900X2044X119
	34	1997	800	745	77	50	9	103-112	64-73	26-35	1372	3545	4609	5531	18860	39,79	45,00	4,95	0,25	1000X2044X119
	34	1997	900	845	77	50	9	103-112	64-73	26-35	1510	3902	5073	6088	20760	44,03	49,65	5,43	0,27	1100X2044X119
	34	1997	1000	945	77	50	9	103-112	64-73	26-35	1642	4242	5515	6618	22568	48,26	54,30	5,92	0,30	1200X2044X119