





Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Cast Lux 280	5	280	300	245	97	40	20	117	69	20	66	169	220	264	902	2,96	3,98	0,37	0,03	490X327X139
	5	280	400	345	97	40	20	117	69	20	89	231	300	360	1229	3,63	4,75	0,44	0,03	590X327X139
	5	280	500	445	97	40	20	117	69	20	114	295	384	460	1570	4,29	5,51	0,51	0,04	690X327X139
	5	280	600	545	97	40	20	117	69	20	140	362	471	565	1925	4,96	6,18	0,58	0,04	790X327X139
	5	280	700	645	97	40	20	117	69	20	160	413	537	645	2198	5,62	7,06	0,65	0,05	890X327X139
	5	280	800	745	97	40	20	117	69	20	179	462	601	721	2458	6,28	7,84	0,72	0,05	990X327X139
	5	280	900	845	97	40	20	117	69	20	197	508	661	793	2705	6,95	8,61	0,80	0,05	1090X327X139
	5	280	1000	945	97	40	20	117	69	20	214	553	719	862	2941	7,61	9,37	0,87	0,06	1190X327X139
	5	280	1200	1145	97	40	20	117	69	20	246	635	825	990	3376	8,94	10,92	1,01	0,07	1390X327X139
	5	280	1400	1345	97	40	20	117	69	20	282	729	947	1137	3877	10,27	12,47	1,15	0,08	1590X327X139

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Cast Lux 340	6	340	300	245	97	40	20	117	69	20	79	203	264	317	1082	3,50	4,60	0,43	0,03	490X387X139
	6	340	400	345	97	40	20	117	69	20	107	277	360	432	1475	4,30	5,50	0,52	0,04	590X387X139
	6	340	500	445	97	40	20	117	69	20	137	354	460	552	1884	5,10	6,42	0,61	0,04	690X387X139
	6	340	600	545	97	40	20	117	69	20	168	434	565	678	2311	5,89	7,22	0,69	0,05	790X387X139
	6	340	700	645	97	40	20	117	69	20	192	496	645	773	2637	6,69	8,25	0,78	0,05	890X387X139
	6	340	800	745	97	40	20	117	69	20	215	554	721	865	2949	7,49	9,18	0,86	0,06	990X387X139
	6	340	900	845	97	40	20	117	69	20	236	610	793	952	3246	8,28	10,08	0,95	0,06	1090X387X139
	6	340	1000	945	97	40	20	117	69	20	257	663	862	1035	3529	9,08	10,99	1,03	0,07	1190X387X139
	6	340	1200	1145	97	40	20	117	69	20	295	762	990	1188	4052	10,67	12,83	1,21	0,08	1390X387X139
	6	340	1400	1345	97	40	20	117	69	20	338	874	1137	1364	4652	12,27	14,66	1,38	0,09	1590X387X139
Cast Lux 400	7	400	300	245	97	40	20	117	69	20	92	237	308	370	1262	4,05	5,21	0,50	0,04	490X447X139
	7	400	400	345	97	40	20	117	69	20	125	323	420	504	1720	4,98	6,27	0,60	0,04	590X447X139
	7	400	500	445	97	40	20	117	69	20	160	413	537	645	2198	5,91	7,32	0,70	0,05	690X447X139
	7	400	600	545	97	40	20	117	69	20	196	507	659	790	2696	6,84	8,26	0,80	0,05	790X447X139
	7	400	700	645	97	40	20	117	69	20	224	578	752	902	3077	7,77	9,45	0,90	0,06	890X447X139
	7	400	800	745	97	40	20	117	69	20	250	647	841	1009	3441	8,70	10,51	1,00	0,07	990X447X139
	7	400	900	845	97	40	20	117	69	20	276	712	925	1111	3787	9,63	11,57	1,10	0,07	1090X447X139
	7	400	1000	945	97	40	20	117	69	20	300	774	1006	1207	4117	10,56	12,62	1,20	0,08	1190X447X139
	7	400	1200	1145	97	40	20	117	69	20	344	889	1155	1386	4727	12,42	14,74	1,40	0,09	1390X447X139
	7	400	1400	1345	97	40	20	117	69	20	395	1020	1326	1592	5427	14,27	16,85	1,60	0,10	1590X447X139
Cast Lux 460	8	460	300	245	97	40	20	117	69	20	105	271	353	423	1443	4,60	5,84	0,57	0,04	490X507X139
	8	460	400	345	97	40	20	117	69	20	143	370	480	577	1966	5,66	7,04	0,68	0,05	590X507X139
	8	460	500	445	97	40	20	117	69	20	183	472	614	737	2512	6,72	8,23	0,80	0,05	690X507X139
	8	460	600	545	97	40	20	117	69	20	224	579	753	903	3081	7,78	9,31	0,91	0,06	790X507X139
	8	460	700	645	97	40	20	117	69	20	256	661	859	1031	3516	8,85	10,64	1,03	0,07	890X507X139
	8	460	800	745	97	40	20	117	69	20	286	739	961	1153	3932	9,91	11,85	1,14	0,07	990X507X139
	8	460	900	845	97	40	20	117	69	20	315	814	1058	1269	4328	10,97	13,05	1,26	0,08	1090X507X139
	8	460	1000	945	97	40	20	117	69	20	342	884	1150	1380	4705	12,03	14,25	1,37	0,09	1190X507X139
	8	460	1200	1145	97	40	20	117	69	20	393	1016	1320	1584	5402	14,16	16,67	1,60	0,10	1390X507X139
	8	460	1400	1345	97	40	20	117	69	20	451	1166	1516	1819	6202	16,28	19,06	1,83	0,12	1590X507X139
Cast Lux 520	9	520	300	245	97	40	20	117	69	20	118	305	397	476	1623	5,15	6,47	0,64	0,04	490X567X139
	9	520	400	345	97	40	20	117	69	20	161	416	541	649	2212	6,34	7,81	0,77	0,05	590X567X139
	9	520	500	445	97	40	20	117	69	20	206	531	691	829	2826	7,54	9,15	0,89	0,06	690X567X139
	9	520	600	545	97	40	20	117	69	20	252	652	847	1016	3466	8,73	10,38	1,02	0,07	790X567X139
	9	520	700	645	97	40	20	117	69	20	288	744	967	1160	3956	9,93	11,85	1,15	0,08	890X567X139
	9	520	800	745	97	40	20	117	69	20	322	832	1081	1297	4424	11,12	13,19	1,28	0,08	990X567X139
	9	520	900	845	97	40	20	117	69	20	354	915	1190	1428	4869	12,32	14,54	1,41	0,09	1090X567X139
	9	520	1000	945	97	40	20	117	69	20	385	995	1294	1552	5293	13,51	15,88	1,54	0,10	1190X567X139
	9	520	1200	1145	97	40	20	117	69	20	442	1142	1485	1782	6077	15,90	18,57	1,80	0,11	1390X567X139
	9	520	1400	1345	97	40	20	117	69	20	508	1312	1705	2046	6978	18,29	21,27	2,05	0,13	1590X567X139
Cast Lux 580	10	580	300	245	97	40	20	117	69	20	131	339	441	529	1803	5,69	7,07	0,70	0,05	490X627X139
	10	580	400	345	97	40	20	117	69	20	179	462	601	721	2458	7,02	8,57	0,85	0,06	590X627X139
	10	580	500	445	97	40	20	117	69	20	228	590	767	921	3140	8,35	10,06	0,99	0,07	690X627X139
	10	580	600	545	97	40	20	117	69	20	280	724	941	1129	3851	9,68	11,42	1,13	0,07	790X627X139
	10	580	700	645	97	40	20	117	69	20	320	826	1074	1289	4396	11,00	13,04	1,28	0,08	890X627X139
	10	580	800	745	97	40	20	117	69	20	358	924	1201	1441	4915	12,33	14,53	1,42	0,09	990X627X139
	10	580	900	845	97	40	20	117	69	20	394	1017	1322	1587	5410	13,66	16,02	1,56	0,10	1090X627X139
	10	580	1000	945	97	40	20	117	69	20	428	1106	1437	1725	5881	14,99	17,51	1,71	0,11	1190X627X139
	10	580	1200	1145	97	40	20	117	69	20	491	1269	1650	1980	6753	17,64	20,48	1,99	0,13	1390X627X139
	10	580	1400	1345	97	40	20	117	69	20	564	1457	1895	2274	7753	20,30	23,47	2,28	0,14	1590X627X139
Cast Lux 640	11	640	300	245	97	40	20	117	69	20	144	373	485	582	1984	6,24	7,70	0,77	0,05	490X687X139
	11	640	400	345	97	40	20	117	69	20	197	508	661	793	2703	7,70	9,34	0,93	0,06	590X687X139
	11	640	500	445	97	40	20	117	69	20	251	649	844	1013	3454	9,16	10,97	1,09	0,07	690X687X139
	11	640	600	545	97	40	20	117	69	20	308	796	1035	1242	4236	10,62	12,47	1,24	0,08	790X687X139
	11	640	700	645	97	40	20	117	69	20	352	909	1182	1418	4835	12,08	14,22	1,40	0,09	890X687X139
	11	640	800	745	97	40	20	117	69	20	393	1016	1321	1585	5407	13,55	15,87	1,56	0,10	990X687X139
	11	640	900	845	97	40	20	117	69	20	433	1119	1454	1745	5951	15,01	17,51	1,72	0,11	1090X687X139
	11	640	1000	945	97	40	20	117	69	20	471	1216	1581	1897	6469	16,47	19,14	1,87	0,12	1190X687X139
	11	640	1200	1145	97	40	20	117	69	20	540	1396	1815	2178	7428	19,39	22,40	2,19	0,14	1390X687X139
	11	640	1400	1345	97	40	20	117	69	20	620	1603	2084	2501	8528	22,31	25,66	2,50	0,16	1590X687X139

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Cast Lux 700	12	700	300	245	97	40	20	117	69	20	157	407	529	635	2164	6,78	8,32	0,84	0,06	490X747X139
	12	700	400	345	97	40	20	117	69	20	215	554	721	865	2949	8,37	10,09	1,01	0,07	590X747X139
	12	700	500	445	97	40	20	117	69	20	274	708	921	1105	3768	9,97	11,87	1,18	0,08	690X747X139
	12	700	600	545	97	40	20	117	69	20	336	869	1129	1355	4621	11,56	13,52	1,36	0,09	790X747X139
	12	700	700	645	97	40	20	117	69	20	384	992	1289	1547	5275	13,15	15,41	1,53	0,10	890X747X139
	12	700	800	745	97	40	20	117	69	20	429	1109	1441	1730	5898	14,75	17,20	1,70	0,11	990X747X139
	12	700	900	845	97	40	20	117	69	20	472	1220	1587	1904	6492	16,34	18,98	1,87	0,12	1090X747X139
	12	700	1000	945	97	40	20	117	69	20	513	1327	1725	2070	7058	17,93	20,74	2,04	0,13	1190X747X139
	12	700	1200	1145	97	40	20	117	69	20	590	1523	1980	2376	8103	21,12	24,30	2,38	0,15	1390X747X139
	12	700	1400	1345	97	40	20	117	69	20	677	1749	2274	2728	9304	24,31	27,86	2,73	0,17	1590X747X139
Cast Lux 760	13	760	300	245	97	40	20	117	69	20	171	441	573	687	2344	7,33	8,94	0,91	0,06	490X807X139
	13	760	400	345	97	40	20	117	69	20	232	601	781	937	3195	9,05	10,86	1,09	0,07	590X807X139
	13	760	500	445	97	40	20	117	69	20	297	767	997	1197	4082	10,78	12,78	1,28	0,08	690X807X139
	13	760	600	545	97	40	20	117	69	20	364	941	1223	1468	5006	12,51	14,58	1,47	0,09	790X807X139
	13	760	700	645	97	40	20	117	69	20	416	1074	1396	1676	5714	14,23	16,61	1,65	0,10	890X807X139
	13	760	800	745	97	40	20	117	69	20	465	1201	1561	1874	6390	15,96	18,54	1,84	0,12	990X807X139
	13	760	900	845	97	40	20	117	69	20	512	1322	1719	2062	7033	17,68	20,45	2,02	0,13	1090X807X139
	13	760	1000	945	97	40	20	117	69	20	556	1437	1868	2242	7646	19,41	22,38	2,21	0,14	1190X807X139
	13	760	1200	1145	97	40	20	117	69	20	639	1650	2145	2574	8778	22,86	26,21	2,58	0,16	1390X807X139
	13	760	1400	1345	97	40	20	117	69	20	733	1895	2463	2956	10079	26,32	30,07	2,95	0,18	1590X807X139
Cast Lux 820	14	820	300	245	97	40	20	117	69	20	184	475	617	740	2525	7,87	9,54	0,98	0,06	490X867X139
	14	820	400	345	97	40	20	117	69	20	250	647	841	1009	3441	9,73	11,62	1,18	0,08	590X867X139
	14	820	500	445	97	40	20	117	69	20	320	826	1074	1289	4396	11,59	13,69	1,38	0,09	690X867X139
	14	820	600	545	97	40	20	117	69	20	392	1013	1317	1581	5391	13,45	15,62	1,58	0,10	790X867X139
	14	820	700	645	97	40	20	117	69	20	448	1157	1504	1805	6154	15,31	17,81	1,78	0,11	890X867X139
	14	820	800	745	97	40	20	117	69	20	501	1294	1682	2018	6881	17,17	19,88	1,98	0,12	990X867X139
	14	820	900	845	97	40	20	117	69	20	551	1424	1851	2221	7574	19,03	21,94	2,18	0,14	1090X867X139
	14	820	1000	945	97	40	20	117	69	20	599	1548	2012	2415	8234	20,89	24,01	2,38	0,15	1190X867X139
	14	820	1200	1145	97	40	20	117	69	20	688	1777	2310	2772	9454	24,61	28,13	2,78	0,17	1390X867X139
	14	820	1400	1345	97	40	20	117	69	20	790	2040	2653	3183	10854	28,32	32,25	3,18	0,20	1590X867X139
Cast Lux 880	15	880	300	245	97	40	20	117	69	20	197	508	661	793	2705	8,42	10,18	1,04	0,07	490X927X139
	15	880	400	345	97	40	20	117	69	20	268	693	901	1081	3686	10,41	12,39	1,26	0,08	590X927X139
	15	880	500	445	97	40	20	117	69	20	343	885	1151	1381	4710	12,41	14,60	1,47	0,09	690X927X139
	15	880	600	545	97	40	20	117	69	20	420	1086	1412	1694	5776	14,40	16,68	1,69	0,11	790X927X139
	15	880	700	645	97	40	20	117	69	20	480	1239	1611	1934	6593	16,39	19,02	1,90	0,12	890X927X139
	15	880	800	745	97	40	20	117	69	20	536	1386	1802	2162	7373	18,38	21,22	2,12	0,13	990X927X139
	15	880	900	845	97	40	20	117	69	20	590	1525	1983	2380	8115	20,37	23,41	2,33	0,15	1090X927X139
	15	880	1000	945	97	40	20	117	69	20	642	1658	2156	2587	8822	22,37	25,64	2,54	0,16	1190X927X139
	15	880	1200	1145	97	40	20	117	69	20	737	1904	2475	2970	10129	26,35	30,06	2,97	0,18	1390X927X139
	15	880	1400	1345	97	40	20	117	69	20	846	2186	2842	3410	11630	30,33	34,46	3,40	0,21	1590X927X139
Cast Lux 940	16	940	300	245	97	40	20	117	69	20	210	542	705	846	2885	8,97	10,80	1,11	0,07	490X987X139
	16	940	400	345	97	40	20	117	69	20	286	739	961	1153	3932	11,09	13,15	1,34	0,09	590X987X139
	16	940	500	445	97	40	20	117	69	20	365	944	1228	1473	5024	13,22	15,51	1,57	0,10	690X987X139
	16	940	600	545	97	40	20	117	69	20	448	1158	1506	1807	6161	15,34	17,72	1,80	0,11	790X987X139
	16	940	700	645	97	40	20	117	69	20	512	1322	1719	2062	7033	17,47	20,21	2,03	0,13	890X987X139
	16	940	800	745	97	40	20	117	69	20	572	1478	1922	2306	7864	19,59	22,56	2,26	0,14	990X987X139
	16	940	900	845	97	40	20	117	69	20	630	1627	2115	2538	8656	21,72	24,91	2,48	0,15	1090X987X139
	16	940	1000	945	97	40	20	117	69	20	685	1769	2300	2760	9410	23,84	27,25	2,71	0,17	1190X987X139
	16	940	1200	1145	97	40	20	117	69	20	786	2031	2640	3168	10804	28,09	31,96	3,17	0,20	1390X987X139
	16	940	1400	1345	97	40	20	117	69	20	902	2332	3032	3638	12405	32,34	36,67	3,63	0,22	1590X987X139
Cast Lux 1000	17	1000	300	245	97	40	20	117	69	20	223	576	749	899	3066	9,52	11,41	1,18	0,08	490X1047X139
	17	1000	400	345	97	40	20	117	69	20	304	785	1021	1225	4178	11,77	13,90	1,42	0,09	590X1047X139
	17	1000	500	445	97	40	20	117	69	20	388	1003	1304	1565	5338	14,03	16,41	1,67	0,11	690X1047X139
	17	1000	600	545	97	40	20	117	69	20	476	1231	1600	1920	6546	16,29	18,78	1,91	0,12	790X1047X139
	17	1000	700	645	97	40	20	117	69	20	544	1405	1826	2191	7473	18,55	21,41	2,15	0,13	890X1047X139
	17	1000	800	745	97	40	20	117	69	20	608	1571	2042	2450	8356	20,81	23,89	2,39	0,15	990X1047X139
	17	1000	900	845	97	40	20	117	69	20	669	1729	2248	2697	9197	23,06	26,38	2,64	0,16	1090X1047X139
	17	1000	1000	945	97	40	20	117	69	20	727	1879	2443	2932	9998	25,32	28,88	2,88	0,18	1190X1047X139
	17	1000	1200	1145	97	40	20	117	69	20	835	2158	2805	3366	11479	29,84	33,88	3,37	0,21	1390X1047X139
	17	1000	1400	1345	97	40	20	117	69	20	959	2478	3221	3865	13180	34,35	38,86	3,85	0,24	1590X1047X139

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Cast Lux 1060	18	1060	300	245	97	40	20	117	69	20	236	610	793	952	3246	10,19	12,18	1,26	0,08	490X1107X139
	18	1060	400	345	97	40	20	117	69	20	322	832	1081	1297	4424	12,58	14,81	1,52	0,10	590X1107X139
	18	1060	500	445	97	40	20	117	69	20	411	1062	1381	1657	5651	14,97	17,44	1,78	0,11	690X1107X139
	18	1060	600	545	97	40	20	117	69	20	504	1303	1694	2033	6932	17,36	19,95	2,04	0,13	790X1107X139
	18	1060	700	645	97	40	20	117	69	20	576	1487	1934	2320	7912	19,75	22,72	2,29	0,14	890X1107X139
	18	1060	800	745	97	40	20	117	69	20	644	1663	2162	2594	8847	22,14	25,36	2,55	0,16	990X1107X139
	18	1060	900	845	97	40	20	117	69	20	708	1831	2380	2856	9738	24,53	28,00	2,81	0,17	1090X1107X139
	18	1060	1000	945	97	40	20	117	69	20	770	1990	2587	3104	10586	26,92	30,64	3,07	0,19	1190X1107X139
	18	1060	1200	1145	97	40	20	117	69	20	884	2285	2970	3564	12155	31,70	35,91	3,58	0,22	1390X1107X139
Cast Lux 1120	18	1060	1400	1345	97	40	20	117	69	20	1015	2623	3410	4093	13956	36,49	41,19	4,10	0,25	1590X1107X139
	19	1120	300	245	97	40	20	117	69	20	249	644	837	1005	3426	10,74	12,80	1,33	0,08	490X1167X139
	19	1120	400	345	97	40	20	117	69	20	340	878	1141	1369	4669	13,26	15,57	1,60	0,10	590X1167X139
	19	1120	500	445	97	40	20	117	69	20	434	1121	1458	1749	5965	15,79	18,36	1,87	0,12	690X1167X139
	19	1120	600	545	97	40	20	117	69	20	532	1375	1788	2146	7317	18,31	21,01	2,15	0,13	790X1167X139
	19	1120	700	645	97	40	20	117	69	20	608	1570	2041	2449	8352	20,83	23,92	2,42	0,15	890X1167X139
	19	1120	800	745	97	40	20	117	69	20	679	1756	2282	2739	9339	23,36	26,71	2,69	0,17	990X1167X139
	19	1120	900	845	97	40	20	117	69	20	748	1932	2512	3014	10279	25,88	29,49	2,96	0,18	1090X1167X139
	19	1120	1000	945	97	40	20	117	69	20	813	2101	2731	3277	11174	28,40	32,27	3,23	0,20	1190X1167X139
Cast Lux 1180	19	1120	1200	1145	97	40	20	117	69	20	933	2412	3135	3762	12830	33,45	37,84	3,78	0,23	1390X1167X139
	19	1120	1400	1345	97	40	20	117	69	20	1072	2769	3600	4320	14731	38,49	43,39	4,32	0,26	1590X1167X139
	20	1180	300	245	97	40	20	117	69	20	262	678	881	1058	3607	11,29	13,43	1,40	0,09	490X1227X139
	20	1180	400	345	97	40	20	117	69	20	358	924	1201	1441	4915	13,94	16,34	1,69	0,11	590X1227X139
	20	1180	500	445	97	40	20	117	69	20	457	1180	1535	1841	6279	16,60	19,26	1,97	0,12	690X1227X139
	20	1180	600	545	97	40	20	117	69	20	560	1448	1882	2259	7702	19,26	22,08	2,26	0,14	790X1227X139
	20	1180	700	645	97	40	20	117	69	20	640	1653	2148	2578	8791	21,91	25,12	2,54	0,16	890X1227X139
	20	1180	800	745	97	40	20	117	69	20	715	1848	2402	2883	9830	24,57	28,05	2,83	0,17	990X1227X139
	20	1180	900	845	97	40	20	117	69	20	787	2034	2644	3173	10820	27,22	30,98	3,12	0,19	1090X1227X139
Cast Lux 1240	20	1180	1000	945	97	40	20	117	69	20	856	2211	2875	3449	11763	29,88	33,90	3,40	0,21	1190X1227X139
	20	1180	1200	1145	97	40	20	117	69	20	983	2539	3300	3960	13505	35,19	39,75	3,97	0,24	1390X1227X139
	20	1180	1400	1345	97	40	20	117	69	20	1128	2915	3789	4547	15506	40,50	45,61	4,55	0,28	1590X1227X139
	21	1240	300	245	97	40	20	117	69	20	276	712	925	1111	3787	11,83	14,04	1,47	0,09	490X1287X139
	21	1240	400	345	97	40	20	117	69	20	375	970	1261	1513	5161	14,62	17,11	1,77	0,11	590X1287X139
	21	1240	500	445	97	40	20	117	69	20	480	1239	1611	1934	6593	17,41	20,17	2,07	0,13	690X1287X139
	21	1240	600	545	97	40	20	117	69	20	588	1520	1976	2371	8087	20,20	23,12	2,37	0,15	790X1287X139
	21	1240	700	645	97	40	20	117	69	20	672	1735	2256	2707	9231	22,99	26,32	2,67	0,16	890X1287X139
	21	1240	800	745	97	40	20	117	69	20	751	1940	2522	3027	10322	25,78	29,38	2,97	0,18	990X1287X139
Cast Lux 1300	21	1240	900	845	97	40	20	117	69	20	827	2136	2776	3332	11361	28,57	32,46	3,27	0,20	1090X1287X139
	21	1240	1000	945	97	40	20	117	69	20	899	2322	3018	3622	12351	31,36	35,52	3,57	0,22	1190X1287X139
	21	1240	1200	1145	97	40	20	117	69	20	1032	2666	3465	4159	14180	36,93	41,66	4,17	0,25	1390X1287X139
	21	1240	1400	1345	97	40	20	117	69	20	1184	3061	3979	4775	16281	42,51	47,80	4,77	0,29	1590X1287X139
	22	1300	300	245	97	40	20	117	69	20	289	746	970	1163	3967	12,38	14,66	1,53	0,10	490X1347X139
	22	1300	400	345	97	40	20	117	69	20	393	1016	1321	1585	5407	15,30	17,88	1,85	0,12	590X1347X139
	22	1300	500	445	97	40	20	117	69	20	503	1298	1688	2026	6907	18,23	21,08	2,16	0,13	690X1347X139
	22	1300	600	545	97	40	20	117	69	20	616	1593	2070	2484	8472	21,15	24,18	2,48	0,15	790X1347X139
	22	1300	700	645	97	40	20	117	69	20	704	1818	2363	2836	9670	24,07	27,52	2,79	0,17	890X1347X139
Cast Lux 1360	22	1300	800	745	97	40	20	117	69	20	787	2033	2642	3171	10813	26,99	30,72	3,11	0,19	990X1347X139
	22	1300	900	845	97	40	20	117	69	20	866	2237	2909	3490	11902	29,91	33,94	3,42	0,21	1090X1347X139
	22	1300	1000	945	97	40	20	117	69	20	941	2432	3162	3794	12939	32,83	37,14	3,74	0,23	1190X1347X139
	22	1300	1200	1145	97	40	20	117	69	20	1081	2793	3630	4357	14856	38,68	43,58	4,37	0,27	1390X1347X139
	22	1300	1400	1345	97	40	20	117	69	20	1241	3206	4168	5002	17057	44,52	50,00	5,00	0,30	1590X1347X139
	23	1360	300	245	97	40	20	117	69	20	302	780	1014	1216	4148	12,93	15,29	1,60	0,10	490X1407X139
	23	1360	400	345	97	40	20	117	69	20	411	1063	1381	1658	5652	15,99	18,64	1,93	0,12	590X1407X139
	23	1360	500	445	97	40	20	117	69	20	525	1357	1765	2118	7221	19,04	22,00	2,26	0,14	690X1407X139
	23	1360	600	545	97	40	20	117	69	20	644	1665	2164	2597	8857	22,09	25,23	2,59	0,16	790X1407X139
Cast Lux 1360	23	1360	700	645	97	40	20	117	69	20	735	1900	2471	2965	10110	25,15	28,71	2,92	0,18	890X1407X139
	23	1360	800	745	97	40	20	117	69	20	822	2125	2763	3315	11305	28,20	32,06	3,25	0,20	990X1407X139
	23	1360	900	845	97	40	20	117	69	20	905	2339	3041	3649	12443	31,26	35,43	3,58	0,22	1090X1407X139
	23	1360	1000	945	97	40	20	117	69	20	984	2543	3306	3967	13527	34,31	38,78	3,90	0,24	1190X1407X139
	23	1360	1200	1145	97	40	20	117	69	20	1130	2920	3795	4555	15531	40,42	45,49	4,56	0,28	1390X1407X139
	23	1360	1400	1345	97	40	20	117	69	20	1297	3352	4358	5229	17832	46,53	52,21	5,22	0,32	1590X1407X139

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Cast Lux 1420	24	1420	300	245	97	40	20	117	69	20	315	814	1058	1269	4328	13,47	15,90	1,67	0,10	490X1467X139
	24	1420	400	345	97	40	20	117	69	20	429	1109	1441	1730	5898	16,66	19,41	2,01	0,13	590X1467X139
	24	1420	500	445	97	40	20	117	69	20	548	1417	1841	2210	7535	19,84	22,90	2,36	0,15	690X1467X139
	24	1420	600	545	97	40	20	117	69	20	672	1737	2259	2710	9242	23,03	26,27	2,70	0,17	790X1467X139
	24	1420	700	645	97	40	20	117	69	20	767	1983	2578	3094	10549	26,22	29,89	3,04	0,19	890X1467X139
	24	1420	800	745	97	40	20	117	69	20	858	2217	2883	3459	11796	29,40	33,39	3,39	0,21	990X1467X139
	24	1420	900	845	97	40	20	117	69	20	945	2441	3173	3808	12984	32,59	36,89	3,73	0,23	1090X1467X139
Cast Lux 1480	24	1420	1000	945	97	40	20	117	69	20	1027	2653	3449	4139	14115	35,78	40,40	4,07	0,25	1190X1467X139
	25	1480	300	245	97	40	20	117	69	20	328	847	1102	1322	4508	14,02	16,52	1,74	0,11	490X1527X139
	25	1480	400	345	97	40	20	117	69	20	447	1155	1501	1802	6144	17,34	20,16	2,10	0,13	590X1527X139
	25	1480	500	445	97	40	20	117	69	20	571	1476	1918	2302	7849	20,66	23,81	2,45	0,15	690X1527X139
	25	1480	600	545	97	40	20	117	69	20	700	1810	2353	2823	9627	23,98	27,33	2,81	0,17	790X1527X139
	25	1480	700	645	97	40	20	117	69	20	799	2066	2685	3223	10989	27,30	31,09	3,17	0,19	890X1527X139
	25	1480	800	745	97	40	20	117	69	20	894	2310	3003	3603	12288	30,62	34,74	3,53	0,22	990X1527X139
Cast Lux 1540	25	1480	900	845	97	40	20	117	69	20	984	2542	3305	3966	13525	33,94	38,39	3,88	0,24	1090X1527X139
	25	1480	1000	945	97	40	20	117	69	20	1070	2764	3593	4312	14703	37,26	42,03	4,24	0,26	1190X1527X139
	26	1540	300	245	97	40	20	117	69	20	341	881	1146	1375	4689	14,56	17,14	1,81	0,11	490X1587X139
	26	1540	400	345	97	40	20	117	69	20	465	1201	1561	1874	6390	18,02	20,93	2,18	0,14	590X1587X139
	26	1540	500	445	97	40	20	117	69	20	594	1535	1995	2394	8163	21,47	24,72	2,55	0,16	690X1587X139
	26	1540	600	545	97	40	20	117	69	20	728	1882	2447	2936	10012	24,92	28,38	2,92	0,18	790X1587X139
	26	1540	700	645	97	40	20	117	69	20	831	2148	2793	3351	11429	28,38	32,29	3,29	0,20	890X1587X139
Cast Lux 1600	26	1540	800	745	97	40	20	117	69	20	930	2402	3123	3748	12779	31,83	36,08	3,66	0,22	990X1587X139
	26	1540	900	845	97	40	20	117	69	20	1023	2644	3437	4125	14066	35,28	39,86	4,04	0,25	1090X1587X139
	26	1540	1000	945	97	40	20	117	69	20	1112	2875	3737	4484	15291	38,73	43,65	4,41	0,27	1190X1587X139
	27	1600	300	245	97	40	20	117	69	20	354	915	1190	1428	4869	15,11	17,76	1,87	0,12	490X1647X139
	27	1600	400	345	97	40	20	117	69	20	483	1247	1622	1946	6635	18,70	21,70	2,26	0,14	590X1647X139
	27	1600	500	445	97	40	20	117	69	20	617	1594	2072	2486	8477	22,28	25,62	2,65	0,16	690X1647X139
	27	1600	600	545	97	40	20	117	69	20	756	1955	2541	3049	10397	25,87	29,43	3,03	0,19	790X1647X139
Cast Lux 1660	27	1600	700	645	97	40	20	117	69	20	863	2231	2900	3480	11868	29,45	33,48	3,42	0,21	890X1647X139
	27	1600	800	745	97	40	20	117	69	20	965	2495	3243	3892	13271	33,04	37,41	3,80	0,23	990X1647X139
	27	1600	900	845	97	40	20	117	69	20	1063	2746	3570	4284	14607	36,63	41,35	4,19	0,25	1090X1647X139
	27	1600	1000	945	97	40	20	117	69	20	1155	2985	3881	4657	15879	40,21	45,27	4,58	0,28	1190X1647X139
	28	1660	300	245	97	40	20	117	69	20	367	949	1234	1481	5049	15,66	18,38	1,94	0,12	490X1707X139
	28	1660	400	345	97	40	20	117	69	20	501	1294	1682	2018	6881	19,38	22,46	2,34	0,14	590X1707X139
	28	1660	500	445	97	40	20	117	69	20	640	1653	2148	2578	8791	23,10	26,54	2,74	0,17	690X1707X139
Cast Lux 1720	28	1660	600	545	97	40	20	117	69	20	784	2027	2635	3162	10782	26,81	30,48	3,14	0,19	790X1707X139
	28	1660	700	645	97	40	20	117	69	20	895	2314	3008	3609	12308	30,53	34,69	3,54	0,22	890X1707X139
	28	1660	800	745	97	40	20	117	69	20	1001	2587	3363	4036	13762	34,25	38,75	3,94	0,24	990X1707X139
	28	1660	900	845	97	40	20	117	69	20	1102	2848	3702	4442	15148	37,97	42,82	4,34	0,26	1090X1707X139
	28	1660	1000	945	97	40	20	117	69	20	1198	3096	4024	4829	16468	41,69	46,91	4,74	0,29	1190X1707X139
	29	1720	300	245	97	40	20	117	69	20	380	983	1278	1534	5230	16,20	19,00	2,01	0,13	490X1767X139
	29	1720	400	345	97	40	20	117	69	20	518	1340	1742	2090	7127	20,05	23,21	2,42	0,15	590X1767X139
Cast Lux 1780	29	1720	500	445	97	40	20	117	69	20	662	1712	2225	2670	9105	23,90	27,44	2,84	0,17	690X1767X139
	29	1720	600	545	97	40	20	117	69	20	812	2099	2729	3275	11167	27,75	31,52	3,25	0,20	790X1767X139
	29	1720	700	645	97	40	20	117	69	20	927	2396	3115	3738	12747	31,60	35,88	3,67	0,22	890X1767X139
	29	1720	800	745	97	40	20	117	69	20	1037	2679	3483	4180	14254	35,45	40,08	4,08	0,25	990X1767X139
	29	1720	900	845	97	40	20	117	69	20	1141	2949	3834	4601	15689	39,30	44,30	4,50	0,27	1090X1767X139
	29	1720	1000	945	97	40	20	117	69	20	1241	3206	4168	5002	17056	43,16	48,53	4,91	0,30	1190X1767X139
	30	1780	300	245	97	40	20	117	69	20	394	1017	1322	1587	5410	16,75	19,63	2,08	0,13	490X1827X139
Cast Lux 1780	30	1780	400	345	97	40	20	117	69	20	536	1386	1802	2162	7373	20,73	23,99	2,51	0,15	590X1827X139
	30	1780	500	445	97	40	20	117	69	20	685	1771	2302	2762	9419	24,71	28,34	2,93	0,18	690X1827X139
	30	1780	600	545	97	40	20	117	69	20	840	2172	2823	3388	11553	28,70	32,58	3,36	0,21	790X1827X139
	30	1780	700	645	97	40	20	117	69	20	959	2479	3223	3867	13187	32,68	37,06	3,79	0,23	890X1827X139
	30	1780	800	745	97	40	20	117	69	20	1073	2772	3603	4324	14745	36,67	41,44	4,22	0,26	990X1827X139
	30	1780	900	845	97	40	20	117	69	20	1181	3051	3966	4760	16230	40,65	45,79	4,65	0,28	1090X1827X139
	30	1780	1000	945	97	40	20	117	69	20	1284	3317	4312	5174	17644	44,63	50,14	5,08	0,31	1190X1827X139

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Cast Lux 1840	31	1840	300	245	97	40	20	117	69	20	407	1051	1366	1639	5590	17,29	20,25	2,14	0,13	490X1887X139
	31	1840	400	345	97	40	20	117	69	20	554	1432	1862	2234	7618	21,41	24,74	2,59	0,16	590X1887X139
	31	1840	500	445	97	40	20	117	69	20	708	1830	2379	2854	9733	25,53	29,26	3,03	0,19	690X1887X139
	31	1840	600	545	97	40	20	117	69	20	868	2244	2917	3501	11938	29,64	33,63	3,47	0,21	790X1887X139
	31	1840	700	645	97	40	20	117	69	20	991	2562	3330	3996	13626	33,76	38,26	3,92	0,24	890X1887X139
	31	1840	800	745	97	40	20	117	69	20	1108	2864	3724	4468	15237	37,88	42,77	4,36	0,26	990X1887X139
	31	1840	900	845	97	40	20	117	69	20	1220	3153	4098	4918	16771	41,99	47,27	4,80	0,29	1090X1887X139
Cast Lux 1900	31	1840	1000	945	97	40	20	117	69	20	1326	3427	4455	5347	18232	46,11	51,78	5,25	0,32	1190X1887X139
	32	1900	300	245	97	40	20	117	69	20	420	1085	1410	1692	5771	17,84	20,87	2,21	0,14	490X1947X139
	32	1900	400	345	97	40	20	117	69	20	572	1478	1922	2306	7864	22,09	25,51	2,67	0,16	590X1947X139
	32	1900	500	445	97	40	20	117	69	20	731	1889	2455	2946	10047	26,34	30,16	3,13	0,19	690X1947X139
	32	1900	600	545	97	40	20	117	69	20	896	2316	3011	3614	12323	30,59	34,68	3,58	0,22	790X1947X139
	32	1900	700	645	97	40	20	117	69	20	1023	2644	3437	4125	14066	34,84	39,46	4,04	0,25	890X1947X139
	32	1900	800	745	97	40	20	117	69	20	1144	2957	3844	4612	15728	39,09	44,11	4,50	0,27	990X1947X139
Cast Lux 1960	32	1900	900	845	97	40	20	117	69	20	1259	3254	4231	5077	17312	43,34	48,75	4,96	0,30	1090X1947X139
	32	1900	1000	945	97	40	20	117	69	20	1369	3538	4599	5519	18820	47,59	53,40	5,41	0,33	1190X1947X139
	33	1960	300	245	97	40	20	117	69	20	433	1119	1454	1745	5951	18,39	21,49	2,28	0,14	490X2007X139
	33	1960	400	345	97	40	20	117	69	20	590	1525	1982	2378	8110	22,77	26,28	2,75	0,17	590X2007X139
	33	1960	500	445	97	40	20	117	69	20	754	1948	2532	3038	10361	27,15	31,07	3,22	0,20	690X2007X139
	33	1960	600	545	97	40	20	117	69	20	924	2389	3106	3727	12708	31,54	35,75	3,70	0,23	790X2007X139
	33	1960	700	645	97	40	20	117	69	20	1055	2727	3545	4254	14505	35,92	40,66	4,17	0,25	890X2007X139
	33	1960	800	745	97	40	20	117	69	20	1180	3049	3964	4756	16220	40,30	45,45	4,64	0,28	990X2007X139
	33	1960	900	845	97	40	20	117	69	20	1299	3356	4363	5235	17853	44,68	50,24	5,11	0,31	1090X2007X139
	33	1960	1000	945	97	40	20	117	69	20	1412	3648	4743	5692	19408	49,07	55,04	5,58	0,34	1190X2007X139