


Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70\text{ }^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m <sup>3</sup> )	Package Dimensions H x W x D (mm)
Cast Plus Lux 224	5	224	300	245	97	40	6	117	69	20	66	169	220	264	902	2,82	3,77	0,33	0,02	490X271X139
	5	224	400	345	97	40	6	117	69	20	89	231	300	360	1229	3,48	4,51	0,41	0,03	590X271X139
	5	224	500	445	97	40	6	117	69	20	114	295	384	460	1570	4,14	5,28	0,48	0,03	690X271X139
	5	224	600	545	97	40	6	117	69	20	140	362	471	565	1925	4,81	5,94	0,55	0,03	790X271X139
	5	224	700	645	97	40	6	117	69	20	160	413	537	645	2198	5,47	6,81	0,62	0,04	890X271X139
	5	224	800	745	97	40	6	117	69	20	179	462	601	721	2458	6,14	7,58	0,69	0,04	990X271X139
	5	224	900	845	97	40	6	117	69	20	197	508	661	793	2705	6,80	8,33	0,76	0,05	1090X271X139
	5	224	1000	945	97	40	6	117	69	20	214	553	719	862	2941	7,46	9,09	0,84	0,05	1190X271X139
	5	224	1200	1145	97	40	6	117	69	20	246	635	825	990	3376	8,79	10,62	0,98	0,06	1390X271X139
5	224	1400	1345	97	40	6	117	69	20	282	729	947	1137	3877	10,12	12,14	1,12	0,06	1590X271X139	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Cast Plus Lux 270	6	270	300	245	97	40	6	117	69	20	79	203	264	317	1082	3,32	4,31	0,39	0,03	490X317X139
	6	270	400	345	97	40	6	117	69	20	107	277	360	432	1475	4,11	5,22	0,48	0,03	590X317X139
	6	270	500	445	97	40	6	117	69	20	137	354	460	552	1884	4,91	6,12	0,57	0,04	690X317X139
	6	270	600	545	97	40	6	117	69	20	168	434	565	678	2311	5,71	6,92	0,65	0,04	790X317X139
	6	270	700	645	97	40	6	117	69	20	192	496	645	773	2637	6,50	7,92	0,74	0,04	890X317X139
	6	270	800	745	97	40	6	117	69	20	215	554	721	865	2949	7,30	8,83	0,82	0,05	990X317X139
	6	270	900	845	97	40	6	117	69	20	236	610	793	952	3246	8,10	9,73	0,91	0,05	1090X317X139
	6	270	1000	945	97	40	6	117	69	20	257	663	862	1035	3529	8,89	10,64	1,00	0,06	1190X317X139
	6	270	1200	1145	97	40	6	117	69	20	295	762	990	1188	4052	10,49	12,45	1,17	0,07	1390X317X139
6	270	1400	1345	97	40	6	117	69	20	338	874	1137	1364	4652	12,08	14,25	1,34	0,08	1590X317X139	
Cast Plus Lux 316	7	316	300	245	97	40	6	117	69	20	92	237	308	370	1262	3,83	4,88	0,45	0,03	490X363X139
	7	316	400	345	97	40	6	117	69	20	125	323	420	504	1720	4,76	5,93	0,55	0,03	590X363X139
	7	316	500	445	97	40	6	117	69	20	160	413	537	645	2198	5,69	6,98	0,65	0,04	690X363X139
	7	316	600	545	97	40	6	117	69	20	196	507	659	790	2696	6,62	7,90	0,75	0,04	790X363X139
	7	316	700	645	97	40	6	117	69	20	224	578	752	902	3077	7,54	9,05	0,85	0,05	890X363X139
	7	316	800	745	97	40	6	117	69	20	250	647	841	1009	3441	8,47	10,10	0,95	0,05	990X363X139
	7	316	900	845	97	40	6	117	69	20	276	712	925	1111	3787	9,40	11,14	1,05	0,06	1090X363X139
	7	316	1000	945	97	40	6	117	69	20	300	774	1006	1207	4117	10,33	12,19	1,15	0,07	1190X363X139
	7	316	1200	1145	97	40	6	117	69	20	344	889	1155	1386	4727	12,19	14,27	1,36	0,08	1390X363X139
7	316	1400	1345	97	40	6	117	69	20	395	1020	1326	1592	5427	14,05	16,36	1,56	0,09	1590X363X139	
Cast Plus Lux 362	8	362	300	245	97	40	6	117	69	20	105	271	353	423	1443	4,34	5,46	0,51	0,03	490X409X139
	8	362	400	345	97	40	6	117	69	20	143	370	480	577	1966	5,40	6,63	0,63	0,04	590X409X139
	8	362	500	445	97	40	6	117	69	20	183	472	614	737	2512	6,46	7,82	0,74	0,04	690X409X139
	8	362	600	545	97	40	6	117	69	20	224	579	753	903	3081	7,52	8,88	0,86	0,05	790X409X139
	8	362	700	645	97	40	6	117	69	20	256	661	859	1031	3516	8,59	10,19	0,97	0,06	890X409X139
	8	362	800	745	97	40	6	117	69	20	286	739	961	1153	3932	9,65	11,37	1,09	0,06	990X409X139
	8	362	900	845	97	40	6	117	69	20	315	814	1058	1269	4328	10,71	12,56	1,20	0,07	1090X409X139
	8	362	1000	945	97	40	6	117	69	20	342	884	1150	1380	4705	11,77	13,75	1,31	0,07	1190X409X139
	8	362	1200	1145	97	40	6	117	69	20	393	1016	1320	1584	5402	13,90	16,12	1,54	0,08	1390X409X139
8	362	1400	1345	97	40	6	117	69	20	451	1166	1516	1819	6202	16,02	18,49	1,77	0,10	1590X409X139	
Cast Plus Lux 408	9	408	300	245	97	40	6	117	69	20	118	305	397	476	1623	4,85	6,02	0,57	0,04	490X455X139
	9	408	400	345	97	40	6	117	69	20	161	416	541	649	2212	6,04	7,35	0,70	0,04	590X455X139
	9	408	500	445	97	40	6	117	69	20	206	531	691	829	2826	7,24	8,68	0,83	0,05	690X455X139
	9	408	600	545	97	40	6	117	69	20	252	652	847	1016	3466	8,43	9,87	0,96	0,05	790X455X139
	9	408	700	645	97	40	6	117	69	20	288	744	967	1160	3956	9,63	11,32	1,09	0,06	890X455X139
	9	408	800	745	97	40	6	117	69	20	322	832	1081	1297	4424	10,82	12,65	1,22	0,07	990X455X139
	9	408	900	845	97	40	6	117	69	20	354	915	1190	1428	4869	12,02	13,98	1,35	0,07	1090X455X139
	9	408	1000	945	97	40	6	117	69	20	385	995	1294	1552	5293	13,21	15,30	1,47	0,08	1190X455X139
	9	408	1200	1145	97	40	6	117	69	20	442	1142	1485	1782	6077	15,60	17,95	1,73	0,09	1390X455X139
9	408	1400	1345	97	40	6	117	69	20	508	1312	1705	2046	6978	18,00	20,61	1,99	0,11	1590X455X139	
Cast Plus Lux 454	10	454	300	245	97	40	6	117	69	20	131	339	441	529	1803	5,36	6,59	0,63	0,04	490X501X139
	10	454	400	345	97	40	6	117	69	20	179	462	601	721	2458	6,69	8,05	0,78	0,05	590X501X139
	10	454	500	445	97	40	6	117	69	20	228	590	767	921	3140	8,01	9,51	0,92	0,05	690X501X139
	10	454	600	545	97	40	6	117	69	20	280	724	941	1129	3851	9,34	10,86	1,06	0,06	790X501X139
	10	454	700	645	97	40	6	117	69	20	320	826	1074	1289	4396	10,67	12,46	1,21	0,07	890X501X139
	10	454	800	745	97	40	6	117	69	20	358	924	1201	1441	4915	12,00	13,93	1,35	0,07	990X501X139
	10	454	900	845	97	40	6	117	69	20	394	1017	1322	1587	5410	13,33	15,39	1,49	0,08	1090X501X139
	10	454	1000	945	97	40	6	117	69	20	428	1106	1437	1725	5881	14,65	16,85	1,63	0,09	1190X501X139
	10	454	1200	1145	97	40	6	117	69	20	491	1269	1650	1980	6753	17,31	19,79	1,92	0,10	1390X501X139
10	454	1400	1345	97	40	6	117	69	20	564	1457	1895	2274	7753	19,97	22,72	2,21	0,12	1590X501X139	
Cast Plus Lux 500	11	500	300	245	97	40	6	117	69	20	144	373	485	582	1984	5,87	7,14	0,69	0,04	490X547X139
	11	500	400	345	97	40	6	117	69	20	197	508	661	793	2703	7,33	8,75	0,85	0,05	590X547X139
	11	500	500	445	97	40	6	117	69	20	251	649	844	1013	3454	8,79	10,36	1,01	0,06	690X547X139
	11	500	600	545	97	40	6	117	69	20	308	796	1035	1242	4236	10,25	11,84	1,17	0,07	790X547X139
	11	500	700	645	97	40	6	117	69	20	352	909	1182	1418	4835	11,71	13,59	1,32	0,07	890X547X139
	11	500	800	745	97	40	6	117	69	20	393	1016	1321	1585	5407	13,17	15,19	1,48	0,08	990X547X139
	11	500	900	845	97	40	6	117	69	20	433	1119	1454	1745	5951	14,63	16,79	1,64	0,09	1090X547X139
	11	500	1000	945	97	40	6	117	69	20	471	1216	1581	1897	6469	16,10	18,41	1,79	0,10	1190X547X139
	11	500	1200	1145	97	40	6	117	69	20	540	1396	1815	2178	7428	19,02	21,63	2,11	0,11	1390X547X139
11	500	1400	1345	97	40	6	117	69	20	620	1603	2084	2501	8528	21,94	24,84	2,42	0,13	1590X547X139	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Cast Plus Lux 546	12	546	300	245	97	40	6	117	69	20	157	407	529	635	2164	6,37	7,72	0,75	0,05	490X593X139
	12	546	400	345	97	40	6	117	69	20	215	554	721	865	2949	7,96	9,46	0,92	0,05	590X593X139
	12	546	500	445	97	40	6	117	69	20	274	708	921	1105	3768	9,56	11,22	1,10	0,06	690X593X139
	12	546	600	545	97	40	6	117	69	20	336	869	1129	1355	4621	11,15	12,83	1,27	0,07	790X593X139
	12	546	700	645	97	40	6	117	69	20	384	992	1289	1547	5275	12,74	14,71	1,44	0,08	890X593X139
	12	546	800	745	97	40	6	117	69	20	429	1109	1441	1730	5898	14,34	16,46	1,61	0,09	990X593X139
	12	546	900	845	97	40	6	117	69	20	472	1220	1587	1904	6492	15,93	18,20	1,78	0,09	1090X593X139
	12	546	1000	945	97	40	6	117	69	20	513	1327	1725	2070	7058	17,53	19,96	1,95	0,10	1190X593X139
	12	546	1200	1145	97	40	6	117	69	20	590	1523	1980	2376	8103	20,71	23,46	2,30	0,12	1390X593X139
12	546	1400	1345	97	40	6	117	69	20	677	1749	2274	2728	9304	23,90	26,96	2,64	0,14	1590X593X139	
Cast Plus Lux 592	13	592	300	245	97	40	6	117	69	20	171	441	573	687	2344	6,88	8,28	0,81	0,05	490X639X139
	13	592	400	345	97	40	6	117	69	20	232	601	781	937	3195	8,61	10,17	1,00	0,06	590X639X139
	13	592	500	445	97	40	6	117	69	20	297	767	997	1197	4082	10,33	12,06	1,18	0,07	690X639X139
	13	592	600	545	97	40	6	117	69	20	364	941	1223	1468	5006	12,06	13,83	1,37	0,08	790X639X139
	13	592	700	645	97	40	6	117	69	20	416	1074	1396	1676	5714	13,79	15,84	1,56	0,08	890X639X139
	13	592	800	745	97	40	6	117	69	20	465	1201	1561	1874	6390	15,51	17,73	1,74	0,09	990X639X139
	13	592	900	845	97	40	6	117	69	20	512	1322	1719	2062	7033	17,24	19,63	1,93	0,10	1090X639X139
	13	592	1000	945	97	40	6	117	69	20	556	1437	1868	2242	7646	18,97	21,52	2,11	0,11	1190X639X139
	13	592	1200	1145	97	40	6	117	69	20	639	1650	2145	2574	8778	22,42	25,30	2,49	0,13	1390X639X139
13	592	1400	1345	97	40	6	117	69	20	733	1895	2463	2956	10079	25,87	29,07	2,86	0,15	1590X639X139	
Cast Plus Lux 638	14	638	300	245	97	40	6	117	69	20	184	475	617	740	2525	7,39	8,84	0,87	0,05	490X685X139
	14	638	400	345	97	40	6	117	69	20	250	647	841	1009	3441	9,25	10,88	1,07	0,06	590X685X139
	14	638	500	445	97	40	6	117	69	20	320	826	1074	1289	4396	11,11	12,92	1,27	0,07	690X685X139
	14	638	600	545	97	40	6	117	69	20	392	1013	1317	1581	5391	12,97	14,82	1,47	0,08	790X685X139
	14	638	700	645	97	40	6	117	69	20	448	1157	1504	1805	6154	14,83	16,97	1,67	0,09	890X685X139
	14	638	800	745	97	40	6	117	69	20	501	1294	1682	2018	6881	16,69	19,01	1,87	0,10	990X685X139
	14	638	900	845	97	40	6	117	69	20	551	1424	1851	2221	7574	18,55	21,04	2,07	0,11	1090X685X139
	14	638	1000	945	97	40	6	117	69	20	599	1548	2012	2415	8234	20,41	23,07	2,27	0,12	1190X685X139
	14	638	1200	1145	97	40	6	117	69	20	688	1777	2310	2772	9454	24,12	27,12	2,67	0,14	1390X685X139
14	638	1400	1345	97	40	6	117	69	20	790	2040	2653	3183	10854	27,84	31,19	3,07	0,16	1590X685X139	
Cast Plus Lux 684	15	684	300	245	97	40	6	117	69	20	197	508	661	793	2705	7,90	9,42	0,93	0,05	490X731X139
	15	684	400	345	97	40	6	117	69	20	268	693	901	1081	3686	9,89	11,59	1,15	0,06	590X731X139
	15	684	500	445	97	40	6	117	69	20	343	885	1151	1381	4710	11,89	13,76	1,36	0,08	690X731X139
	15	684	600	545	97	40	6	117	69	20	420	1086	1412	1694	5776	13,88	15,82	1,58	0,09	790X731X139
	15	684	700	645	97	40	6	117	69	20	480	1239	1611	1934	6593	15,87	18,10	1,79	0,10	890X731X139
	15	684	800	745	97	40	6	117	69	20	536	1386	1802	2162	7373	17,86	20,27	2,01	0,11	990X731X139
	15	684	900	845	97	40	6	117	69	20	590	1525	1983	2380	8115	19,85	22,45	2,22	0,12	1090X731X139
	15	684	1000	945	97	40	6	117	69	20	642	1658	2156	2587	8822	21,85	24,62	2,43	0,13	1190X731X139
	15	684	1200	1145	97	40	6	117	69	20	737	1904	2475	2970	10129	25,83	28,97	2,86	0,15	1390X731X139
15	684	1400	1345	97	40	6	117	69	20	846	2186	2842	3410	11630	29,81	33,32	3,29	0,17	1590X731X139	
Cast Plus Lux 730	16	730	300	245	97	40	6	117	69	20	210	542	705	846	2885	8,41	9,99	0,99	0,06	490X777X139
	16	730	400	345	97	40	6	117	69	20	286	739	961	1153	3932	10,54	12,29	1,22	0,07	590X777X139
	16	730	500	445	97	40	6	117	69	20	365	944	1228	1473	5024	12,66	14,61	1,45	0,08	690X777X139
	16	730	600	545	97	40	6	117	69	20	448	1158	1506	1807	6161	14,79	16,79	1,68	0,09	790X777X139
	16	730	700	645	97	40	6	117	69	20	512	1322	1719	2062	7033	16,91	19,24	1,91	0,10	890X777X139
	16	730	800	745	97	40	6	117	69	20	572	1478	1922	2306	7864	19,04	21,56	2,14	0,11	990X777X139
	16	730	900	845	97	40	6	117	69	20	630	1627	2115	2538	8656	21,16	23,86	2,37	0,12	1090X777X139
	16	730	1000	945	97	40	6	117	69	20	685	1769	2300	2760	9410	23,29	26,18	2,59	0,13	1190X777X139
	16	730	1200	1145	97	40	6	117	69	20	786	2031	2640	3168	10804	27,54	30,81	3,05	0,16	1390X777X139
16	730	1400	1345	97	40	6	117	69	20	902	2332	3032	3638	12405	31,79	35,44	3,51	0,18	1590X777X139	
Cast Plus Lux 776	17	776	300	245	97	40	6	117	69	20	223	576	749	899	3066	8,92	10,54	1,05	0,06	490X823X139
	17	776	400	345	97	40	6	117	69	20	304	785	1021	1225	4178	11,18	13,01	1,30	0,07	590X823X139
	17	776	500	445	97	40	6	117	69	20	388	1003	1304	1565	5338	13,44	15,46	1,54	0,08	690X823X139
	17	776	600	545	97	40	6	117	69	20	476	1231	1600	1920	6546	15,70	17,79	1,78	0,10	790X823X139
	17	776	700	645	97	40	6	117	69	20	544	1405	1826	2191	7473	17,95	20,37	2,02	0,11	890X823X139
	17	776	800	745	97	40	6	117	69	20	608	1571	2042	2450	8356	20,21	22,82	2,27	0,12	990X823X139
	17	776	900	845	97	40	6	117	69	20	669	1729	2248	2697	9197	22,47	25,27	2,51	0,13	1090X823X139
	17	776	1000	945	97	40	6	117	69	20	727	1879	2443	2932	9998	24,73	27,74	2,75	0,14	1190X823X139
	17	776	1200	1145	97	40	6	117	69	20	835	2158	2805	3366	11479	29,24	32,64	3,24	0,16	1390X823X139
17	776	1400	1345	97	40	6	117	69	20	959	2478	3221	3865	13180	33,76	37,55	3,73	0,19	1590X823X139	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Cast Plus Lux 822	18	822	300	245	97	40	6	117	69	20	236	610	793	952	3246	9,42	11,10	1,11	0,06	490X869X139
	18	822	400	345	97	40	6	117	69	20	322	832	1081	1297	4424	11,81	13,70	1,37	0,08	590X869X139
	18	822	500	445	97	40	6	117	69	20	411	1062	1381	1657	5651	14,20	16,30	1,63	0,09	690X869X139
	18	822	600	545	97	40	6	117	69	20	504	1303	1694	2033	6932	16,59	18,76	1,88	0,10	790X869X139
	18	822	700	645	97	40	6	117	69	20	576	1487	1934	2320	7912	18,99	21,49	2,14	0,11	890X869X139
	18	822	800	745	97	40	6	117	69	20	644	1663	2162	2594	8847	21,38	24,10	2,40	0,12	990X869X139
	18	822	900	845	97	40	6	117	69	20	708	1831	2380	2856	9738	23,77	26,69	2,66	0,14	1090X869X139
	18	822	1000	945	97	40	6	117	69	20	770	1990	2587	3104	10586	26,16	29,28	2,91	0,15	1190X869X139
	18	822	1200	1145	97	40	6	117	69	20	884	2285	2970	3564	12155	30,94	34,46	3,43	0,17	1390X869X139
18	822	1400	1345	97	40	6	117	69	20	1015	2623	3410	4093	13956	35,72	39,67	3,94	0,20	1590X869X139	
Cast Plus Lux 868	19	868	300	245	97	40	6	117	69	20	249	644	837	1005	3426	9,94	11,68	1,17	0,07	490X915X139
	19	868	400	345	97	40	6	117	69	20	340	878	1141	1369	4669	12,46	14,41	1,44	0,08	590X915X139
	19	868	500	445	97	40	6	117	69	20	434	1121	1458	1749	5965	14,98	17,15	1,72	0,09	690X915X139
	19	868	600	545	97	40	6	117	69	20	532	1375	1788	2146	7317	17,50	19,76	1,99	0,11	790X915X139
	19	868	700	645	97	40	6	117	69	20	608	1570	2041	2449	8352	20,03	22,63	2,26	0,12	890X915X139
	19	868	800	745	97	40	6	117	69	20	679	1756	2282	2739	9339	22,55	25,36	2,53	0,13	990X915X139
	19	868	900	845	97	40	6	117	69	20	748	1932	2512	3014	10279	25,07	28,09	2,80	0,14	1090X915X139
	19	868	1000	945	97	40	6	117	69	20	813	2101	2731	3277	11174	27,60	30,84	3,07	0,16	1190X915X139
	19	868	1200	1145	97	40	6	117	69	20	933	2412	3135	3762	12830	32,64	36,30	3,62	0,18	1390X915X139
19	868	1400	1345	97	40	6	117	69	20	1072	2769	3600	4320	14731	37,69	41,78	4,16	0,21	1590X915X139	
Cast Plus Lux 914	20	914	300	245	97	40	6	117	69	20	262	678	881	1058	3607	10,45	12,25	1,23	0,07	490X961X139
	20	914	400	345	97	40	6	117	69	20	358	924	1201	1441	4915	13,10	15,13	1,52	0,08	590X961X139
	20	914	500	445	97	40	6	117	69	20	457	1180	1535	1841	6279	15,76	18,01	1,80	0,10	690X961X139
	20	914	600	545	97	40	6	117	69	20	560	1448	1882	2259	7702	18,41	20,75	2,09	0,11	790X961X139
	20	914	700	645	97	40	6	117	69	20	640	1653	2148	2578	8791	21,07	23,75	2,38	0,12	890X961X139
	20	914	800	745	97	40	6	117	69	20	715	1848	2402	2883	9830	23,73	26,64	2,66	0,14	990X961X139
	20	914	900	845	97	40	6	117	69	20	787	2034	2644	3173	10820	26,38	29,52	2,95	0,15	1090X961X139
	20	914	1000	945	97	40	6	117	69	20	856	2211	2875	3449	11763	29,04	32,40	3,23	0,16	1190X961X139
	20	914	1200	1145	97	40	6	117	69	20	983	2539	3300	3960	13505	34,35	38,14	3,81	0,19	1390X961X139
20	914	1400	1345	97	40	6	117	69	20	1128	2915	3789	4547	15506	39,66	43,90	4,38	0,22	1590X961X139	
Cast Plus Lux 822	21	960	300	245	97	40	6	117	69	20	276	712	925	1111	3787	10,96	12,82	1,29	0,07	490X1007X139
	21	960	400	345	97	40	6	117	69	20	375	970	1261	1513	5161	13,74	15,83	1,59	0,09	590X1007X139
	21	960	500	445	97	40	6	117	69	20	480	1239	1611	1934	6593	16,53	18,84	1,89	0,10	690X1007X139
	21	960	600	545	97	40	6	117	69	20	588	1520	1976	2371	8087	19,32	21,74	2,19	0,12	790X1007X139
	21	960	700	645	97	40	6	117	69	20	672	1735	2256	2707	9231	22,11	24,89	2,49	0,13	890X1007X139
	21	960	800	745	97	40	6	117	69	20	751	1940	2522	3027	10322	24,90	27,91	2,79	0,14	990X1007X139
	21	960	900	845	97	40	6	117	69	20	827	2136	2776	3332	11361	27,69	30,93	3,09	0,16	1090X1007X139
	21	960	1000	945	97	40	6	117	69	20	899	2322	3018	3622	12351	30,48	33,94	3,39	0,17	1190X1007X139
	21	960	1200	1145	97	40	6	117	69	20	1032	2666	3465	4159	14180	36,06	39,99	3,99	0,20	1390X1007X139
21	960	1400	1345	97	40	6	117	69	20	1184	3061	3979	4775	16281	41,63	46,02	4,59	0,23	1590X1007X139	
Cast Plus Lux 1006	22	1006	300	245	97	40	6	117	69	20	289	746	970	1163	3967	11,47	13,39	1,35	0,08	490X1053X139
	22	1006	400	345	97	40	6	117	69	20	393	1016	1321	1585	5407	14,39	16,54	1,67	0,09	590X1053X139
	22	1006	500	445	97	40	6	117	69	20	503	1298	1688	2026	6907	17,31	19,71	1,98	0,11	690X1053X139
	22	1006	600	545	97	40	6	117	69	20	616	1593	2070	2484	8472	20,23	22,73	2,29	0,12	790X1053X139
	22	1006	700	645	97	40	6	117	69	20	704	1818	2363	2836	9670	23,15	26,02	2,61	0,14	890X1053X139
	22	1006	800	745	97	40	6	117	69	20	787	2033	2642	3171	10813	26,08	29,19	2,92	0,15	990X1053X139
	22	1006	900	845	97	40	6	117	69	20	866	2237	2909	3490	11902	29,00	32,35	3,24	0,16	1090X1053X139
	22	1006	1000	945	97	40	6	117	69	20	941	2432	3162	3794	12939	31,92	35,51	3,55	0,18	1190X1053X139
	22	1006	1200	1145	97	40	6	117	69	20	1081	2793	3630	4357	14856	37,76	41,82	4,18	0,21	1390X1053X139
22	1006	1400	1345	97	40	6	117	69	20	1241	3206	4168	5002	17057	43,60	48,14	4,81	0,24	1590X1053X139	
Cast Plus Lux 1052	23	1052	300	245	97	40	6	117	69	20	302	780	1014	1216	4148	12,11	14,08	1,43	0,08	490X1099X139
	23	1052	400	345	97	40	6	117	69	20	411	1063	1381	1658	5652	15,17	17,39	1,76	0,10	590X1099X139
	23	1052	500	445	97	40	6	117	69	20	525	1357	1765	2118	7221	18,22	20,68	2,09	0,11	690X1099X139
	23	1052	600	545	97	40	6	117	69	20	644	1665	2164	2597	8857	21,28	23,86	2,41	0,13	790X1099X139
	23	1052	700	645	97	40	6	117	69	20	735	1900	2471	2965	10110	24,33	27,29	2,74	0,14	890X1099X139
	23	1052	800	745	97	40	6	117	69	20	822	2125	2763	3315	11305	27,39	30,59	3,07	0,16	990X1099X139
	23	1052	900	845	97	40	6	117	69	20	905	2339	3041	3649	12443	30,44	33,88	3,40	0,17	1090X1099X139
	23	1052	1000	945	97	40	6	117	69	20	984	2543	3306	3967	13527	33,49	37,19	3,73	0,19	1190X1099X139
	23	1052	1200	1145	97	40	6	117	69	20	1130	2920	3795	4555	15531	39,60	43,80	4,39	0,22	1390X1099X139
23	1052	1400	1345	97	40	6	117	69	20	1297	3352	4358	5229	17832	45,71	50,39	5,05	0,25	1590X1099X139	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30\text{ }^\circ\text{C}$ (Watt)	Heat Output $\Delta T=50\text{ }^\circ\text{C}$ (Watt)	Heat Output $\Delta T=60\text{ }^\circ\text{C}$ (Watt)	Heat Output $\Delta T=70\text{ }^\circ\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)	
<b>Cast Plus Lux 1098</b>	24	1098	300	245	97	40	6	117	69	20	315	814	1058	1269	4328	12,61	14,64	1,49	0,08	490X1145X139	
	24	1098	400	345	97	40	6	117	69	20	429	1109	1441	1730	5898	15,80	18,08	1,83	0,10	590X1145X139	
	24	1098	500	445	97	40	6	117	69	20	548	1417	1841	2210	7535	18,99	21,52	2,17	0,11	690X1145X139	
	24	1098	600	545	97	40	6	117	69	20	672	1737	2259	2710	9242	22,18	24,85	2,52	0,13	790X1145X139	
	24	1098	700	645	97	40	6	117	69	20	767	1983	2578	3094	10549	25,36	28,41	2,86	0,15	890X1145X139	
	24	1098	800	745	97	40	40	6	117	69	20	858	2217	2883	3459	11796	28,55	31,85	3,20	0,16	990X1145X139
	24	1098	900	845	97	40	40	6	117	69	20	945	2441	3173	3808	12984	31,74	35,29	3,55	0,18	1090X1145X139
	24	1098	1000	945	97	40	40	6	117	69	20	1027	2653	3449	4139	14115	34,92	38,73	3,89	0,19	1190X1145X139
	24	1098	1200	1145	97	40	40	6	117	69	20	1179	3047	3960	4753	16206	41,30	45,62	4,58	0,23	1390X1145X139
24	1098	1400	1345	97	40	40	6	117	69	20	1354	3498	4547	5457	18607	47,67	52,50	5,26	0,26	1590X1145X139	
<b>Cast Plus Lux 1144</b>	25	1144	300	245	97	40	6	117	69	20	328	847	1102	1322	4508	13,12	15,20	1,55	0,09	490X1191X139	
	25	1144	400	345	97	40	6	117	69	20	447	1155	1501	1802	6144	11,54	16,44	1,80	0,10	590X1191X139	
	25	1144	500	445	97	40	6	117	69	20	571	1476	1918	2302	7849	19,76	22,38	2,26	0,12	690X1191X139	
	25	1144	600	545	97	40	6	117	69	20	700	1810	2353	2823	9627	23,08	25,83	2,62	0,14	790X1191X139	
	25	1144	700	645	97	40	6	117	69	20	799	2066	2685	3223	10989	26,40	29,54	2,98	0,15	890X1191X139	
	25	1144	800	745	97	40	40	6	117	69	20	894	2310	3003	3603	12288	29,72	33,13	3,33	0,17	990X1191X139
	25	1144	900	845	97	40	40	6	117	69	20	984	2542	3305	3966	13525	33,04	36,71	3,69	0,19	1090X1191X139
	25	1144	1000	945	97	40	40	6	117	69	20	1070	2764	3593	4312	14703	36,36	40,29	4,05	0,20	1190X1191X139
	25	1144	1200	1145	97	40	40	6	117	69	20	1228	3173	4125	4951	16882	43,00	47,45	4,76	0,24	1390X1191X139
25	1144	1400	1345	97	40	40	6	117	69	20	1410	3644	4737	5684	19383	49,64	54,62	5,48	0,27	1590X1191X139	
<b>Cast Plus Lux 1190</b>	26	1190	300	245	97	40	6	117	69	20	341	881	1146	1375	4689	13,64	15,79	1,61	0,09	490X1237X139	
	26	1190	400	345	97	40	6	117	69	20	465	1201	1561	1874	6390	17,09	19,51	1,98	0,11	590X1237X139	
	26	1190	500	445	97	40	6	117	69	20	594	1535	1995	2394	8163	20,54	23,23	2,35	0,12	690X1237X139	
	26	1190	600	545	97	40	6	117	69	20	728	1882	2447	2936	10012	23,99	26,82	2,72	0,14	790X1237X139	
	26	1190	700	645	97	40	6	117	69	20	831	2148	2793	3351	11429	27,45	30,68	3,09	0,16	890X1237X139	
	26	1190	800	745	97	40	6	117	69	20	930	2402	3123	3748	12779	30,90	34,41	3,47	0,18	990X1237X139	
	26	1190	900	845	97	40	40	6	117	69	20	1023	2644	3437	4125	14066	34,35	38,12	3,84	0,19	1090X1237X139
	26	1190	1000	945	97	40	40	6	117	69	20	1112	2875	3737	4484	15291	37,81	41,86	4,21	0,21	1190X1237X139
	26	1190	1200	1145	97	40	40	6	117	69	20	1277	3300	4291	5149	17557	44,71	49,29	4,95	0,24	1390X1237X139
26	1190	1400	1345	97	40	40	6	117	69	20	1466	3789	4926	5911	20158	51,62	56,75	5,70	0,28	1590X1237X139	
<b>Cast Plus Lux 1236</b>	27	1236	300	245	97	40	6	117	69	20	354	915	1190	1428	4869	14,15	16,35	1,67	0,09	490X1283X139	
	27	1236	400	345	97	40	6	117	69	20	483	1247	1622	1946	6635	17,73	20,21	2,05	0,11	590X1283X139	
	27	1236	500	445	97	40	6	117	69	20	617	1594	2072	2486	8477	21,32	24,08	2,44	0,13	690X1283X139	
	27	1236	600	545	97	40	6	117	69	20	756	1955	2541	3049	10397	24,90	27,82	2,83	0,15	790X1283X139	
	27	1236	700	645	97	40	6	117	69	20	863	2231	2900	3480	11868	28,49	31,81	3,21	0,16	890X1283X139	
	27	1236	800	745	97	40	6	117	69	20	965	2495	3243	3892	13271	32,07	35,67	3,60	0,18	990X1283X139	
	27	1236	900	845	97	40	6	117	69	20	1063	2746	3570	4284	14607	35,66	39,55	3,98	0,20	1090X1283X139	
	27	1236	1000	945	97	40	40	6	117	69	20	1155	2985	3881	4657	15879	39,25	43,40	4,37	0,22	1190X1283X139
	27	1236	1200	1145	97	40	40	6	117	69	20	1326	3427	4456	5347	18232	46,42	51,14	5,14	0,25	1390X1283X139
27	1236	1400	1345	97	40	40	6	117	69	20	1523	3935	5116	6139	20933	53,59	58,87	5,91	0,29	1590X1283X139	
<b>Cast Plus Lux 1282</b>	28	1282	300	245	97	40	6	117	69	20	367	949	1234	1481	5049	14,66	16,92	1,73	0,10	490X1329X139	
	28	1282	400	345	97	40	6	117	69	20	501	1294	1682	2018	6881	18,38	20,93	2,13	0,11	590X1329X139	
	28	1282	500	445	97	40	6	117	69	20	640	1653	2148	2578	8791	22,09	24,92	2,53	0,13	690X1329X139	
	28	1282	600	545	97	40	6	117	69	20	784	2027	2635	3162	10782	25,81	28,80	2,93	0,15	790X1329X139	
	28	1282	700	645	97	40	6	117	69	20	895	2314	3008	3609	12308	29,53	32,94	3,33	0,17	890X1329X139	
	28	1282	800	745	97	40	6	117	69	20	1001	2587	3363	4036	13762	33,25	36,95	3,73	0,19	990X1329X139	
	28	1282	900	845	97	40	6	117	69	20	1102	2848	3702	4442	15148	36,97	40,95	4,13	0,21	1090X1329X139	
	28	1282	1000	945	97	40	6	117	69	20	1198	3096	4024	4829	16468	40,69	44,96	4,53	0,22	1190X1329X139	
	28	1282	1200	1145	97	40	40	6	117	69	20	1376	3554	4621	5545	18907	48,12	52,97	5,33	0,26	1390X1329X139
28	1282	1400	1345	97	40	40	6	117	69	20	1579	4081	5305	6366	21709	55,56	60,98	6,13	0,30	1590X1329X139	
<b>Cast Plus Lux 1328</b>	29	1328	300	245	97	40	6	117	69	20	380	983	1278	1534	5230	15,16	17,47	1,79	0,10	490X1375X139	
	29	1328	400	345	97	40	6	117	69	20	518	1340	1742	2090	7127	19,01	21,62	2,20	0,12	590X1375X139	
	29	1328	500	445	97	40	6	117	69	20	662	1712	2225	2670	9105	22,86	25,77	2,62	0,14	690X1375X139	
	29	1328	600	545	97	40	6	117	69	20	812	2099	2729	3275	11167	26,71	29,78	3,03	0,16	790X1375X139	
	29	1328	700	645	97	40	6	117	69	20	927	2396	3115	3738	12747	30,56	34,06	3,45	0,18	890X1375X139	
	29	1328	800	745	97	40	6	117	69	20	1037	2679	3483	4180	14254	34,41	38,20	3,86	0,19	990X1375X139	
	29	1328	900	845	97	40	6	117	69	20	1141	2949	3834	4601	15689	38,26	42,35	4,27	0,21	1090X1375X139	
	29	1328	1000	945	97	40	6	117	69	20	1241	3206	4168	5002	17056	42,12	46,51	4,69	0,23	1190X1375X139	
	29	1328	1200	1145	97	40	40	6	117	69	20	1425	3681	4786	5743	19583	49,82	54,80	5,52	0,27	1390X1375X139
29	1328	1400	1345	97	40	40	6	117	69	20	1636	4227	5495	6594	22484	57,52	63,09	6,35	0,31	1590X1375X139	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m <sup>3</sup> )	Package Dimensions H x W x D (mm)
Cast Plus Lux 1374	30	1374	300	245	97	40	6	117	69	20	394	1017	1322	1587	5410	15,67	18,04	1,85	0,10	490X1421X139
	30	1374	400	345	97	40	6	117	69	20	536	1386	1802	2162	7373	19,65	22,32	2,28	0,12	590X1421X139
	30	1374	500	445	97	40	6	117	69	20	685	1771	2302	2762	9419	23,64	26,62	2,70	0,14	690X1421X139
	30	1374	600	545	97	40	6	117	69	20	840	2172	2823	3388	11553	27,62	30,78	3,13	0,16	790X1421X139
	30	1374	700	645	97	40	6	117	69	20	959	2479	3223	3867	13187	31,60	35,19	3,56	0,18	890X1421X139
	30	1374	800	745	97	40	6	117	69	20	1073	2772	3603	4324	14745	35,59	39,48	3,99	0,20	990X1421X139
	30	1374	900	845	97	40	6	117	69	20	1181	3051	3966	4760	16230	39,57	43,77	4,42	0,22	1090X1421X139
	30	1374	1000	945	97	40	6	117	69	20	1284	3317	4312	5174	17644	43,56	48,06	4,85	0,24	1190X1421X139
	30	1374	1200	1145	97	40	6	117	69	20	1474	3808	4951	5941	20258	51,52	56,62	5,71	0,28	1390X1421X139
	30	1374	1400	1345	97	40	6	117	69	20	1692	4372	5684	6821	23259	59,49	65,26	6,57	0,32	1590X1421X139
Cast Plus Lux 1420	31	1420	300	245	97	40	6	117	69	20	407	1051	1366	1639	5590	16,18	18,61	1,91	0,10	490X1467X139
	31	1420	400	345	97	40	6	117	69	20	554	1432	1862	2234	7618	20,30	23,05	2,35	0,13	590X1467X139
	31	1420	500	445	97	40	6	117	69	20	708	1830	2379	2854	9733	24,41	27,47	2,79	0,15	690X1467X139
	31	1420	600	545	97	40	6	117	69	20	868	2244	2917	3501	11938	28,53	31,77	3,24	0,17	790X1467X139
	31	1420	700	645	97	40	6	117	69	20	991	2562	3330	3996	13626	32,65	36,32	3,68	0,19	890X1467X139
	31	1420	800	745	97	40	6	117	69	20	1108	2864	3724	4468	15237	36,76	40,75	4,12	0,21	990X1467X139
	31	1420	900	845	97	40	6	117	69	20	1220	3153	4098	4918	16771	40,88	45,18	4,57	0,23	1090X1467X139
	31	1420	1000	945	97	40	6	117	69	20	1326	3427	4455	5347	18232	45,00	49,62	5,01	0,25	1190X1467X139
Cast Plus Lux 1466	32	1466	300	245	97	40	6	117	69	20	420	1085	1410	1692	5771	16,69	19,18	1,97	0,11	490X1513X139
	32	1466	400	345	97	40	6	117	69	20	572	1478	1922	2306	7864	20,94	23,75	2,42	0,13	590X1513X139
	32	1466	500	445	97	40	6	117	69	20	731	1889	2455	2946	10047	25,19	28,32	2,88	0,15	690X1513X139
	32	1466	600	545	97	40	6	117	69	20	896	2316	3011	3614	12323	29,44	32,77	3,34	0,17	790X1513X139
	32	1466	700	645	97	40	6	117	69	20	1023	2644	3437	4125	14066	33,69	37,46	3,80	0,19	890X1513X139
	32	1466	800	745	97	40	6	117	69	20	1144	2957	3844	4612	15728	37,94	42,04	4,25	0,21	990X1513X139
	32	1466	900	845	97	40	6	117	69	20	1259	3254	4231	5077	17312	42,19	46,61	4,71	0,23	1090X1513X139
	32	1466	1000	945	97	40	6	117	69	20	1369	3538	4599	5519	18820	46,44	51,17	5,17	0,26	1190X1513X139
Cast Plus Lux 1512	33	1512	300	245	97	40	6	117	69	20	433	1119	1454	1745	5951	17,20	19,75	2,03	0,11	490X1559X139
	33	1512	400	345	97	40	6	117	69	20	590	1525	1982	2378	8110	21,58	24,47	2,50	0,13	590X1559X139
	33	1512	500	445	97	40	6	117	69	20	754	1948	2532	3038	10361	25,97	29,17	2,97	0,15	690X1559X139
	33	1512	600	545	97	40	6	117	69	20	924	2389	3106	3727	12708	30,35	33,76	3,44	0,18	790X1559X139
	33	1512	700	645	97	40	6	117	69	20	1055	2727	3545	4254	14505	34,73	38,60	3,91	0,20	890X1559X139
	33	1512	800	745	97	40	6	117	69	20	1180	3049	3964	4756	16220	39,11	43,31	4,39	0,22	990X1559X139
	33	1512	900	845	97	40	6	117	69	20	1299	3356	4363	5235	17853	43,50	48,02	4,86	0,24	1090X1559X139
	33	1512	1000	945	97	40	6	117	69	20	1412	3648	4743	5692	19408	47,88	52,73	5,33	0,26	1190X1559X139
Cast Plus Lux 1558	34	1558	300	245	97	40	6	117	69	20	446	1153	1498	1798	6131	17,71	20,32	2,09	0,11	490X1605X139
	34	1558	400	345	97	40	6	117	69	20	608	1571	2042	2450	8356	22,23	25,17	2,57	0,14	590X1605X139
	34	1558	500	445	97	40	6	117	69	20	777	2007	2609	3131	10675	26,74	30,01	3,06	0,16	690X1605X139
	34	1558	600	545	97	40	6	117	69	20	953	2461	3200	3840	13093	31,26	34,74	3,54	0,18	790X1605X139
	34	1558	700	645	97	40	6	117	69	20	1087	2809	3652	4383	14945	35,77	39,72	4,03	0,20	890X1605X139
	34	1558	800	745	97	40	6	117	69	20	1216	3141	4084	4901	16711	40,29	44,58	4,52	0,23	990X1605X139
	34	1558	900	845	97	40	6	117	69	20	1338	3458	4495	5394	18394	44,80	49,43	5,00	0,25	1090X1605X139
	34	1558	1000	945	97	40	6	117	69	20	1455	3759	4887	5864	19996	49,32	54,28	5,49	0,27	1190X1605X139
Cast Plus Lux 1604	35	1604	300	245	97	40	6	117	69	20	459	1186	1542	1851	6312	18,21	20,86	2,15	0,12	490X1651X139
	35	1604	400	345	97	40	6	117	69	20	626	1617	2102	2522	8601	22,86	25,86	2,65	0,14	590X1651X139
	35	1604	500	445	97	40	6	117	69	20	799	2066	2685	3223	10989	27,51	30,87	3,15	0,16	690X1651X139
	35	1604	600	545	97	40	6	117	69	20	981	2534	3294	3952	13478	32,16	35,73	3,65	0,19	790X1651X139
	35	1604	700	645	97	40	6	117	69	20	1119	2892	3760	4512	15385	36,80	40,84	4,15	0,21	890X1651X139
	35	1604	800	745	97	40	6	117	69	20	1251	3234	4204	5045	17203	41,45	45,83	4,65	0,23	990X1651X139
	35	1604	900	845	97	40	6	117	69	20	1378	3559	4627	5553	18935	46,10	50,82	5,15	0,26	1090X1651X139
	35	1604	1000	945	97	40	6	117	69	20	1498	3870	5030	6036	20584	50,75	55,83	5,65	0,28	1190X1651X139
Cast Plus Lux 1650	36	1650	300	245	97	40	6	117	69	20	472	1220	1587	1904	6492	18,72	21,43	2,21	0,12	490X1697X139
	36	1650	400	345	97	40	6	117	69	20	644	1663	2162	2594	8847	23,50	26,57	2,72	0,14	590X1697X139
	36	1650	500	445	97	40	6	117	69	20	822	2125	2762	3315	11303	28,28	31,70	3,23	0,17	690X1697X139
	36	1650	600	545	97	40	6	117	69	20	1009	2606	3388	4065	13863	33,06	36,70	3,75	0,19	790X1697X139
	36	1650	700	645	97	40	6	117	69	20	1151	2975	3867	4641	15824	37,85	41,98	4,26	0,21	890X1697X139
	36	1650	800	745	97	40	6	117	69	20	1287	3326	4324	5189	17694	42,63	47,11	4,78	0,24	990X1697X139
	36	1650	900	845	97	40	6	117	69	20	1417	3661	4760	5711	19476	47,41	52,25	5,29	0,26	1090X1697X139
36	1650	1000	945	97	40	6	117	69	20	1540	3980	5174	6209	21173	52,19	57,38	5,81	0,29	1190X1697X139	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Cast Plus Lux 1696	37	1696	300	245	97	40	6	117	69	20	485	1254	1631	1957	6672	19,23	22,01	2,26	0,12	490X1743X139
	37	1696	400	345	97	40	6	117	69	20	662	1709	2222	2667	9093	24,15	27,29	2,79	0,15	590X1743X139
	37	1696	500	445	97	40	6	117	69	20	845	2184	2839	3407	11617	29,06	32,55	3,32	0,17	690X1743X139
	37	1696	600	545	97	40	6	117	69	20	1037	2678	3482	4178	14248	33,97	37,71	3,85	0,20	790X1743X139
	37	1696	700	645	97	40	6	117	69	20	1183	3057	3975	4769	16264	38,89	43,10	4,38	0,22	890X1743X139
	37	1696	800	745	97	40	6	117	69	20	1323	3419	4444	5333	18186	43,80	48,39	4,91	0,24	990X1743X139
	37	1696	900	845	97	40	6	117	69	20	1456	3763	4892	5870	20017	48,72	53,67	5,44	0,27	1090X1743X139
	37	1696	1000	945	97	40	6	117	69	20	1583	4091	5318	6381	21761	53,63	58,94	5,97	0,29	1190X1743X139
Cast Plus Lux 1742	38	1742	300	245	97	40	6	117	69	20	499	1288	1675	2010	6853	19,74	22,57	2,32	0,13	490X1789X139
	38	1742	400	345	97	40	6	117	69	20	679	1756	2282	2739	9339	24,79	27,99	2,87	0,15	590X1789X139
	38	1742	500	445	97	40	6	117	69	20	868	2243	2916	3499	11931	29,84	33,41	3,41	0,18	690X1789X139
	38	1742	600	545	97	40	6	117	69	20	1065	2751	3576	4291	14633	34,88	38,69	3,95	0,20	790X1789X139
	38	1742	700	645	97	40	6	117	69	20	1215	3140	4082	4898	16703	39,93	44,24	4,50	0,23	890X1789X139
	38	1742	800	745	97	40	6	117	69	20	1359	3511	4564	5477	18677	44,98	49,66	5,04	0,25	990X1789X139
	38	1742	900	845	97	40	6	117	69	20	1496	3865	5024	6029	20558	50,02	55,08	5,59	0,28	1090X1789X139
	38	1742	1000	945	97	40	6	117	69	20	1626	4201	5462	6554	22349	55,07	60,48	6,13	0,30	1190X1789X139
Cast Plus Lux 1788	39	1788	300	245	97	40	6	117	69	20	512	1322	1719	2062	7033	20,25	23,14	2,38	0,13	490X1835X139
	39	1788	400	345	97	40	6	117	69	20	697	1802	2342	2811	9584	25,43	28,69	2,94	0,16	590X1835X139
	39	1788	500	445	97	40	6	117	69	20	891	2302	2992	3591	12245	30,61	34,25	3,50	0,18	690X1835X139
	39	1788	600	545	97	40	6	117	69	20	1093	2823	3670	4404	15018	35,79	39,68	4,06	0,21	790X1835X139
	39	1788	700	645	97	40	6	117	69	20	1247	3223	4189	5027	17143	40,97	45,38	4,62	0,23	890X1835X139
	39	1788	800	745	97	40	6	117	69	20	1395	3603	4684	5621	19169	46,15	50,94	5,17	0,26	990X1835X139
	39	1788	900	845	97	40	6	117	69	20	1535	3966	5156	6187	21099	51,33	56,49	5,73	0,28	1090X1835X139
	39	1788	1000	945	97	40	6	117	69	20	1669	4312	5605	6726	22937	56,51	62,04	6,29	0,31	1190X1835X139
Cast Plus Lux 1834	40	1834	300	245	97	40	6	117	69	20	525	1356	1763	2115	7213	20,76	23,72	2,44	0,13	490X1881X139
	40	1834	400	345	97	40	6	117	69	20	715	1848	2402	2883	9830	26,08	29,40	3,02	0,16	590X1881X139
	40	1834	500	445	97	40	6	117	69	20	914	2361	3069	3683	12559	31,39	35,11	3,59	0,19	690X1881X139
	40	1834	600	545	97	40	6	117	69	20	1121	2896	3764	4517	15403	36,70	40,68	4,16	0,21	790X1881X139
	40	1834	700	645	97	40	6	117	69	20	1279	3305	4297	5156	17582	42,01	46,51	4,73	0,24	890X1881X139
	40	1834	800	745	97	40	6	117	69	20	1430	3696	4805	5765	19660	47,32	52,21	5,30	0,26	990X1881X139
	40	1834	900	845	97	40	6	117	69	20	1574	4068	5288	6346	21640	52,64	57,90	5,88	0,29	1090X1881X139
	40	1834	1000	945	97	40	6	117	69	20	1711	4422	5749	6899	23525	57,95	63,60	6,45	0,32	1190X1881X139