


Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Chimo 300	3	300	300	245	57	100	5	79-88	35-44	22-31	43	110	143	172	586	2,02	2,87	0,29	0,02	400X340X97
	3	300	400	345	57	100	5	79-88	35-44	22-31	58	150	195	234	799	2,41	3,37	0,34	0,02	500X340X97
	3	300	500	445	57	100	5	79-88	35-44	22-31	74	192	249	299	1021	2,81	3,87	0,38	0,02	600X340X97
	3	300	600	545	57	100	5	79-88	35-44	22-31	91	235	306	367	1252	3,20	4,39	0,42	0,03	700X340X97
	3	300	700	645	57	100	5	79-88	35-44	22-31	104	269	349	419	1429	3,60	4,88	0,46	0,03	800X340X97
	3	300	800	745	57	100	5	79-88	35-44	22-31	116	300	391	469	1598	4,00	5,38	0,51	0,03	900X340X97
	3	300	900	845	57	100	5	79-88	35-44	22-31	128	331	430	516	1759	4,39	5,88	0,55	0,04	1000X340X97
	3	300	1000	945	57	100	5	79-88	35-44	22-31	139	359	467	561	1912	4,79	6,38	0,59	0,04	1100X340X97
	3	300	1200	1145	57	100	5	79-88	35-44	22-31	160	413	537	644	2196	5,58	7,39	0,68	0,05	1300X340X97
	3	300	1400	1345	57	100	5	79-88	35-44	22-31	183	474	616	739	2521	6,37	8,39	0,76	0,05	1500X340X97
3	300	1600	1545	57	100	5	79-88	35-44	22-31	211	544	707	849	2894	7,14	9,36	0,85	0,06	1700X340X97	
3	300	1800	1745	57	100	5	79-88	35-44	22-31	242	625	812	975	3323	7,93	10,50	0,94	0,07	1900X340X97	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Chimo 395	4	395	300	245	57	100	5	79-88	35-44	22-31	57	147	191	229	782	2,67	3,63	0,39	0,02	400X435X97
	4	395	400	345	57	100	5	79-88	35-44	22-31	78	200	260	312	1065	3,20	4,28	0,44	0,03	500X435X97
	4	395	500	445	57	100	5	79-88	35-44	22-31	99	256	333	399	1361	3,73	4,92	0,50	0,03	600X435X97
	4	395	600	545	57	100	5	79-88	35-44	22-31	121	314	408	490	1670	4,26	5,58	0,56	0,03	700X435X97
	4	395	700	645	57	100	5	79-88	35-44	22-31	139	358	466	559	1906	4,78	6,22	0,61	0,04	800X435X97
	4	395	800	745	57	100	5	79-88	35-44	22-31	155	401	521	625	2131	5,31	6,88	0,67	0,04	900X435X97
	4	395	900	845	57	100	5	79-88	35-44	22-31	171	441	573	688	2345	5,84	7,54	0,73	0,05	1000X435X97
	4	395	1000	945	57	100	5	79-88	35-44	22-31	185	479	623	748	2550	6,37	8,18	0,79	0,05	1100X435X97
	4	395	1200	1145	57	100	5	79-88	35-44	22-31	213	550	715	859	2928	7,42	9,48	0,90	0,06	1300X435X97
	4	395	1400	1345	57	100	5	79-88	35-44	22-31	245	632	821	986	3361	8,48	10,79	1,02	0,07	1500X435X97
4	395	1600	1545	57	100	5	79-88	35-44	22-31	281	725	943	1132	3859	9,50	12,05	1,13	0,08	1700X435X97	
4	395	1800	1745	57	100	5	79-88	35-44	22-31	322	833	1083	1299	4431	10,56	13,48	1,24	0,09	1900X435X97	
Chimo 490	5	490	300	245	57	100	5	79-88	35-44	22-31	71	184	239	287	977	3,33	4,38	0,48	0,03	400X530X97
	5	490	400	345	57	100	5	79-88	35-44	22-31	97	250	325	391	1332	3,99	5,18	0,55	0,03	500X530X97
	5	490	500	445	57	100	5	79-88	35-44	22-31	124	320	416	499	1702	4,65	5,98	0,62	0,04	600X530X97
	5	490	600	545	57	100	5	79-88	35-44	22-31	152	392	510	612	2087	5,31	6,78	0,69	0,04	700X530X97
	5	490	700	645	57	100	5	79-88	35-44	22-31	173	448	582	699	2382	5,97	7,58	0,76	0,05	800X530X97
	5	490	800	745	57	100	5	79-88	35-44	22-31	194	501	651	781	2664	6,63	8,38	0,84	0,05	900X530X97
	5	490	900	845	57	100	5	79-88	35-44	22-31	213	551	716	860	2932	7,29	9,18	0,91	0,06	1000X530X97
	5	490	1000	945	57	100	5	79-88	35-44	22-31	232	599	779	935	3187	7,94	9,97	0,98	0,06	1100X530X97
	5	490	1200	1145	57	100	5	79-88	35-44	22-31	266	688	894	1073	3659	9,26	11,57	1,12	0,07	1300X530X97
	5	490	1400	1345	57	100	5	79-88	35-44	22-31	306	790	1027	1232	4202	10,58	13,17	1,27	0,08	1500X530X97
5	490	1600	1545	57	100	5	79-88	35-44	22-31	351	907	1179	1415	4824	11,86	14,73	1,41	0,09	1700X530X97	
5	490	1800	1745	57	100	5	79-88	35-44	22-31	403	1041	1354	1624	5539	13,18	16,45	1,55	0,10	1900X530X97	
Chimo 585	6	585	300	245	57	100	5	79-88	35-44	22-31	85	220	287	344	1173	3,97	5,12	0,57	0,03	400X625X97
	6	585	400	345	57	100	5	79-88	35-44	22-31	116	300	391	469	1598	4,76	6,07	0,66	0,04	500X625X97
	6	585	500	445	57	100	5	79-88	35-44	22-31	149	384	499	599	2042	5,56	7,03	0,74	0,04	600X625X97
	6	585	600	545	57	100	5	79-88	35-44	22-31	182	471	612	734	2504	6,35	7,98	0,83	0,05	700X625X97
	6	585	700	645	57	100	5	79-88	35-44	22-31	208	537	699	838	2859	7,14	8,93	0,92	0,05	800X625X97
	6	585	800	745	57	100	5	79-88	35-44	22-31	233	601	781	937	3196	7,93	9,87	1,00	0,06	900X625X97
	6	585	900	845	57	100	5	79-88	35-44	22-31	256	661	860	1032	3518	8,72	10,82	1,09	0,07	1000X625X97
	6	585	1000	945	57	100	5	79-88	35-44	22-31	278	719	935	1122	3825	9,51	11,77	1,17	0,07	1100X625X97
	6	585	1200	1145	57	100	5	79-88	35-44	22-31	319	825	1073	1288	4391	11,10	13,67	1,34	0,08	1300X625X97
	6	585	1400	1345	57	100	5	79-88	35-44	22-31	367	948	1232	1479	5042	12,68	15,56	1,52	0,10	1500X625X97
6	585	1600	1545	57	100	5	79-88	35-44	22-31	421	1088	1415	1698	5789	14,23	17,42	1,69	0,11	1700X625X97	
6	585	1800	1745	57	100	5	79-88	35-44	22-31	484	1249	1624	1949	6647	15,81	19,61	1,86	0,12	1900X625X97	
Chimo 680	7	680	300	245	57	100	5	79-88	35-44	22-31	100	257	334	401	1368	4,63	6,05	0,67	0,03	400X720X97
	7	680	400	345	57	100	5	79-88	35-44	22-31	136	350	456	547	1865	5,55	7,14	0,77	0,04	500X720X97
	7	680	500	445	57	100	5	79-88	35-44	22-31	173	448	582	699	2382	6,47	8,23	0,87	0,05	600X720X97
	7	680	600	545	57	100	5	79-88	35-44	22-31	213	549	714	857	2922	7,40	9,34	0,97	0,05	700X720X97
	7	680	700	645	57	100	5	79-88	35-44	22-31	243	627	815	978	3335	8,32	10,43	1,07	0,06	800X720X97
	7	680	800	745	57	100	5	79-88	35-44	22-31	271	701	911	1094	3729	9,24	11,53	1,17	0,07	900X720X97
	7	680	900	845	57	100	5	79-88	35-44	22-31	299	772	1003	1204	4105	10,17	12,64	1,27	0,07	1000X720X97
	7	680	1000	945	57	100	5	79-88	35-44	22-31	325	839	1090	1309	4462	11,09	13,73	1,37	0,08	1100X720X97
	7	680	1200	1145	57	100	5	79-88	35-44	22-31	373	963	1252	1502	5123	12,94	15,93	1,57	0,10	1300X720X97
	7	680	1400	1345	57	100	5	79-88	35-44	22-31	428	1106	1438	1725	5882	14,78	18,11	1,77	0,11	1500X720X97
7	680	1600	1545	57	100	5	79-88	35-44	22-31	491	1270	1650	1981	6754	16,59	20,26	1,97	0,12	1700X720X97	
7	680	1800	1745	57	100	5	79-88	35-44	22-31	564	1458	1895	2274	7754	18,44	22,58	2,17	0,14	1900X720X97	
Chimo 775	8	775	300	245	57	100	5	79-88	35-44	22-31	114	294	382	459	1564	5,28	6,80	0,76	0,04	400X815X97
	8	775	400	345	57	100	5	79-88	35-44	22-31	155	401	521	625	2131	6,34	8,05	0,87	0,04	500X815X97
	8	775	500	445	57	100	5	79-88	35-44	22-31	198	512	665	798	2722	7,39	9,29	0,99	0,05	600X815X97
	8	775	600	545	57	100	5	79-88	35-44	22-31	243	628	816	979	3339	8,45	10,54	1,10	0,06	700X815X97
	8	775	700	645	57	100	5	79-88	35-44	22-31	277	716	931	1118	3811	9,50	11,78	1,22	0,07	800X815X97
	8	775	800	745	57	100	5	79-88	35-44	22-31	310	801	1041	1250	4262	10,56	13,03	1,33	0,08	900X815X97
	8	775	900	845	57	100	5	79-88	35-44	22-31	341	882	1146	1376	4691	11,61	14,27	1,44	0,08	1000X815X97
	8	775	1000	945	57	100	5	79-88	35-44	22-31	371	959	1246	1495	5100	12,67	15,53	1,56	0,09	1100X815X97
	8	775	1200	1145	57	100	5	79-88	35-44	22-31	426	1101	1431	1717	5855	14,78	18,02	1,79	0,11	1300X815X97
	8	775	1400	1345	57	100	5	79-88	35-44	22-31	489	1264	1643	1971	6723	16,89	20,51	2,02	0,12	1500X815X97
8	775	1600	1545	57	100	5	79-88	35-44	22-31	562	1451	1886	2264	7719	18,95	22,95	2,25	0,14	1700X815X97	
8	775	1800	1745	57	100	5	79-88	35-44	22-31	645	1666	2166	2599	8862	21,06	25,56	2,47	0,16	1900X815X97	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Chimo 870	9	870	300	245	57	100	5	79-88	35-44	22-31	128	331	430	516	1759	5,94	7,57	0,85	0,04	400X910X97
	9	870	400	345	57	100	5	79-88	35-44	22-31	174	451	586	703	2397	7,12	8,94	0,98	0,05	500X910X97
	9	870	500	445	57	100	5	79-88	35-44	22-31	223	576	748	898	3063	8,31	10,34	1,11	0,06	600X910X97
	9	870	600	545	57	100	5	79-88	35-44	22-31	273	706	918	1102	3756	9,50	11,74	1,24	0,07	700X910X97
	9	870	700	645	57	100	5	79-88	35-44	22-31	312	806	1048	1257	4288	10,69	13,14	1,37	0,08	800X910X97
	9	870	800	745	57	100	5	79-88	35-44	22-31	349	901	1172	1406	4794	11,87	14,52	1,49	0,08	900X910X97
	9	870	900	845	57	100	5	79-88	35-44	22-31	384	992	1290	1548	5277	13,06	15,92	1,62	0,09	1000X910X97
	9	870	1000	945	57	100	5	79-88	35-44	22-31	417	1078	1402	1682	5737	14,25	17,33	1,75	0,10	1100X910X97
	9	870	1200	1145	57	100	5	79-88	35-44	22-31	479	1238	1610	1932	6587	16,62	20,11	2,01	0,12	1300X910X97
	9	870	1400	1345	57	100	5	79-88	35-44	22-31	550	1422	1848	2218	7563	19,00	22,91	2,27	0,14	1500X910X97
Chimo 965	9	870	1600	1545	57	100	5	79-88	35-44	22-31	632	1632	2122	2546	8683	21,31	25,63	2,52	0,16	1700X910X97
	9	870	1800	1745	57	100	5	79-88	35-44	22-31	725	1874	2436	2924	9970	23,68	28,54	2,78	0,17	1900X910X97
	10	965	300	245	57	100	5	79-88	35-44	22-31	142	367	478	573	1955	6,59	8,31	0,94	0,04	400X1005X97
	10	965	400	345	57	100	5	79-88	35-44	22-31	194	501	651	781	2664	7,91	9,85	1,09	0,05	500X1005X97
	10	965	500	445	57	100	5	79-88	35-44	22-31	248	640	832	998	3403	9,23	11,40	1,23	0,06	600X1005X97
	10	965	600	545	57	100	5	79-88	35-44	22-31	304	785	1020	1224	4174	10,55	12,95	1,37	0,07	700X1005X97
	10	965	700	645	57	100	5	79-88	35-44	22-31	347	896	1164	1397	4764	11,87	14,49	1,52	0,08	800X1005X97
	10	965	800	745	57	100	5	79-88	35-44	22-31	388	1001	1302	1562	5327	13,19	16,03	1,66	0,09	900X1005X97
	10	965	900	845	57	100	5	79-88	35-44	22-31	427	1102	1433	1720	5864	14,51	17,58	1,80	0,10	1000X1005X97
	10	965	1000	945	57	100	5	79-88	35-44	22-31	464	1198	1558	1869	6374	15,83	19,13	1,95	0,11	1100X1005X97
Chimo 1060	10	965	1200	1145	57	100	5	79-88	35-44	22-31	532	1376	1789	2146	7319	18,46	22,20	2,23	0,13	1300X1005X97
	10	965	1400	1345	57	100	5	79-88	35-44	22-31	611	1580	2054	2464	8403	21,10	25,29	2,52	0,15	1500X1005X97
	10	965	1600	1545	57	100	5	79-88	35-44	22-31	702	1814	2358	2829	9648	23,67	28,30	2,80	0,17	1700X1005X97
	10	965	1800	1745	57	100	5	79-88	35-44	22-31	806	2082	2707	3249	11078	26,31	31,53	3,09	0,19	1900X1005X97
	11	1060	300	245	57	100	5	79-88	35-44	22-31	156	404	525	630	2150	7,25	9,06	1,04	0,05	400X1100X97
	11	1060	400	345	57	100	5	79-88	35-44	22-31	213	551	716	859	2930	8,70	10,76	1,19	0,06	500X1100X97
	11	1060	500	445	57	100	5	79-88	35-44	22-31	272	704	915	1098	3743	10,15	12,44	1,35	0,07	600X1100X97
	11	1060	600	545	57	100	5	79-88	35-44	22-31	334	863	1122	1346	4591	11,60	14,13	1,51	0,08	700X1100X97
	11	1060	700	645	57	100	5	79-88	35-44	22-31	381	985	1281	1537	5241	13,05	15,83	1,67	0,09	800X1100X97
	11	1060	800	745	57	100	5	79-88	35-44	22-31	426	1102	1432	1718	5860	14,50	17,52	1,82	0,10	900X1100X97
Chimo 1155	11	1060	900	845	57	100	5	79-88	35-44	22-31	469	1212	1576	1891	6450	15,95	19,22	1,98	0,11	1000X1100X97
	11	1060	1000	945	57	100	5	79-88	35-44	22-31	510	1318	1714	2056	7012	17,40	20,91	2,14	0,12	1100X1100X97
	11	1060	1200	1145	57	100	5	79-88	35-44	22-31	586	1513	1967	2361	8051	20,31	24,30	2,45	0,14	1300X1100X97
	11	1060	1400	1345	57	100	5	79-88	35-44	22-31	672	1738	2259	2711	9244	23,21	27,68	2,77	0,17	1500X1100X97
	11	1060	1600	1545	57	100	5	79-88	35-44	22-31	772	1995	2594	3112	10613	26,04	31,00	3,08	0,19	1700X1100X97
	11	1060	1800	1745	57	100	5	79-88	35-44	22-31	886	2291	2978	3573	12186	28,94	34,50	3,40	0,21	1900X1100X97
	12	1155	300	245	57	100	5	79-88	35-44	22-31	171	441	573	688	2345	7,89	9,80	1,13	0,05	400X1195X97
	12	1155	400	345	57	100	5	79-88	35-44	22-31	233	601	781	937	3196	9,48	11,65	1,30	0,06	500X1195X97
	12	1155	500	445	57	100	5	79-88	35-44	22-31	297	768	998	1198	4084	11,06	13,49	1,47	0,07	600X1195X97
	12	1155	600	545	57	100	5	79-88	35-44	22-31	364	942	1224	1469	5009	12,64	15,33	1,65	0,09	700X1195X97
Chimo 1250	12	1155	700	645	57	100	5	79-88	35-44	22-31	416	1075	1397	1677	5717	14,22	17,17	1,82	0,10	800X1195X97
	12	1155	800	745	57	100	5	79-88	35-44	22-31	465	1202	1562	1875	6393	15,81	19,02	1,99	0,11	900X1195X97
	12	1155	900	845	57	100	5	79-88	35-44	22-31	512	1323	1720	2063	7036	17,39	20,85	2,16	0,12	1000X1195X97
	12	1155	1000	945	57	100	5	79-88	35-44	22-31	556	1438	1869	2243	7649	18,97	22,70	2,33	0,13	1100X1195X97
	12	1155	1200	1145	57	100	5	79-88	35-44	22-31	639	1651	2146	2576	8783	22,14	26,39	2,68	0,16	1300X1195X97
	12	1155	1400	1345	57	100	5	79-88	35-44	22-31	734	1896	2464	2957	10084	25,30	30,06	3,02	0,18	1500X1195X97
	13	1250	300	245	57	100	5	79-88	35-44	22-31	185	478	621	745	2541	8,55	10,56	1,22	0,06	400X1290X97
	13	1250	400	345	57	100	5	79-88	35-44	22-31	252	651	846	1015	3463	10,26	12,55	1,41	0,07	500X1290X97
	13	1250	500	445	57	100	5	79-88	35-44	22-31	322	832	1081	1297	4424	11,98	14,54	1,60	0,08	600X1290X97
	13	1250	600	545	57	100	5	79-88	35-44	22-31	395	1020	1326	1591	5426	13,69	16,53	1,78	0,09	700X1290X97
Chimo 1345	13	1250	700	645	57	100	5	79-88	35-44	22-31	451	1164	1514	1816	6193	15,41	18,53	1,97	0,11	800X1290X97
	13	1250	800	745	57	100	5	79-88	35-44	22-31	504	1302	1692	2031	6925	17,12	20,51	2,15	0,12	900X1290X97
	13	1250	900	845	57	100	5	79-88	35-44	22-31	555	1433	1863	2235	7623	18,84	22,51	2,34	0,13	1000X1290X97
	13	1250	1000	945	57	100	5	79-88	35-44	22-31	603	1558	2025	2430	8287	20,55	24,49	2,53	0,14	1100X1290X97
	13	1250	1200	1145	57	100	5	79-88	35-44	22-31	692	1789	2325	2790	9515	23,98	28,48	2,90	0,17	1300X1290X97
	13	1250	1400	1345	57	100	5	79-88	35-44	22-31	795	2054	2670	3204	10924	27,41	32,46	3,27	0,19	1500X1290X97
	14	1345	300	245	57	100	5	79-88	35-44	22-31	199	514	669	802	2736	9,20	11,31	1,32	0,06	400X1385X97
	14	1345	400	345	57	100	5	79-88	35-44	22-31	271	701	911	1094	3729	11,05	13,45	1,52	0,07	500X1385X97
	14	1345	500	445	57	100	5	79-88	35-44	22-31	347	896	1164	1397	4764	12,90	15,60	1,72	0,09	600X1385X97
	14	1345	600	545	57	100	5	79-88	35-44	22-31	425	1098	1428	1714	5843	14,74	17,74	1,92	0,10	700X1385X97
14	1345	700	645	57	100	5	79-88	35-44	22-31	485	1254	1630	1956	6670	16,59	19,87	2,12	0,11	800X1385X97	
14	1345	800	745	57	100	5	79-88	35-44	22-31	543	1402	1823	2187	7458	18,44	22,02	2,32	0,13	900X1385X97	
14	1345	900	845	57	100	5	79-88	35-44	22-31	597	1543	2006	2407	8209	20,28	24,16	2,52	0,14	1000X1385X97	
14	1345	1000	945	57	100	5	79-88	35-44	22-31	649	1678	2181	2617	8924	22,13	26,30	2,72	0,15	1100X1385X97	
14	1345	1200	1145	57	100	5	79-88	35-44	22-											

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Chimo 1440	15	1440	300	245	57	100	5	79-88	35-44	22-31	213	551	716	860	2932	9,86	12,07	1,41	0,06	400X1480X97
	15	1440	400	345	57	100	5	79-88	35-44	22-31	291	751	976	1172	3995	11,84	14,37	1,62	0,08	500X1480X97
	15	1440	500	445	57	100	5	79-88	35-44	22-31	371	960	1247	1497	5105	13,81	16,64	1,84	0,09	600X1480X97
	15	1440	600	545	57	100	5	79-88	35-44	22-31	455	1177	1530	1836	6261	15,79	18,94	2,05	0,11	700X1480X97
	15	1440	700	645	57	100	5	79-88	35-44	22-31	520	1343	1746	2096	7146	17,77	21,23	2,27	0,12	800X1480X97
	15	1440	800	745	57	100	5	79-88	35-44	22-31	581	1502	1953	2343	7991	19,75	23,52	2,48	0,13	900X1480X97
	15	1440	900	845	57	100	5	79-88	35-44	22-31	640	1653	2149	2579	8795	21,73	25,80	2,70	0,15	1000X1480X97
	15	1440	1000	945	57	100	5	79-88	35-44	22-31	696	1797	2337	2804	9562	23,71	28,10	2,91	0,16	1100X1480X97
	15	1440	1200	1145	57	100	5	79-88	35-44	22-31	799	2064	2683	3219	10978	27,66	32,67	3,34	0,19	1300X1480X97
15	1440	1400	1345	57	100	5	79-88	35-44	22-31	917	2370	3080	3696	12605	31,62	37,25	3,77	0,22	1500X1480X97	
Chimo 1535	16	1535	300	245	57	100	5	79-88	35-44	22-31	228	588	764	917	3127	10,51	12,83	1,50	0,07	400X1575X97
	16	1535	400	345	57	100	5	79-88	35-44	22-31	310	801	1041	1250	4262	12,62	15,27	1,73	0,08	500X1575X97
	16	1535	500	445	57	100	5	79-88	35-44	22-31	396	1024	1331	1597	5445	14,73	17,70	1,96	0,10	600X1575X97
	16	1535	600	545	57	100	5	79-88	35-44	22-31	486	1255	1632	1958	6678	16,84	20,14	2,19	0,11	700X1575X97
	16	1535	700	645	57	100	5	79-88	35-44	22-31	555	1433	1863	2235	7623	18,95	22,57	2,42	0,13	800X1575X97
	16	1535	800	745	57	100	5	79-88	35-44	22-31	620	1602	2083	2500	8524	21,06	25,01	2,65	0,14	900X1575X97
	16	1535	900	845	57	100	5	79-88	35-44	22-31	683	1764	2293	2751	9382	23,17	27,45	2,88	0,16	1000X1575X97
16	1535	1000	945	57	100	5	79-88	35-44	22-31	742	1917	2492	2991	10199	25,29	29,90	3,10	0,17	1100X1575X97	
Chimo 1630	17	1630	300	245	57	100	5	79-88	35-44	22-31	242	625	812	974	3323	11,17	13,59	1,60	0,07	400X1670X97
	17	1630	400	345	57	100	5	79-88	35-44	22-31	329	851	1107	1328	4528	13,41	16,18	1,84	0,09	500X1670X97
	17	1630	500	445	57	100	5	79-88	35-44	22-31	421	1088	1414	1697	5785	15,65	18,76	2,08	0,10	600X1670X97
	17	1630	600	545	57	100	5	79-88	35-44	22-31	516	1334	1734	2081	7095	17,89	21,34	2,33	0,12	700X1670X97
	17	1630	700	645	57	100	5	79-88	35-44	22-31	589	1523	1979	2375	8099	20,14	23,93	2,57	0,13	800X1670X97
	17	1630	800	745	57	100	5	79-88	35-44	22-31	659	1702	2213	2656	9056	22,38	26,52	2,81	0,15	900X1670X97
	17	1630	900	845	57	100	5	79-88	35-44	22-31	725	1874	2436	2923	9968	24,62	29,11	3,05	0,17	1000X1670X97
17	1630	1000	945	57	100	5	79-88	35-44	22-31	788	2037	2648	3178	10837	26,86	31,69	3,30	0,18	1100X1670X97	
Chimo 1725	18	1725	300	245	57	100	5	79-88	35-44	22-31	256	661	860	1032	3518	11,81	14,33	1,69	0,07	400X1765X97
	18	1725	400	345	57	100	5	79-88	35-44	22-31	349	901	1172	1406	4794	14,19	17,07	1,95	0,09	500X1765X97
	18	1725	500	445	57	100	5	79-88	35-44	22-31	446	1151	1497	1796	6125	16,56	19,80	2,20	0,11	600X1765X97
	18	1725	600	545	57	100	5	79-88	35-44	22-31	547	1412	1836	2203	7513	18,93	22,53	2,46	0,12	700X1765X97
	18	1725	700	645	57	100	5	79-88	35-44	22-31	624	1612	2096	2515	8576	21,31	25,28	2,72	0,14	800X1765X97
	18	1725	800	745	57	100	5	79-88	35-44	22-31	698	1803	2343	2812	9589	23,68	28,01	2,98	0,16	900X1765X97
	18	1725	900	845	57	100	5	79-88	35-44	22-31	768	1984	2579	3095	10555	26,06	30,75	3,23	0,18	1000X1765X97
18	1725	1000	945	57	100	5	79-88	35-44	22-31	835	2157	2804	3365	11474	28,43	33,48	3,49	0,19	1100X1765X97	
Chimo 1820	19	1820	300	245	57	100	5	79-88	35-44	22-31	270	698	908	1089	3714	12,47	15,08	1,78	0,08	400X1860X97
	19	1820	400	345	57	100	5	79-88	35-44	22-31	368	951	1237	1484	5061	14,97	17,96	2,05	0,10	500X1860X97
	19	1820	500	445	57	100	5	79-88	35-44	22-31	470	1215	1580	1896	6466	17,48	20,86	2,33	0,11	600X1860X97
	19	1820	600	545	57	100	5	79-88	35-44	22-31	577	1491	1938	2326	7930	19,99	23,74	2,60	0,13	700X1860X97
	19	1820	700	645	57	100	5	79-88	35-44	22-31	659	1702	2212	2655	9052	22,49	26,63	2,87	0,15	800X1860X97
	19	1820	800	745	57	100	5	79-88	35-44	22-31	736	1903	2474	2968	10122	25,00	29,52	3,14	0,17	900X1860X97
	19	1820	900	845	57	100	5	79-88	35-44	22-31	811	2094	2723	3267	11141	27,50	32,39	3,41	0,19	1000X1860X97
19	1820	1000	945	57	100	5	79-88	35-44	22-31	881	2277	2960	3552	12111	30,01	35,28	3,68	0,20	1100X1860X97	
Chimo 1915	20	1915	300	245	57	100	5	79-88	35-44	22-31	284	735	955	1146	3909	13,12	15,83	1,88	0,08	400X1955X97
	20	1915	400	345	57	100	5	79-88	35-44	22-31	388	1001	1302	1562	5327	15,76	18,87	2,16	0,10	500X1955X97
	20	1915	500	445	57	100	5	79-88	35-44	22-31	495	1279	1663	1996	6806	18,40	21,90	2,45	0,12	600X1955X97
	20	1915	600	545	57	100	5	79-88	35-44	22-31	607	1569	2040	2448	8348	21,04	24,93	2,73	0,14	700X1955X97
	20	1915	700	645	57	100	5	79-88	35-44	22-31	693	1791	2329	2794	9528	23,67	27,96	3,02	0,16	800X1955X97
	20	1915	800	745	57	100	5	79-88	35-44	22-31	775	2003	2604	3124	10654	26,31	31,00	3,31	0,18	900X1955X97
	20	1915	900	845	57	100	5	79-88	35-44	22-31	853	2205	2866	3439	11727	28,95	34,04	3,59	0,19	1000X1955X97
	20	1915	1000	945	57	100	5	79-88	35-44	22-31	927	2397	3116	3739	12749	31,59	36,81	3,88	0,21	1100X1955X97