


Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^\circ\text{C}$ (Watt)	Heat Output $\Delta T=50^\circ\text{C}$ (Watt)	Heat Output $\Delta T=60^\circ\text{C}$ (Watt)	Heat Output $\Delta T=70^\circ\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Chimo Double 300	3	300	300	245	88	100	5	100-109	56-65	12-21	64	165	214	257	877	2,95	3,85	0,29	0,02	410X347X130
	3	300	400	345	88	100	5	100-109	56-65	12-21	87	225	292	350	1195	3,67	4,69	0,34	0,03	510X347X130
	3	300	500	445	88	100	5	100-109	56-65	12-21	111	287	373	448	1526	4,39	5,50	0,38	0,03	610X347X130
	3	300	600	545	88	100	5	100-109	56-65	12-21	136	352	458	549	1872	5,11	6,23	0,42	0,04	710X347X130
	3	300	700	645	88	100	5	100-109	56-65	12-21	155	402	522	627	2137	5,83	7,17	0,46	0,04	810X347X130
	3	300	800	745	88	100	5	100-109	56-65	12-21	174	449	584	701	2389	6,55	8,00	0,51	0,05	910X347X130
	3	300	900	845	88	100	5	100-109	56-65	12-21	191	494	643	771	2630	7,27	8,84	0,55	0,05	1010X347X130
	3	300	1000	945	88	100	5	100-109	56-65	12-21	208	537	699	838	2859	7,99	9,66	0,59	0,06	1110X347X130
	3	300	1200	1145	88	100	5	100-109	56-65	12-21	239	617	802	963	3283	9,43	11,33	0,68	0,06	1310X347X130
	3	300	1400	1345	88	100	5	100-109	56-65	12-21	274	709	921	1105	3769	10,87	12,99	0,76	0,07	1510X347X130
3	300	1600	1545	88	100	5	100-109	56-65	12-21	315	814	1058	1269	4328	12,29	14,63	0,85	0,08	1710X347X130	
3	300	1800	1745	88	100	5	100-109	56-65	12-21	361	934	1214	1457	4969	13,73	16,17	0,94	0,09	1910X347X130	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Chimo Double 395	4	395	300	245	88	100	5	100-109	56-65	12-21	85	220	286	343	1169	3,91	4,93	0,39	0,03	410X442X130
	4	395	400	345	88	100	5	100-109	56-65	12-21	116	299	389	467	1593	4,87	6,00	0,44	0,03	510X442X130
	4	395	500	445	88	100	5	100-109	56-65	12-21	148	383	497	597	2035	5,83	7,09	0,50	0,04	610X442X130
	4	395	600	545	88	100	5	100-109	56-65	12-21	182	469	610	732	2496	6,79	8,04	0,56	0,05	710X442X130
	4	395	700	645	88	100	5	100-109	56-65	12-21	207	536	696	836	2849	7,75	9,27	0,61	0,05	810X442X130
	4	395	800	745	88	100	5	100-109	56-65	12-21	232	599	779	934	3186	8,71	10,36	0,67	0,06	910X442X130
	4	395	900	845	88	100	5	100-109	56-65	12-21	255	659	857	1028	3507	9,67	11,44	0,73	0,06	1010X442X130
	4	395	1000	945	88	100	5	100-109	56-65	12-21	277	717	932	1118	3812	10,63	12,52	0,79	0,07	1110X442X130
	4	395	1200	1145	88	100	5	100-109	56-65	12-21	318	823	1070	1284	4377	12,55	14,71	0,90	0,08	1310X442X130
	4	395	1400	1345	88	100	5	100-109	56-65	12-21	366	945	1228	1474	5026	14,47	16,88	1,02	0,09	1510X442X130
4	395	1600	1545	88	100	5	100-109	56-65	12-21	420	1085	1410	1692	5770	16,36	19,03	1,13	0,10	1710X442X130	
4	395	1800	1745	88	100	5	100-109	56-65	12-21	482	1245	1619	1943	6625	18,28	21,07	1,24	0,11	1910X442X130	
Chimo Double 490	5	490	300	245	88	100	5	100-109	56-65	12-21	106	275	357	428	1461	4,87	5,98	0,48	0,03	410X537X130
	5	490	400	345	88	100	5	100-109	56-65	12-21	145	374	487	584	1991	6,07	7,32	0,55	0,04	510X537X130
	5	490	500	445	88	100	5	100-109	56-65	12-21	185	478	622	746	2544	7,27	8,67	0,62	0,05	610X537X130
	5	490	600	545	88	100	5	100-109	56-65	12-21	227	587	763	915	3120	8,47	9,88	0,69	0,05	710X537X130
	5	490	700	645	88	100	5	100-109	56-65	12-21	259	670	870	1044	3562	9,67	11,36	0,76	0,06	810X537X130
	5	490	800	745	88	100	5	100-109	56-65	12-21	290	749	973	1168	3982	10,87	12,70	0,84	0,07	910X537X130
	5	490	900	845	88	100	5	100-109	56-65	12-21	319	824	1071	1285	4384	12,07	14,04	0,91	0,08	1010X537X130
	5	490	1000	945	88	100	5	100-109	56-65	12-21	347	896	1165	1397	4765	13,27	15,39	0,98	0,08	1110X537X130
	5	490	1200	1145	88	100	5	100-109	56-65	12-21	398	1029	1337	1605	5471	15,67	18,08	1,12	0,10	1310X537X130
	5	490	1400	1345	88	100	5	100-109	56-65	12-21	457	1181	1535	1842	6282	18,07	20,76	1,27	0,11	1510X537X130
5	490	1600	1545	88	100	5	100-109	56-65	12-21	525	1356	1763	2115	7213	20,43	23,43	1,41	0,12	1710X537X130	
5	490	1800	1745	88	100	5	100-109	56-65	12-21	602	1557	2024	2429	8281	22,83	25,98	1,55	0,14	1910X537X130	
Chimo Double 585	6	585	300	245	88	100	5	100-109	56-65	12-21	128	330	428	514	1753	5,82	7,04	0,57	0,04	410X632X130
	6	585	400	345	88	100	5	100-109	56-65	12-21	174	449	584	701	2389	7,26	8,64	0,66	0,05	510X632X130
	6	585	500	445	88	100	5	100-109	56-65	12-21	222	574	746	895	3053	8,70	10,24	0,74	0,06	610X632X130
	6	585	600	545	88	100	5	100-109	56-65	12-21	272	704	915	1098	3744	10,14	11,73	0,83	0,06	710X632X130
	6	585	700	645	88	100	5	100-109	56-65	12-21	311	803	1044	1253	4274	11,58	13,44	0,92	0,07	810X632X130
	6	585	800	745	88	100	5	100-109	56-65	12-21	348	898	1168	1401	4779	13,02	15,04	1,00	0,08	910X632X130
	6	585	900	845	88	100	5	100-109	56-65	12-21	383	989	1285	1543	5260	14,46	16,65	1,09	0,09	1010X632X130
	6	585	1000	945	88	100	5	100-109	56-65	12-21	416	1075	1397	1677	5718	15,90	18,25	1,17	0,10	1110X632X130
	6	585	1200	1145	88	100	5	100-109	56-65	12-21	478	1234	1605	1925	6566	18,78	21,45	1,34	0,11	1310X632X130
	6	585	1400	1345	88	100	5	100-109	56-65	12-21	548	1417	1842	2211	7538	21,66	24,66	1,52	0,13	1510X632X130
6	585	1600	1545	88	100	5	100-109	56-65	12-21	630	1627	2115	2538	8655	24,51	27,83	1,69	0,15	1710X632X130	
6	585	1800	1745	88	100	5	100-109	56-65	12-21	723	1868	2429	2914	9938	27,39	30,91	1,86	0,16	1910X632X130	
Chimo Double 680	7	680	300	245	88	100	5	100-109	56-65	12-21	149	385	500	600	2046	6,79	8,12	0,67	0,04	410X727X130
	7	680	400	345	88	100	5	100-109	56-65	12-21	203	524	681	818	2788	8,47	9,97	0,77	0,05	510X727X130
	7	680	500	445	88	100	5	100-109	56-65	12-21	259	670	870	1044	3562	10,15	11,82	0,87	0,06	610X727X130
	7	680	600	545	88	100	5	100-109	56-65	12-21	318	821	1068	1281	4368	11,83	13,57	0,97	0,07	710X727X130
	7	680	700	645	88	100	5	100-109	56-65	12-21	363	937	1219	1462	4986	13,51	15,55	1,07	0,08	810X727X130
	7	680	800	745	88	100	5	100-109	56-65	12-21	406	1048	1363	1635	5575	15,19	17,40	1,17	0,09	910X727X130
	7	680	900	845	88	100	5	100-109	56-65	12-21	446	1154	1500	1800	6137	16,87	19,27	1,27	0,10	1010X727X130
	7	680	1000	945	88	100	5	100-109	56-65	12-21	485	1254	1630	1956	6672	18,55	21,12	1,37	0,11	1110X727X130
	7	680	1200	1145	88	100	5	100-109	56-65	12-21	557	1440	1872	2246	7660	21,91	24,84	1,57	0,13	1310X727X130
	7	680	1400	1345	88	100	5	100-109	56-65	12-21	640	1653	2149	2579	8795	25,27	28,56	1,77	0,15	1510X727X130
7	680	1600	1545	88	100	5	100-109	56-65	12-21	735	1898	2468	2961	10098	28,59	32,24	1,97	0,17	1710X727X130	
7	680	1800	1745	88	100	5	100-109	56-65	12-21	843	2180	2833	3400	11594	31,95	35,83	2,17	0,19	1910X727X130	
Chimo Double 775	8	775	300	245	88	100	5	100-109	56-65	12-21	170	439	571	686	2338	7,75	9,17	0,76	0,05	410X822X130
	8	775	400	345	88	100	5	100-109	56-65	12-21	232	599	779	934	3186	9,67	11,29	0,87	0,06	510X822X130
	8	775	500	445	88	100	5	100-109	56-65	12-21	296	765	995	1194	4070	11,59	13,41	0,99	0,07	610X822X130
	8	775	600	545	88	100	5	100-109	56-65	12-21	363	938	1220	1464	4992	13,51	15,40	1,10	0,08	710X822X130
	8	775	700	645	88	100	5	100-109	56-65	12-21	415	1071	1393	1671	5699	15,43	17,64	1,22	0,09	810X822X130
	8	775	800	745	88	100	5	100-109	56-65	12-21	464	1198	1557	1869	6372	17,35	19,75	1,33	0,10	910X822X130
	8	775	900	845	88	100	5	100-109	56-65	12-21	510	1318	1714	2057	7014	19,27	21,87	1,44	0,11	1010X822X130
	8	775	1000	945	88	100	5	100-109	56-65	12-21	555	1433	1863	2236	7625	21,19	23,98	1,56	0,12	1110X822X130
	8	775	1200	1145	88	100	5	100-109	56-65	12-21	637	1646	2139	2567	8754	25,03	28,22	1,79	0,14	1310X822X130
	8	775	1400	1345	88	100	5	100-109	56-65	12-21	731	1889	2456	2948	10051	28,87	32,44	2,02	0,17	1510X822X130
8	775	1600	1545	88	100	5	100-109	56-65	12-21	840	2169	2820	3384	11541	32,66	36,63	2,25	0,19	1710X822X130	
8	775	1800	1745	88	100	5	100-109	56-65	12-21	964	2491	3238	3886	13250	36,50	40,73	2,47	0,21	1910X822X130	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Chimo Double 870	9	870	300	245	88	100	5	100-109	56-65	12-21	191	494	643	771	2630	8,71	10,24	0,85	0,05	410X917X130
	9	870	400	345	88	100	5	100-109	56-65	12-21	261	674	876	1051	3584	10,87	12,61	0,98	0,07	510X917X130
	9	870	500	445	88	100	5	100-109	56-65	12-21	333	861	1119	1343	4579	13,03	14,99	1,11	0,08	610X917X130
	9	870	600	545	88	100	5	100-109	56-65	12-21	409	1056	1373	1647	5616	15,19	17,23	1,24	0,09	710X917X130
	9	870	700	645	88	100	5	100-109	56-65	12-21	466	1205	1567	1880	6411	17,35	19,73	1,37	0,10	810X917X130
	9	870	800	745	88	100	5	100-109	56-65	12-21	522	1348	1752	2102	7168	19,51	22,10	1,49	0,11	910X917X130
	9	870	900	845	88	100	5	100-109	56-65	12-21	574	1483	1928	2314	7890	21,67	24,47	1,62	0,13	1010X917X130
	9	870	1000	945	88	100	5	100-109	56-65	12-21	624	1612	2096	2515	8578	23,83	26,85	1,75	0,14	1110X917X130
	9	870	1200	1145	88	100	5	100-109	56-65	12-21	716	1851	2407	2888	9849	28,15	31,58	2,01	0,16	1310X917X130
	9	870	1400	1345	88	100	5	100-109	56-65	12-21	823	2126	2763	3316	11308	32,47	36,34	2,27	0,19	1510X917X130
Chimo Double 965	10	965	300	245	88	100	5	100-109	56-65	12-21	213	549	714	857	2922	9,67	11,30	0,94	0,06	410X1012X130
	10	965	400	345	88	100	5	100-109	56-65	12-21	290	749	973	1168	3982	12,07	13,94	1,09	0,07	510X1012X130
	10	965	500	445	88	100	5	100-109	56-65	12-21	370	956	1243	1492	5088	14,47	16,56	1,23	0,09	610X1012X130
	10	965	600	545	88	100	5	100-109	56-65	12-21	454	1173	1525	1830	6240	16,87	19,07	1,37	0,10	710X1012X130
	10	965	700	645	88	100	5	100-109	56-65	12-21	518	1339	1741	2089	7123	19,27	21,82	1,52	0,11	810X1012X130
	10	965	800	745	88	100	5	100-109	56-65	12-21	579	1497	1946	2336	7965	21,67	24,46	1,66	0,12	910X1012X130
	10	965	900	845	88	100	5	100-109	56-65	12-21	638	1648	2142	2571	8767	24,07	27,09	1,80	0,14	1010X1012X130
	10	965	1000	945	88	100	5	100-109	56-65	12-21	693	1792	2329	2795	9531	26,47	29,71	1,95	0,15	1110X1012X130
	10	965	1200	1145	88	100	5	100-109	56-65	12-21	796	2057	2674	3209	10943	31,27	34,98	2,23	0,18	1310X1012X130
	10	965	1400	1345	88	100	5	100-109	56-65	12-21	914	2362	3070	3685	12564	36,07	40,24	2,52	0,20	1510X1012X130
Chimo Double 1060	11	1060	300	245	88	100	5	100-109	56-65	12-21	234	604	786	943	3215	10,64	12,39	1,04	0,06	410X1107X130
	11	1060	400	345	88	100	5	100-109	56-65	12-21	319	824	1071	1285	4381	13,28	15,26	1,19	0,08	510X1107X130
	11	1060	500	445	88	100	5	100-109	56-65	12-21	407	1052	1368	1641	5597	15,92	18,15	1,35	0,09	610X1107X130
	11	1060	600	545	88	100	5	100-109	56-65	12-21	499	1290	1678	2013	6864	18,56	20,91	1,51	0,11	710X1107X130
	11	1060	700	645	88	100	5	100-109	56-65	12-21	570	1473	1915	2298	7836	21,20	23,93	1,67	0,12	810X1107X130
	11	1060	800	745	88	100	5	100-109	56-65	12-21	637	1647	2141	2569	8761	23,84	26,81	1,82	0,14	910X1107X130
	11	1060	900	845	88	100	5	100-109	56-65	12-21	702	1813	2357	2828	9644	26,48	29,70	1,98	0,15	1010X1107X130
	11	1060	1000	945	88	100	5	100-109	56-65	12-21	763	1971	2562	3074	10484	29,12	32,59	2,14	0,16	1110X1107X130
	11	1060	1200	1145	88	100	5	100-109	56-65	12-21	876	2263	2942	3530	12037	34,40	38,37	2,45	0,19	1310X1107X130
	11	1060	1400	1345	88	100	5	100-109	56-65	12-21	1005	2598	3377	4053	13821	39,68	44,13	2,77	0,22	1510X1107X130
Chimo Double 1155	12	1155	300	245	88	100	5	100-109	56-65	12-21	255	659	857	1028	3507	11,59	13,43	1,13	0,07	410X1202X130
	12	1155	400	345	88	100	5	100-109	56-65	12-21	348	898	1168	1401	4779	14,47	16,58	1,30	0,08	510X1202X130
	12	1155	500	445	88	100	5	100-109	56-65	12-21	444	1148	1492	1791	6106	17,35	19,73	1,47	0,10	610X1202X130
	12	1155	600	545	88	100	5	100-109	56-65	12-21	545	1408	1830	2196	7489	20,23	22,74	1,65	0,12	710X1202X130
	12	1155	700	645	88	100	5	100-109	56-65	12-21	622	1607	2089	2507	8548	23,11	26,01	1,82	0,13	810X1202X130
	12	1155	800	745	88	100	5	100-109	56-65	12-21	695	1797	2336	2803	9558	25,99	29,15	1,99	0,15	910X1202X130
	12	1155	900	845	88	100	5	100-109	56-65	12-21	765	1978	2571	3085	10520	28,87	32,29	2,16	0,16	1010X1202X130
	12	1155	1000	945	88	100	5	100-109	56-65	12-21	832	2150	2795	3354	11437	31,75	35,44	2,33	0,18	1110X1202X130
	12	1155	1200	1145	88	100	5	100-109	56-65	12-21	955	2469	3209	3851	13131	37,51	41,72	2,68	0,21	1310X1202X130
	12	1155	1400	1345	88	100	5	100-109	56-65	12-21	1097	2834	3685	4421	15077	43,27	48,01	3,02	0,24	1510X1202X130
Chimo Double 1250	13	1250	300	245	88	100	5	100-109	56-65	12-21	276	714	928	1114	3799	12,55	14,50	1,22	0,07	410X1297X130
	13	1250	400	345	88	100	5	100-109	56-65	12-21	377	973	1265	1518	5177	15,67	17,90	1,41	0,09	510X1297X130
	13	1250	500	445	88	100	5	100-109	56-65	12-21	481	1243	1616	1940	6614	18,79	21,31	1,60	0,11	610X1297X130
	13	1250	600	545	88	100	5	100-109	56-65	12-21	590	1525	1983	2379	8113	21,91	24,57	1,78	0,12	710X1297X130
	13	1250	700	645	88	100	5	100-109	56-65	12-21	674	1741	2263	2716	9260	25,03	28,10	1,97	0,14	810X1297X130
	13	1250	800	745	88	100	5	100-109	56-65	12-21	753	1946	2530	3037	10354	28,15	31,50	2,15	0,16	910X1297X130
	13	1250	900	845	88	100	5	100-109	56-65	12-21	829	2142	2785	3342	11397	31,27	34,91	2,34	0,18	1010X1297X130
	13	1250	1000	945	88	100	5	100-109	56-65	12-21	901	2329	3028	3633	12390	34,39	38,30	2,53	0,19	1110X1297X130
	13	1250	1200	1145	88	100	5	100-109	56-65	12-21	1035	2674	3476	4172	14226	40,63	45,10	2,90	0,23	1310X1297X130
	13	1250	1400	1345	88	100	5	100-109	56-65	12-21	1188	3070	3992	4790	16333	46,87	51,91	3,27	0,26	1510X1297X130
Chimo Double 1345	14	1345	300	245	88	100	5	100-109	56-65	12-21	298	769	1000	1200	4091	13,51	15,58	1,32	0,08	410X1392X130
	14	1345	400	345	88	100	5	100-109	56-65	12-21	406	1048	1363	1635	5575	16,87	19,22	1,52	0,10	510X1392X130
	14	1345	500	445	88	100	5	100-109	56-65	12-21	518	1339	1741	2089	7123	20,23	22,88	1,72	0,12	610X1392X130
	14	1345	600	545	88	100	5	100-109	56-65	12-21	636	1642	2135	2562	8737	23,59	26,42	1,92	0,13	710X1392X130
	14	1345	700	645	88	100	5	100-109	56-65	12-21	725	1875	2437	2924	9973	26,95	30,20	2,12	0,15	810X1392X130
	14	1345	800	745	88	100	5	100-109	56-65	12-21	811	2096	2725	3270	11151	30,31	33,86	2,32	0,17	910X1392X130
	14	1345	900	845	88	100	5	100-109	56-65	12-21	893	2307	2999	3599	12274	33,67	37,52	2,52	0,19	1010X1392X130
	14	1345	1000	945	88	100	5	100-109	56-65	12-21	971	2508	3261	3913	13343	37,03	41,16	2,72	0,21	1110X1392X130
14	1345	1200	1145	88	100	5	100-109	56-65	12-21	1115	2880	3744	4493	15320	43,75	48,49	3,12	0,24	1310X1392X130	
14	1345	1400	1345	88	100	5	100-109	56-65	12-21	1280	3307	4299	5158	17590	50,47	55,80	3,52	0,28	1510X1392X130	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70\text{ }^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Chimo Double 1440	15	1440	300	245	88	100	5	100-109	56-65	12-21	319	824	1071	1285	4384	14,47	16,63	1,41	0,08	410X1487X130
	15	1440	400	345	88	100	5	100-109	56-65	12-21	435	1123	1460	1752	5974	18,07	20,54	1,62	0,10	510X1487X130
	15	1440	500	445	88	100	5	100-109	56-65	12-21	555	1435	1865	2238	7632	21,67	24,46	1,84	0,12	610X1487X130
	15	1440	600	545	88	100	5	100-109	56-65	12-21	681	1760	2288	2745	9361	25,27	28,25	2,05	0,14	710X1487X130
	15	1440	700	645	88	100	5	100-109	56-65	12-21	777	2009	2611	3133	10685	28,87	32,29	2,27	0,16	810X1487X130
	15	1440	800	745	88	100	5	100-109	56-65	12-21	869	2246	2920	3504	11947	32,47	36,21	2,48	0,18	910X1487X130
	15	1440	900	845	88	100	5	100-109	56-65	12-21	957	2472	3214	3856	13151	36,07	40,11	2,70	0,20	1010X1487X130
	15	1440	1000	945	88	100	5	100-109	56-65	12-21	1040	2687	3494	4192	14296	39,67	44,03	2,91	0,22	1110X1487X130
	15	1440	1200	1145	88	100	5	100-109	56-65	12-21	1194	3086	4011	4814	16414	46,87	51,87	3,34	0,26	1310X1487X130
15	1440	1400	1345	88	100	5	100-109	56-65	12-21	1371	3543	4606	5527	18846	54,07	59,69	3,77	0,30	1510X1487X130	
Chimo Double 1535	16	1535	300	245	88	100	5	100-109	56-65	12-21	340	879	1143	1371	4676	15,44	17,70	1,50	0,09	410X1582X130
	16	1535	400	345	88	100	5	100-109	56-65	12-21	464	1198	1557	1869	6372	19,28	21,88	1,73	0,11	510X1582X130
	16	1535	500	445	88	100	5	100-109	56-65	12-21	592	1530	1989	2387	8141	23,12	26,05	1,96	0,13	610X1582X130
	16	1535	600	545	88	100	5	100-109	56-65	12-21	726	1877	2440	2928	9985	26,96	30,09	2,19	0,15	710X1582X130
	16	1535	700	645	88	100	5	100-109	56-65	12-21	829	2142	2785	3342	11397	30,80	34,39	2,42	0,17	810X1582X130
	16	1535	800	745	88	100	5	100-109	56-65	12-21	927	2396	3114	3737	12744	34,64	38,56	2,65	0,19	910X1582X130
	16	1535	900	845	88	100	5	100-109	56-65	12-21	1020	2637	3428	4114	14027	38,48	42,73	2,88	0,21	1010X1582X130
16	1535	1000	945	88	100	5	100-109	56-65	12-21	1109	2867	3727	4472	15249	42,32	46,91	3,10	0,23	1110X1582X130	
Chimo Double 1630	17	1630	300	245	88	100	5	100-109	56-65	12-21	361	934	1214	1457	4968	16,40	18,76	1,60	0,09	410X1677X130
	17	1630	400	345	88	100	5	100-109	56-65	12-21	493	1273	1655	1985	6770	20,48	23,20	1,84	0,12	510X1677X130
	17	1630	500	445	88	100	5	100-109	56-65	12-21	629	1626	2114	2537	8650	24,56	27,62	2,08	0,14	610X1677X130
	17	1630	600	545	88	100	5	100-109	56-65	12-21	772	1994	2593	3111	10609	28,64	31,93	2,33	0,16	710X1677X130
	17	1630	700	645	88	100	5	100-109	56-65	12-21	881	2276	2959	3551	12109	32,72	36,48	2,57	0,18	810X1677X130
	17	1630	800	745	88	100	5	100-109	56-65	12-21	985	2545	3309	3971	13540	36,80	40,92	2,81	0,20	910X1677X130
	17	1630	900	845	88	100	5	100-109	56-65	12-21	1084	2802	3642	4371	14904	40,88	45,35	3,05	0,23	1010X1677X130
17	1630	1000	945	88	100	5	100-109	56-65	12-21	1179	3046	3960	4751	16202	44,96	49,77	3,30	0,25	1110X1677X130	
Chimo Double 1725	18	1725	300	245	88	100	5	100-109	56-65	12-21	383	989	1285	1543	5260	17,35	19,83	1,69	0,10	410X1772X130
	18	1725	400	345	88	100	5	100-109	56-65	12-21	522	1348	1752	2102	7168	21,67	24,51	1,95	0,12	510X1772X130
	18	1725	500	445	88	100	5	100-109	56-65	12-21	666	1722	2238	2686	9158	25,99	29,19	2,20	0,15	610X1772X130
	18	1725	600	545	88	100	5	100-109	56-65	12-21	817	2112	2745	3294	11233	30,31	33,75	2,46	0,17	710X1772X130
	18	1725	700	645	88	100	5	100-109	56-65	12-21	933	2410	3133	3760	12822	34,63	38,57	2,72	0,19	810X1772X130
	18	1725	800	745	88	100	5	100-109	56-65	12-21	1043	2695	3504	4204	14337	38,95	43,26	2,98	0,21	910X1772X130
	18	1725	900	845	88	100	5	100-109	56-65	12-21	1148	2967	3856	4628	15781	43,27	47,94	3,23	0,24	1010X1772X130
18	1725	1000	945	88	100	5	100-109	56-65	12-21	1248	3225	4192	5031	17155	47,59	52,63	3,49	0,26	1110X1772X130	
Chimo Double 1820	19	1820	300	245	88	100	5	100-109	56-65	12-21	404	1044	1357	1628	5552	18,31	20,88	1,78	0,10	410X1867X130
	19	1820	400	345	88	100	5	100-109	56-65	12-21	550	1422	1849	2219	7567	22,87	25,83	2,05	0,13	510X1867X130
	19	1820	500	445	88	100	5	100-109	56-65	12-21	703	1817	2362	2835	9667	27,43	30,78	2,33	0,15	610X1867X130
	19	1820	600	545	88	100	5	100-109	56-65	12-21	863	2229	2898	3477	11857	31,99	35,59	2,60	0,18	710X1867X130
	19	1820	700	645	88	100	5	100-109	56-65	12-21	985	2544	3307	3969	13534	36,55	40,66	2,87	0,20	810X1867X130
	19	1820	800	745	88	100	5	100-109	56-65	12-21	1101	2845	3698	4438	15133	41,11	45,61	3,14	0,23	910X1867X130
	19	1820	900	845	88	100	5	100-109	56-65	12-21	1212	3131	4071	4885	16657	45,67	50,55	3,41	0,25	1010X1867X130
19	1820	1000	945	88	100	5	100-109	56-65	12-21	1317	3404	4425	5310	18108	50,23	55,49	3,68	0,27	1110X1867X130	
Chimo Double 1915	20	1915	300	245	88	100	5	100-109	56-65	12-21	425	1099	1428	1714	5845	19,28	21,96	1,88	0,11	410X1962X130
	20	1915	400	345	88	100	5	100-109	56-65	12-21	579	1497	1946	2336	7965	24,08	27,16	2,16	0,14	510X1962X130
	20	1915	500	445	88	100	5	100-109	56-65	12-21	740	1913	2487	2984	10176	28,88	32,37	2,45	0,16	610X1962X130
	20	1915	600	545	88	100	5	100-109	56-65	12-21	908	2346	3050	3660	12481	33,68	37,43	2,73	0,19	710X1962X130
	20	1915	700	645	88	100	5	100-109	56-65	12-21	1036	2678	3482	4178	14246	38,48	42,76	3,02	0,21	810X1962X130
	20	1915	800	745	88	100	5	100-109	56-65	12-21	1159	2995	3893	4672	15930	43,28	47,96	3,31	0,24	910X1962X130
	20	1915	900	845	88	100	5	100-109	56-65	12-21	1276	3296	4285	5142	17534	48,08	53,16	3,59	0,26	1010X1962X130
20	1915	1000	945	88	100	5	100-109	56-65	12-21	1387	3583	4658	5590	19062	52,88	58,47	3,88	0,29	1110X1962X130	