


Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	G Space Between Two Groups (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m <sup>3</sup> )	Package Dimensions H x W x D (mm)
<b>Dosia 450</b>	3 (3)	450	250	50	40	50	5	140	83-108	58-83	43-68	55	109	142	171	584	3,11	3,45	0,15	0,01	350 x 540 x 55
	6 (3+3)	450	550	50	40	50	5	140	83-108	58-83	43-68	117	231	301	361	1232	5,91	6,52	0,29	0,02	650 x 540 x 55
	9 (3+3+3)	450	850	50	40	50	5	140	83-108	58-83	43-68	179	354	461	553	1886	8,72	9,58	0,44	0,03	950 x 540 x 55
	12 (3+3+3+3)	450	1150	50	40	50	5	140	83-108	58-83	43-68	240	476	619	743	2534	11,52	12,65	0,58	0,04	1250 x 540 x 55
	15 (3+3+3+3+3)	450	1450	50	40	50	5	140	83-108	58-83	43-68	302	598	778	933	3182	14,33	15,71	0,72	0,05	1550 x 540 x 55
18 (3+3+3+3+3+3)	450	1750	50	40	50	5	140	83-108	58-83	43-68	364	721	938	1125	3837	17,14	18,78	0,86	0,05	1850 x 540 x 55	