



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^\circ C$ (Watt)	Heat Output $\Delta T=50^\circ C$ (Watt)	Heat Output $\Delta T=60^\circ C$ (Watt)	Heat Output $\Delta T=70^\circ C$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m <sup>3</sup> )	Package Dimensions H x W x D (mm)
Exa 306	3	306	300	245	29	100	3	72-98	56-82	43-66	32	82	107	128	437	1,98	2,84	0,34	0,01	490X331X61
	3	306	400	345	29	100	3	72-98	56-82	43-66	43	112	145	174	595	2,26	3,21	0,38	0,02	590X331X61
	3	306	600	545	29	100	3	72-98	56-82	43-66	68	175	228	273	932	2,83	3,93	0,47	0,02	790X331X61
	3	306	700	645	29	100	3	72-98	56-82	43-66	77	200	260	312	1064	3,12	4,32	0,51	0,02	890X331X61
	3	306	800	745	29	100	3	72-98	56-82	43-66	87	224	291	349	1190	3,40	4,67	0,55	0,02	990X331X61
	3	306	900	845	29	100	3	72-98	56-82	43-66	95	246	320	384	1310	3,69	5,05	0,60	0,03	1090X331X61
	3	306	1000	945	29	100	3	72-98	56-82	43-66	104	268	348	417	1424	3,97	5,42	0,64	0,03	1190X331X61
	3	306	1200	1145	29	100	3	72-98	56-82	43-66	119	307	399	479	1635	4,54	6,15	0,73	0,03	1390X331X61
	3	306	1400	1345	29	100	3	72-98	56-82	43-66	137	353	459	550	1877	5,11	6,87	0,81	0,04	1590X331X61
	3	306	1600	1545	29	100	3	72-98	56-82	43-66	157	405	527	632	2155	5,66	7,59	0,90	0,04	1790X331X61
3	306	1800	1745	29	100	3	72-98	56-82	43-66	180	465	605	726	2474	6,23	8,34	0,98	0,05	1990X331X61	





Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m <sup>3</sup> )	Package Dimensions H x W x D (mm)
Exa 1542	15	1542	300	245	29	100	3	72-98	56-82	43-66	159	410	533	640	2183	9,89	11,96	1,69	0,05	490X1567X61
	15	1542	400	345	29	100	3	72-98	56-82	43-66	216	559	727	872	2974	11,31	13,68	1,90	0,06	590X1567X61
	15	1542	500	445	29	100	3	72-98	56-82	43-66	276	714	929	1114	3800	12,73	15,41	2,12	0,07	690X1567X61
	15	1542	600	545	29	100	3	72-98	56-82	43-66	339	876	1139	1367	4661	14,16	17,14	2,33	0,08	790X1567X61
	15	1542	700	645	29	100	3	72-98	56-82	43-66	387	1000	1300	1560	5320	15,58	18,86	2,54	0,09	890X1567X61
	15	1542	800	745	29	100	3	72-98	56-82	43-66	433	1118	1454	1744	5949	17,00	20,58	2,76	0,10	990X1567X61
	15	1542	900	845	29	100	3	72-98	56-82	43-66	476	1231	1600	1920	6548	18,42	22,31	2,97	0,11	1090X1567X61
15	1542	1000	945	29	100	3	72-98	56-82	43-66	518	1338	1740	2087	7118	19,84	24,03	3,19	0,12	1190X1567X61	
Exa 1065	16	1645	300	245	29	100	3	72-98	56-82	43-66	169	438	569	683	2328	10,55	12,72	1,80	0,05	490X1670X61
	16	1645	400	345	29	100	3	72-98	56-82	43-66	231	596	775	930	3173	12,07	14,56	2,03	0,07	590X1670X61
	16	1645	500	445	29	100	3	72-98	56-82	43-66	295	762	991	1189	4053	13,58	16,40	2,26	0,08	690X1670X61
	16	1645	600	545	29	100	3	72-98	56-82	43-66	362	935	1215	1458	4971	15,10	18,23	2,49	0,09	790X1670X61
	16	1645	700	645	29	100	3	72-98	56-82	43-66	413	1067	1387	1664	5675	16,62	20,09	2,71	0,10	890X1670X61
	16	1645	800	745	29	100	3	72-98	56-82	43-66	462	1193	1551	1861	6345	18,13	21,91	2,94	0,11	990X1670X61
	16	1645	900	845	29	100	3	72-98	56-82	43-66	508	1313	1707	2048	6984	19,65	23,75	3,17	0,12	1090X1670X61
16	1645	1000	945	29	100	3	72-98	56-82	43-66	552	1427	1855	2227	7593	21,17	25,60	3,40	0,13	1190X1670X61	
Exa 1748	17	1748	300	245	29	100	3	72-98	56-82	43-66	180	465	604	725	2474	11,21	13,47	1,91	0,06	490X1773X61
	17	1748	400	345	29	100	3	72-98	56-82	43-66	245	634	824	989	3371	12,82	15,42	2,15	0,07	590X1773X61
	17	1748	500	445	29	100	3	72-98	56-82	43-66	313	810	1052	1263	4307	14,43	17,38	2,40	0,08	690X1773X61
	17	1748	600	545	29	100	3	72-98	56-82	43-66	384	993	1291	1549	5282	16,05	19,34	2,64	0,09	790X1773X61
	17	1748	700	645	29	100	3	72-98	56-82	43-66	439	1133	1473	1768	6029	17,66	21,29	2,88	0,10	890X1773X61
	17	1748	800	745	29	100	3	72-98	56-82	43-66	490	1267	1648	1977	6742	19,27	23,24	3,13	0,11	990X1773X61
	17	1748	900	845	29	100	3	72-98	56-82	43-66	540	1395	1813	2176	7421	20,88	25,20	3,37	0,12	1090X1773X61
17	1748	1000	945	29	100	3	72-98	56-82	43-66	587	1517	1971	2366	8067	22,49	27,14	3,61	0,13	1190X1773X61	
Exa 1851	18	1851	300	245	29	100	3	72-98	56-82	43-66	191	492	640	768	2619	11,86	14,23	2,02	0,06	490X1876X61
	18	1851	400	345	29	100	3	72-98	56-82	43-66	260	671	872	1047	3569	13,57	16,29	2,28	0,07	590X1876X61
	18	1851	500	445	29	100	3	72-98	56-82	43-66	332	857	1114	1337	4560	15,27	18,36	2,54	0,08	690X1876X61
	18	1851	600	545	29	100	3	72-98	56-82	43-66	407	1051	1367	1640	5593	16,98	20,43	2,80	0,10	790X1876X61
	18	1851	700	645	29	100	3	72-98	56-82	43-66	464	1200	1560	1872	6384	18,69	22,49	3,05	0,11	890X1876X61
	18	1851	800	745	29	100	3	72-98	56-82	43-66	519	1342	1744	2093	7138	20,39	24,56	3,31	0,12	990X1876X61
	18	1851	900	845	29	100	3	72-98	56-82	43-66	572	1477	1920	2304	7857	22,10	26,63	3,57	0,13	1090X1876X61
18	1851	1000	945	29	100	3	72-98	56-82	43-66	621	1606	2087	2505	8542	23,81	28,70	3,82	0,14	1190X1876X61	
Exa 1954	19	1954	300	245	29	100	3	72-98	56-82	43-66	201	520	676	811	2765	12,52	14,99	2,14	0,06	490X1979X61
	19	1954	400	345	29	100	3	72-98	56-82	43-66	274	708	921	1105	3768	14,32	17,17	2,41	0,08	590X1979X61
	19	1954	500	445	29	100	3	72-98	56-82	43-66	350	905	1176	1412	4813	16,13	19,36	2,68	0,09	690X1979X61
	19	1954	600	545	29	100	3	72-98	56-82	43-66	429	1110	1443	1731	5904	17,93	21,53	2,95	0,10	790X1979X61
	19	1954	700	645	29	100	3	72-98	56-82	43-66	490	1267	1647	1976	6739	19,73	23,71	3,22	0,11	890X1979X61
	19	1954	800	745	29	100	3	72-98	56-82	43-66	548	1416	1841	2210	7535	21,53	25,89	3,49	0,12	990X1979X61
	19	1954	900	845	29	100	3	72-98	56-82	43-66	603	1559	2027	2432	8294	23,33	28,07	3,77	0,14	1090X1979X61
19	1954	1000	945	29	100	3	72-98	56-82	43-66	656	1695	2203	2644	9016	25,13	30,25	4,04	0,15	1190X1979X61	