






Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Fiona Double 199	2	199	300	245	50	99	1	106-115	66-75	26-35	39	102	132	158	540	1,89	2,65	0,20	0,01	390X234X85
	2	199	400	345	50	99	1	106-115	66-75	26-35	54	138	180	216	736	2,34	3,17	0,22	0,01	490X234X85
	2	199	500	445	50	99	1	106-115	66-75	26-35	68	177	230	276	940	2,78	3,68	0,25	0,02	590X234X85
	2	199	600	545	50	99	1	106-115	66-75	26-35	84	217	282	338	1153	3,23	4,22	0,28	0,02	690X234X85
	2	199	700	645	50	99	1	106-115	66-75	26-35	96	247	322	386	1316	3,67	4,72	0,31	0,02	790X234X85
	2	199	800	745	50	99	1	106-115	66-75	26-35	107	277	360	432	1472	4,12	5,25	0,34	0,02	890X234X85
	2	199	900	845	50	99	1	106-115	66-75	26-35	118	305	396	475	1620	4,56	5,75	0,37	0,02	990X234X85
	2	199	1000	945	50	99	1	106-115	66-75	26-35	128	331	430	516	1761	5,01	6,27	0,40	0,03	1090X234X85
	2	199	1200	1145	50	99	1	106-115	66-75	26-35	147	380	494	593	2022	5,90	7,31	0,45	0,03	1290X234X85
	2	199	1400	1345	50	99	1	106-115	66-75	26-35	169	436	567	681	2322	6,79	8,35	0,51	0,03	1490X234X85
Fiona Double 199	2	199	1600	1545	50	99	1	106-115	66-75	26-35	194	501	651	782	2666	7,67	9,38	0,57	0,04	1690X234X85
	2	199	1800	1745	50	99	1	106-115	66-75	26-35	223	575	748	898	3061	8,57	10,44	0,63	0,04	1890X234X85

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Fiona Double 299	3	299	300	245	50	99	1	106-115	66-75	26-35	59	152	198	238	810	2,84	3,69	0,29	0,02	390X334X85
	3	299	400	345	50	99	1	106-115	66-75	26-35	80	208	270	324	1104	3,50	4,44	0,34	0,02	490X334X85
	3	299	500	445	50	99	1	106-115	66-75	26-35	103	265	345	414	1410	4,17	5,20	0,38	0,02	590X334X85
	3	299	600	545	50	99	1	106-115	66-75	26-35	126	325	423	507	1730	4,84	5,96	0,42	0,02	690X334X85
	3	299	700	645	50	99	1	106-115	66-75	26-35	144	371	483	579	1974	5,51	6,73	0,46	0,03	790X334X85
	3	299	800	745	50	99	1	106-115	66-75	26-35	161	415	540	647	2208	6,18	7,48	0,51	0,03	890X334X85
	3	299	900	845	50	99	1	106-115	66-75	26-35	177	457	594	713	2430	6,85	8,25	0,55	0,03	990X334X85
	3	299	1000	945	50	99	1	106-115	66-75	26-35	192	497	646	775	2642	7,51	8,99	0,59	0,04	1090X334X85
	3	299	1200	1145	50	99	1	106-115	66-75	26-35	221	570	741	890	3033	8,85	10,53	0,68	0,04	1290X334X85
	3	299	1400	1345	50	99	1	106-115	66-75	26-35	253	655	851	1021	3483	10,19	12,04	0,76	0,05	1490X334X85
Fiona Double 399	4	399	300	245	50	99	1	106-115	66-75	26-35	79	203	264	317	1080	3,78	4,72	0,39	0,02	390X434X85
	4	399	400	345	50	99	1	106-115	66-75	26-35	107	277	360	432	1472	4,67	5,73	0,45	0,02	490X434X85
	4	399	500	445	50	99	1	106-115	66-75	26-35	137	353	460	551	1880	5,56	6,72	0,50	0,03	590X434X85
	4	399	600	545	50	99	1	106-115	66-75	26-35	168	434	564	676	2306	6,45	7,71	0,56	0,03	690X434X85
	4	399	700	645	50	99	1	106-115	66-75	26-35	192	495	643	772	2633	7,34	8,71	0,62	0,03	790X434X85
	4	399	800	745	50	99	1	106-115	66-75	26-35	214	553	719	863	2944	8,24	9,72	0,67	0,04	890X434X85
	4	399	900	845	50	99	1	106-115	66-75	26-35	236	609	792	950	3240	9,13	10,73	0,73	0,04	990X434X85
	4	399	1000	945	50	99	1	106-115	66-75	26-35	256	662	861	1033	3522	10,02	11,72	0,79	0,05	1090X434X85
	4	399	1200	1145	50	99	1	106-115	66-75	26-35	294	760	988	1186	4044	11,80	13,72	0,90	0,05	1290X434X85
	4	399	1400	1345	50	99	1	106-115	66-75	26-35	338	873	1135	1362	4644	13,58	15,72	1,02	0,06	1490X434X85
Fiona Double 499	4	399	1600	1545	50	99	1	106-115	66-75	26-35	388	1002	1303	1564	5332	15,34	17,70	1,13	0,07	1690X434X85
	4	399	1800	1745	50	99	1	106-115	66-75	26-35	445	1151	1496	1795	6121	17,12	19,68	1,25	0,07	1890X434X85
	5	499	300	245	50	99	1	106-115	66-75	26-35	98	254	330	396	1350	4,72	5,75	0,48	0,02	390X534X85
	5	499	400	345	50	99	1	106-115	66-75	26-35	134	346	450	540	1840	5,84	6,99	0,56	0,03	490X534X85
	5	499	500	445	50	99	1	106-115	66-75	26-35	171	442	574	689	2351	6,95	8,23	0,63	0,03	590X534X85
	5	499	600	545	50	99	1	106-115	66-75	26-35	210	542	705	845	2883	8,07	9,47	0,70	0,04	690X534X85
	5	499	700	645	50	99	1	106-115	66-75	26-35	239	619	804	965	3291	9,18	10,71	0,77	0,04	790X534X85
	5	499	800	745	50	99	1	106-115	66-75	26-35	268	692	899	1079	3680	10,29	11,95	0,84	0,05	890X534X85
	5	499	900	845	50	99	1	106-115	66-75	26-35	295	761	990	1188	4050	11,41	13,20	0,91	0,05	990X534X85
	5	499	1000	945	50	99	1	106-115	66-75	26-35	320	828	1076	1291	4403	12,52	14,44	0,98	0,05	1090X534X85
Fiona Double 599	5	499	1200	1145	50	99	1	106-115	66-75	26-35	368	950	1235	1483	5055	14,75	16,91	1,13	0,06	1290X534X85
	5	499	1400	1345	50	99	1	106-115	66-75	26-35	422	1091	1418	1702	5804	16,98	19,40	1,27	0,07	1490X534X85
	5	499	1600	1545	50	99	1	106-115	66-75	26-35	485	1253	1629	1954	6664	19,17	21,84	1,41	0,08	1690X534X85
	5	499	1800	1745	50	99	1	106-115	66-75	26-35	557	1438	1870	2244	7652	21,39	24,31	1,56	0,09	1890X534X85
	6	599	300	245	50	99	1	106-115	66-75	26-35	118	305	396	475	1620	5,66	6,78	0,58	0,03	390X634X85
	6	599	400	345	50	99	1	106-115	66-75	26-35	161	415	540	647	2208	6,99	8,26	0,67	0,03	490X634X85
	6	599	500	445	50	99	1	106-115	66-75	26-35	205	530	689	827	2821	8,33	9,73	0,75	0,04	590X634X85
	6	599	600	545	50	99	1	106-115	66-75	26-35	252	650	845	1015	3460	9,67	11,22	0,84	0,04	690X634X85
	6	599	700	645	50	99	1	106-115	66-75	26-35	287	742	965	1158	3949	11,00	12,70	0,92	0,05	790X634X85
	6	599	800	745	50	99	1	106-115	66-75	26-35	321	830	1079	1295	4416	12,34	14,18	1,01	0,05	890X634X85
Fiona Double 699	6	599	900	845	50	99	1	106-115	66-75	26-35	354	914	1188	1425	4860	13,68	15,67	1,09	0,06	990X634X85
	6	599	1000	945	50	99	1	106-115	66-75	26-35	384	993	1291	1549	5284	15,02	17,15	1,18	0,06	1090X634X85
	6	599	1200	1145	50	99	1	106-115	66-75	26-35	441	1140	1483	1779	6067	17,69	20,11	1,35	0,07	1290X634X85
	6	599	1400	1345	50	99	1	106-115	66-75	26-35	507	1309	1702	2043	6965	20,36	23,07	1,52	0,09	1490X634X85
	6	599	1600	1545	50	99	1	106-115	66-75	26-35	582	1503	1954	2345	7997	23,01	26,01	1,70	0,10	1690X634X85
	6	599	1800	1745	50	99	1	106-115	66-75	26-35	668	1726	2244	2693	9182	25,68	29,12	1,87	0,11	1890X634X85
	7	699	300	245	50	99	1	106-115	66-75	26-35	138	355	462	554	1890	6,60	7,97	0,68	0,03	390X734X85
	7	699	400	345	50	99	1	106-115	66-75	26-35	187	484	629	755	2576	8,16	9,69	0,78	0,04	490X734X85
	7	699	500	445	50	99	1	106-115	66-75	26-35	239	619	804	965	3291	9,72	11,41	0,88	0,04	590X734X85
	7	699	600	545	50	99	1	106-115	66-75	26-35	294	759	986	1184	4036	11,28	13,13	0,98	0,05	690X734X85
Fiona Double 699	7	699	700	645	50	99	1	106-115	66-75	26-35	335	866	1126	1351	4607	12,84	14,86	1,08	0,05	790X734X85
	7	699	800	745	50	99	1	106-115	66-75	26-35	375	968	1259	1511	5152	14,40	16,59	1,18	0,06	890X734X85
	7	699	900	845	50	99	1	106-115	66-75	26-35	413	1066	1386	1663	5670	15,96	18,30	1,28	0,07	990X734X85
	7	699	1000	945	50	99	1	106-115	66-75	26-35	448	1159	1506	1808	6164	17,52	20,02	1,38	0,07	1090X734X85
	7	699	1200	1145	50	99	1	106-115	66-75	26-35	515	1330	1730	2076	7078	20,64	23,48	1,58	0,09	1290X734X85
	7	699	1400	1345	50	99	1	106-115	66-75	26-35	591	1528	1986	2383	8126	23,76	26,92	1,78	0,10	1490X734X85
	7	699	1600	1545	50	99	1	106-115	66-75	26-35	679	1754	2280	2736	9330	26,84	30,33	1,98	0,11	1690X734X85
	7	699	1800	1745	50	99	1	106-115	66-75	26-35	779	2014	2618	3142	10713	29,96	33,77	2,18	0,12	1890X734X85

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Fiona Double 799	8	799	300	245	50	99	1	106-115	66-75	26-35	157	406	528	633	2160	7,55	9,00	0,77	0,03	390X834X85
	8	799	400	345	50	99	1	106-115	66-75	26-35	214	553	719	863	2944	9,33	10,97	0,89	0,04	490X834X85
	8	799	500	445	50	99	1	106-115	66-75	26-35	274	707	919	1103	3761	11,11	12,92	1,00	0,05	590X834X85
	8	799	600	545	50	99	1	106-115	66-75	26-35	336	867	1127	1353	4613	12,89	14,89	1,12	0,05	690X834X85
	8	799	700	645	50	99	1	106-115	66-75	26-35	383	990	1287	1544	5265	14,68	16,87	1,23	0,06	790X834X85
	8	799	800	745	50	99	1	106-115	66-75	26-35	428	1107	1439	1727	5888	16,46	18,82	1,34	0,07	890X834X85
	8	799	900	845	50	99	1	106-115	66-75	26-35	471	1218	1584	1900	6480	18,24	20,78	1,46	0,08	990X834X85
	8	799	1000	945	50	99	1	106-115	66-75	26-35	513	1324	1722	2066	7045	20,02	22,74	1,57	0,08	1090X834X85
	8	799	1200	1145	50	99	1	106-115	66-75	26-35	588	1521	1977	2372	8089	23,59	26,68	1,80	0,10	1290X834X85
	8	799	1400	1345	50	99	1	106-115	66-75	26-35	676	1746	2270	2723	9287	27,15	30,59	2,03	0,11	1490X834X85
Fiona Double 899	9	899	300	245	50	99	1	106-115	66-75	26-35	177	457	594	713	2430	8,49	10,04	0,87	0,04	390X934X85
	9	899	400	345	50	99	1	106-115	66-75	26-35	241	623	809	971	3312	10,50	12,25	1,00	0,04	490X934X85
	9	899	500	445	50	99	1	106-115	66-75	26-35	308	795	1034	1241	4231	12,50	14,44	1,13	0,05	590X934X85
	9	899	600	545	50	99	1	106-115	66-75	26-35	378	976	1268	1522	5189	14,51	16,65	1,25	0,06	690X934X85
	9	899	700	645	50	99	1	106-115	66-75	26-35	431	1114	1448	1737	5923	16,51	18,85	1,38	0,07	790X934X85
	9	899	800	745	50	99	1	106-115	66-75	26-35	482	1245	1619	1942	6623	18,52	21,06	1,51	0,08	890X934X85
	9	899	900	845	50	99	1	106-115	66-75	26-35	530	1370	1782	2138	7290	20,52	23,26	1,64	0,08	990X934X85
	9	899	1000	945	50	99	1	106-115	66-75	26-35	577	1490	1937	2324	7926	22,53	25,46	1,77	0,09	1090X934X85
	9	899	1200	1145	50	99	1	106-115	66-75	26-35	662	1711	2224	2669	9100	26,54	29,87	2,03	0,11	1290X934X85
	9	899	1400	1345	50	99	1	106-115	66-75	26-35	760	1964	2553	3064	10448	30,55	34,29	2,28	0,12	1490X934X85
Fiona Double 999	9	899	1600	1545	50	99	1	106-115	66-75	26-35	873	2255	2932	3518	11996	34,50	38,63	2,54	0,14	1690X934X85
	9	899	1800	1745	50	99	1	106-115	66-75	26-35	1002	2589	3366	4039	13773	38,51	43,04	2,80	0,16	1890X934X85
	10	999	300	245	50	99	1	106-115	66-75	26-35	196	508	660	792	2700	9,43	11,07	0,96	0,04	390X1034X85
	10	999	400	345	50	99	1	106-115	66-75	26-35	268	692	899	1079	3680	11,66	13,51	1,11	0,05	490X1034X85
	10	999	500	445	50	99	1	106-115	66-75	26-35	342	884	1149	1379	4701	13,89	15,96	1,25	0,06	590X1034X85
	10	999	600	545	50	99	1	106-115	66-75	26-35	419	1084	1409	1691	5766	16,12	18,40	1,39	0,07	690X1034X85
	10	999	700	645	50	99	1	106-115	66-75	26-35	479	1237	1608	1930	6582	18,35	20,85	1,54	0,07	790X1034X85
	10	999	800	745	50	99	1	106-115	66-75	26-35	535	1383	1798	2158	7359	20,57	23,29	1,68	0,08	890X1034X85
	10	999	900	845	50	99	1	106-115	66-75	26-35	589	1523	1980	2376	8100	22,80	25,74	1,82	0,09	990X1034X85
	10	999	1000	945	50	99	1	106-115	66-75	26-35	641	1655	2152	2582	8806	25,03	28,18	1,96	0,10	1090X1034X85
Fiona Double 1099	10	999	1200	1145	50	99	1	106-115	66-75	26-35	736	1901	2471	2965	10111	29,49	33,07	2,25	0,12	1290X1034X85
	10	999	1400	1345	50	99	1	106-115	66-75	26-35	845	2182	2837	3404	11609	33,94	37,96	2,54	0,14	1490X1034X85
	10	999	1600	1545	50	99	1	106-115	66-75	26-35	970	2506	3257	3909	13329	38,33	42,78	2,82	0,15	1690X1034X85
	10	999	1800	1745	50	99	1	106-115	66-75	26-35	1113	2877	3740	4488	15304	42,78	47,65	3,11	0,17	1890X1034X85
	11	1099	300	245	50	99	1	106-115	66-75	26-35	216	558	726	871	2970	10,38	12,11	1,06	0,04	390X1134X85
	11	1099	400	345	50	99	1	106-115	66-75	26-35	294	761	989	1187	4048	12,83	14,79	1,22	0,05	490X1134X85
	11	10																		

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Fiona Double 1399	14	1399	300	245	50	99	1	106-115	66-75	26-35	275	711	924	1109	3780	13,20	15,20	1,35	0,05	390X1434X85
	14	1399	400	345	50	99	1	106-115	66-75	26-35	375	968	1259	1511	5152	16,32	18,61	1,55	0,06	490X1434X85
	14	1399	500	445	50	99	1	106-115	66-75	26-35	479	1237	1608	1930	6582	19,44	22,01	1,75	0,08	590X1434X85
	14	1399	600	545	50	99	1	106-115	66-75	26-35	587	1517	1973	2367	8072	22,56	25,42	1,95	0,09	690X1434X85
	14	1399	700	645	50	99	1	106-115	66-75	26-35	670	1732	2252	2702	9214	25,68	28,82	2,15	0,10	790X1434X85
	14	1399	800	745	50	99	1	106-115	66-75	26-35	750	1937	2518	3021	10303	28,80	32,24	2,35	0,11	890X1434X85
	14	1399	900	845	50	99	1	106-115	66-75	26-35	825	2132	2771	3326	11341	31,92	35,65	2,55	0,13	990X1434X85
	14	1399	1000	945	50	99	1	106-115	66-75	26-35	897	2318	3013	3615	12329	35,04	39,06	2,75	0,14	1090X1434X85
	14	1399	1200	1145	50	99	1	106-115	66-75	26-35	1030	2661	3459	4151	14155	41,27	45,86	3,15	0,16	1290X1434X85
	14	1399	1400	1345	50	99	1	106-115	66-75	26-35	1182	3055	3972	4766	16252	47,51	52,68	3,55	0,19	1490X1434X85
Fiona Double 1499	15	1499	300	245	50	99	1	106-115	66-75	26-35	295	761	990	1188	4050	14,15	16,23	1,44	0,06	390X1534X85
	15	1499	400	345	50	99	1	106-115	66-75	26-35	402	1038	1349	1619	5520	17,49	19,88	1,66	0,07	490X1534X85
	15	1499	500	445	50	99	1	106-115	66-75	26-35	513	1326	1723	2068	7052	20,83	23,53	1,87	0,08	590X1534X85
	15	1499	600	545	50	99	1	106-115	66-75	26-35	629	1626	2114	2536	8649	24,17	27,17	2,09	0,09	690X1534X85
	15	1499	700	645	50	99	1	106-115	66-75	26-35	718	1856	2413	2895	9872	27,51	30,82	2,30	0,11	790X1534X85
	15	1499	800	745	50	99	1	106-115	66-75	26-35	803	2075	2698	3237	11039	30,86	34,47	2,52	0,12	890X1534X85
	15	1499	900	845	50	99	1	106-115	66-75	26-35	884	2284	2969	3563	12151	34,20	38,12	2,73	0,13	990X1534X85
	15	1499	1000	945	50	99	1	106-115	66-75	26-35	961	2483	3228	3874	13209	37,54	41,77	2,94	0,15	1090X1534X85
	15	1499	1200	1145	50	99	1	106-115	66-75	26-35	1103	2851	3706	4448	15166	44,22	49,06	3,37	0,17	1290X1534X85
	15	1499	1400	1345	50	99	1	106-115	66-75	26-35	1267	3273	4255	5107	17413	50,91	56,36	3,80	0,20	1490X1534X85
Fiona Double 1599	16	1599	300	245	50	99	1	106-115	66-75	26-35	314	812	1056	1267	4320	15,09	17,27	1,54	0,06	390X1634X85
	16	1599	400	345	50	99	1	106-115	66-75	26-35	428	1107	1439	1727	5888	18,65	21,15	1,77	0,07	490X1634X85
	16	1599	500	445	50	99	1	106-115	66-75	26-35	547	1414	1838	2206	7522	22,22	25,04	2,00	0,09	590X1634X85
	16	1599	600	545	50	99	1	106-115	66-75	26-35	671	1734	2255	2705	9226	25,78	28,93	2,23	0,10	690X1634X85
	16	1599	700	645	50	99	1	106-115	66-75	26-35	766	1980	2573	3088	10531	29,35	32,83	2,45	0,11	790X1634X85
	16	1599	800	745	50	99	1	106-115	66-75	26-35	857	2214	2878	3453	11775	32,91	36,71	2,68	0,13	890X1634X85
	16	1599	900	845	50	99	1	106-115	66-75	26-35	943	2436	3167	3801	12961	36,48	40,60	2,91	0,14	990X1634X85
	16	1599	1000	945	50	99	1	106-115	66-75	26-35	1025	2649	3443	4132	14090	40,04	44,48	3,14	0,16	1090X1634X85
Fiona Double 1699	17	1699	300	245	50	99	1	106-115	66-75	26-35	334	863	1122	1346	4590	16,03	18,31	1,64	0,06	390X1734X85
	17	1699	400	345	50	99	1	106-115	66-75	26-35	455	1176	1529	1834	6255	19,82	22,43	1,88	0,08	490X1734X85
	17	1699	500	445	50	99	1	106-115	66-75	26-35	581	1502	1953	2344	7992	23,61	26,56	2,12	0,09	590X1734X85
	17	1699	600	545	50	99	1	106-115	66-75	26-35	713	1843	2395	2875	9802	27,40	30,70	2,36	0,11	690X1734X85
	17	1699	700	645	50	99	1	106-115	66-75	26-35	814	2103	2734	3281	11189	31,18	34,82	2,61	0,12	790X1734X85
	17	1699	800	745	50	99	1	106-115	66-75	26-35	910	2352	3057	3669	12511	34,97	38,96	2,85	0,14	890X1734X85
	17	1699	900	845	50	99	1	106-115	66-75	26-35	1002	2589	3365	4038	13771	38,76	43,08	3,09	0,15	990X1734X85
	17	1699	1000	945	50	99	1	106-115	66-75	26-35	1089	2814	3658	4390	14970	42,55	47,21	3,34	0,17	1090X1734X85
Fiona Double 1799	18	1799	300	245	50	99	1	106-115	66-75	26-35	354	914	1188	1425	4860	16,97	19,32	1,73	0,07	390X1834X85
	18	1799	400	345	50	99	1	106-115	66-75	26-35	482	1245	1619	1942	6623	20,98	23,70	1,99	0,08	490X1834X85
	18	1799	500	445	50	99	1	106-115	66-75	26-35	616	1591	2068	2482	8462	24,99	28,06	2,25	0,10	590X1834X85
	18	1799	600	545	50	99	1	106-115	66-75	26-35	755	1951	2536	3044	10379	29,00	32,43	2,50	0,11	690X1834X85
	18	1799	700	645	50	99	1	106-115	66-75	26-35	862	2227	2895	3474	11847	33,01	36,81	2,76	0,13	790X1834X85
	18	1799	800	745	50	99	1	106-115	66-75	26-35	964	2490	3237	3885	13247	37,02	41,17	3,02	0,14	890X1834X85
	18	1799	900	845	50	99	1	106-115	66-75	26-35	1061	2741	3563	4276	14581	41,03	45,55	3,28	0,16	990X1834X85
	18	1799	1000	945	50	99	1	106-115	66-75	26-35	1153	2980	3874	4648	15851	45,04	49,91	3,53	0,17	1090X1834X85
Fiona Double 1899	19	1899	300	245	50	99	1	106-115	66-75	26-35	373	964	1254	1504	5130	17,91	20,36	1,83	0,07	390X1934X85
	19	1899	400	345	50	99	1	106-115	66-75	26-35	509	1314	1709	2050	6991	22,15	24,98	2,10	0,09	490X1934X85
	19	1899	500	445	50	99	1	106-115	66-75	26-35	650	1679	2183	2619	8932	26,38	29,58	2,37	0,10	590X1934X85
	19	1899	600	545	50	99	1	106-115	66-75	26-35	797	2059	2677	3213	10955	30,61	34,18	2,64	0,12	690X1934X85
	19	1899	700	645	50	99	1	106-115	66-75	26-35	910	2351	3056	3667	12505	34,85	38,81	2,91	0,13	790X1934X85
	19	1899	800	745	50	99	1	106-115	66-75	26-35	1017	2629	3417	4101	13983	39,08	43,42	3,19	0,15	890X1934X85
	19	1899	900	845	50	99	1	106-115	66-75	26-35	1120	2893	3761	4513	15391	43,31	48,03	3,46	0,17	990X1934X85
	19	1899	1000	945	50	99	1	106-115	66-75	26-35	1217	3145	4089	4907	16732	47,54	52,63	3,73	0,18	1090X1934X85
Fiona Double 1999	20	1999	300	245	50	99	1	106-115	66-75	26-35	393	1015	1320	1584	5400	18,86	21,39	1,92	0,07	390X2034X85
	20	1999	400	345	50	99	1	106-115	66-75	26-35	535	1383	1798	2158	7359	23,31	26,24	2,21	0,09	490X2034X85
	20	1999	500	445	50	99	1	106-115	66-75	26-35	684	1767	2298	2757	9402	27,77	31,10	2,49	0,11	590X2034X85
	20	1999	600	545	50	99	1	106-115	66-75	26-35	839	2168	2818	3382	11532	32,22	35,93	2,78	0,12	690X2034X85
	20	1999	700	645	50	99	1	106-115	66-75	26-35	958	2474	3217	3860	13163	36,68	40,80	3,07	0,14	790X2034X85
	20	1999	800	745	50	99	1	106-115	66-75	26-35	1071	2767	3597	4316	14719	41,14	45,65	3,35	0,16	890X2034X85
	20	1999	900	845	50	99	1	106-115	66-75	26-35	1179	3046	3959	4751	16201	45,59	50,50	3,64	0,18	990X2034X85
	20	1999	1000	945	50	99	1	106-115	66-75	26-35	1281	3311	4304	5165	17612	50,05	55,20	3,92	0,19	1090X2034X85