


Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70\text{ }^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Flat 294	3	294	300	245	35	94	6	62	43	26	37	96	125	151	513	2,12	2,94	0,29	0,01	390X329X70
	3	294	400	345	35	94	6	62	43	26	51	131	171	205	699	2,54	3,46	0,33	0,02	490X329X70
	3	294	500	445	35	94	6	62	43	26	65	168	218	262	894	2,97	3,97	0,38	0,02	590X329X70
	3	294	600	545	35	94	6	62	43	26	80	206	268	321	1096	3,39	4,48	0,42	0,02	690X329X70
	3	294	700	645	35	94	6	62	43	26	91	235	306	367	1251	3,82	5,00	0,46	0,02	790X329X70
	3	294	800	745	35	94	6	62	43	26	102	263	342	410	1399	4,25	5,51	0,51	0,03	890X329X70
	3	294	900	845	35	94	6	62	43	26	112	289	376	452	1540	4,67	6,02	0,55	0,03	990X329X70
	3	294	1000	945	35	94	6	62	43	26	122	315	409	491	1674	5,10	6,54	0,59	0,03	1090X329X70
	3	294	1200	1145	35	94	6	62	43	26	140	361	470	564	1922	5,95	7,58	0,68	0,03	1290X329X70
	3	294	1400	1345	35	94	6	62	43	26	161	415	539	647	2207	6,81	8,60	0,76	0,04	1490X329X70
3	294	1600	1545	35	94	6	62	43	26	184	476	619	743	2534	7,64	9,61	0,85	0,04	1690X329X70	
3	294	1800	1745	35	94	6	62	43	26	212	547	711	853	2909	8,49	10,62	0,93	0,05	1890X329X70	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Flat 394	4	394	300	245	35	94	6	62	43	26	50	129	167	201	684	2,83	3,75	0,39	0,02	390X429X70
	4	394	400	345	35	94	6	62	43	26	68	175	228	274	933	3,39	4,42	0,44	0,02	490X429X70
	4	394	500	445	35	94	6	62	43	26	87	224	291	349	1192	3,96	5,09	0,50	0,02	590X429X70
	4	394	600	545	35	94	6	62	43	26	106	275	357	429	1461	4,53	5,76	0,56	0,03	690X429X70
	4	394	700	645	35	94	6	62	43	26	121	314	408	489	1668	5,10	6,44	0,62	0,03	790X429X70
	4	394	800	745	35	94	6	62	43	26	136	351	456	547	1865	5,67	7,12	0,67	0,03	890X429X70
	4	394	900	845	35	94	6	62	43	26	149	386	502	602	2053	6,24	7,80	0,73	0,03	990X429X70
	4	394	1000	945	35	94	6	62	43	26	162	420	545	655	2232	6,80	8,46	0,79	0,04	1090X429X70
	4	394	1200	1145	35	94	6	62	43	26	186	482	626	752	2563	7,94	9,81	0,90	0,04	1290X429X70
Flat 494	5	494	300	245	35	94	6	62	43	26	62	161	209	251	855	3,53	4,53	0,48	0,02	390X529X70
	5	494	400	345	35	94	6	62	43	26	85	219	285	342	1166	4,24	5,36	0,56	0,02	490X529X70
	5	494	500	445	35	94	6	62	43	26	108	280	364	437	1489	4,96	6,20	0,63	0,03	590X529X70
	5	494	600	545	35	94	6	62	43	26	133	343	446	536	1827	5,67	7,04	0,70	0,03	690X529X70
	5	494	700	645	35	94	6	62	43	26	152	392	510	612	2085	6,38	7,87	0,77	0,03	790X529X70
	5	494	800	745	35	94	6	62	43	26	170	438	570	684	2332	7,09	8,71	0,84	0,04	890X529X70
	5	494	900	845	35	94	6	62	43	26	187	482	627	753	2566	7,80	9,54	0,91	0,04	990X529X70
	5	494	1000	945	35	94	6	62	43	26	203	524	682	818	2790	8,51	10,38	0,98	0,05	1090X529X70
	5	494	1200	1145	35	94	6	62	43	26	233	602	783	939	3203	9,93	12,04	1,13	0,05	1290X529X70
Flat 594	6	594	300	245	35	94	6	62	43	26	75	193	251	301	1027	4,23	5,32	0,58	0,02	390X629X70
	6	594	400	345	35	94	6	62	43	26	102	263	342	410	1399	5,09	6,32	0,67	0,03	490X629X70
	6	594	500	445	35	94	6	62	43	26	130	336	437	524	1787	5,94	7,31	0,75	0,03	590X629X70
	6	594	600	545	35	94	6	62	43	26	159	412	536	643	2192	6,79	8,31	0,84	0,04	690X629X70
	6	594	700	645	35	94	6	62	43	26	182	470	612	734	2502	7,64	9,30	0,92	0,04	790X629X70
	6	594	800	745	35	94	6	62	43	26	204	526	684	821	2798	8,50	10,30	1,01	0,04	890X629X70
	6	594	900	845	35	94	6	62	43	26	224	579	753	903	3080	9,35	11,29	1,10	0,05	990X629X70
	6	594	1000	945	35	94	6	62	43	26	244	629	818	982	3348	10,20	12,28	1,18	0,05	1090X629X70
	6	594	1200	1145	35	94	6	62	43	26	280	723	939	1127	3844	11,91	14,28	1,35	0,06	1290X629X70
Flat 694	7	694	300	245	35	94	6	62	43	26	87	225	293	351	1198	4,94	6,27	0,68	0,02	390X729X70
	7	694	400	345	35	94	6	62	43	26	119	307	399	479	1632	5,94	7,44	0,78	0,03	490X729X70
	7	694	500	445	35	94	6	62	43	26	152	392	510	612	2085	6,93	8,58	0,88	0,04	590X729X70
	7	694	600	545	35	94	6	62	43	26	186	481	625	750	2558	7,93	9,74	0,98	0,04	690X729X70
	7	694	700	645	35	94	6	62	43	26	212	549	713	856	2919	8,92	10,90	1,08	0,05	790X729X70
	7	694	800	745	35	94	6	62	43	26	237	614	798	957	3264	9,92	12,06	1,18	0,05	890X729X70
	7	694	900	845	35	94	6	62	43	26	261	675	878	1054	3593	10,91	13,20	1,28	0,06	990X729X70
	7	694	1000	945	35	94	6	62	43	26	284	734	955	1145	3906	11,90	14,35	1,38	0,06	1090X729X70
	7	694	1200	1145	35	94	6	62	43	26	326	843	1096	1315	4485	13,89	16,66	1,58	0,07	1290X729X70
Flat 794	8	794	300	245	35	94	6	62	43	26	100	257	334	401	1369	5,65	7,07	0,77	0,03	390X829X70
	8	794	400	345	35	94	6	62	43	26	136	351	456	547	1865	6,79	8,39	0,89	0,03	490X829X70
	8	794	500	445	35	94	6	62	43	26	173	448	582	699	2383	7,92	9,70	1,00	0,04	590X829X70
	8	794	600	545	35	94	6	62	43	26	213	549	714	857	2923	9,06	11,01	1,12	0,05	690X829X70
	8	794	700	645	35	94	6	62	43	26	243	627	815	978	3336	10,20	12,35	1,23	0,05	790X829X70
	8	794	800	745	35	94	6	62	43	26	271	701	912	1094	3731	11,34	13,65	1,35	0,06	890X829X70
	8	794	900	845	35	94	6	62	43	26	299	772	1003	1204	4106	12,47	14,96	1,46	0,06	990X829X70
	8	794	1000	945	35	94	6	62	43	26	325	839	1091	1309	4464	13,61	16,28	1,57	0,07	1090X829X70
	8	794	1200	1145	35	94	6	62	43	26	373	963	1253	1503	5125	15,88	18,91	1,80	0,08	1290X829X70
Flat 894	8	894	300	245	35	94	6	62	43	26	121	314	408	489	1668	5,10	6,44	0,62	0,03	390X929X70
	8	894	400	345	35	94	6	62	43	26	162	420	545	655	2232	6,80	8,46	0,79	0,04	490X929X70
	8	894	500	445	35	94	6	62	43	26	203	524	682	818	2790	8,51	10,38	0,98	0,05	590X929X70
	8	894	600	545	35	94	6	62	43	26	244	629	818	982	3348	10,20	12,28	1,18	0,05	690X929X70
	8	894	700	645	35	94	6	62	43	26	280	723	939	1127	3844	11,91	14,28	1,35	0,06	790X929X70
	8	894	800	745	35	94	6	62	43	26	321	830	1079	1294	4414	13,61	16,26	1,52	0,07	890X929X70
	8	894	900	845	35	94	6	62	43	26	369	953	1238	1486	5068	15,29	18,22	1,70	0,08	990X929X70
	8	894	1000	945	35	94	6	62	43	26	423	1094	1422	1706	5818	16,99	20,36	1,87	0,09	1090X929X70
	8	894	1200	1145	35	94	6	62	43	26	494	1276	1659	1991	6788	19,82	23,54	2,18	0,10	1290X929X70

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70\text{ }^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Flat 1494	15	1494	300	245	35	94	6	62	43	26	187	482	627	753	2566	10,60	12,63	1,45	0,05	390X1529X70
	15	1494	400	345	35	94	6	62	43	26	254	657	855	1026	3497	12,74	15,08	1,66	0,06	490X1529X70
	15	1494	500	445	35	94	6	62	43	26	325	840	1092	1310	4468	14,87	17,52	1,88	0,07	590X1529X70
	15	1494	600	545	35	94	6	62	43	26	399	1030	1339	1607	5480	17,00	19,94	2,09	0,08	690X1529X70
	15	1494	700	645	35	94	6	62	43	26	455	1176	1529	1835	6256	19,13	22,37	2,31	0,09	790X1529X70
	15	1494	800	745	35	94	6	62	43	26	509	1315	1709	2051	6995	21,26	24,81	2,52	0,10	890X1529X70
	15	1494	900	845	35	94	6	62	43	26	560	1447	1882	2258	7699	23,39	27,24	2,74	0,11	990X1529X70
Flat 1594	16	1594	300	245	35	94	6	62	43	26	199	515	669	803	2738	11,31	13,43	1,55	0,05	390X1629X70
	16	1594	400	345	35	94	6	62	43	26	271	701	912	1094	3731	13,59	16,04	1,77	0,06	490X1629X70
	16	1594	500	445	35	94	6	62	43	26	347	896	1165	1398	4766	15,86	18,62	2,00	0,07	590X1629X70
	16	1594	600	545	35	94	6	62	43	26	425	1099	1429	1714	5846	18,13	21,22	2,23	0,08	690X1629X70
	16	1594	700	645	35	94	6	62	43	26	485	1254	1631	1957	6673	20,41	23,82	2,46	0,10	790X1629X70
	16	1594	800	745	35	94	6	62	43	26	543	1403	1823	2188	7461	22,68	26,41	2,69	0,11	890X1629X70
	16	1594	900	845	35	94	6	62	43	26	597	1544	2007	2408	8213	24,95	29,01	2,92	0,12	990X1629X70
Flat 1694	17	1694	300	245	35	94	6	62	43	26	212	547	711	853	2909	12,02	14,24	1,64	0,05	390X1729X70
	17	1694	400	345	35	94	6	62	43	26	288	745	969	1162	3964	14,44	16,99	1,89	0,06	490X1729X70
	17	1694	500	445	35	94	6	62	43	26	368	952	1238	1485	5064	16,85	19,74	2,13	0,08	590X1729X70
	17	1694	600	545	35	94	6	62	43	26	452	1168	1518	1821	6211	19,27	22,49	2,37	0,09	690X1729X70
	17	1694	700	645	35	94	6	62	43	26	516	1333	1733	2079	7090	21,68	25,25	2,61	0,10	790X1729X70
	17	1694	800	745	35	94	6	62	43	26	577	1490	1937	2325	7928	24,10	28,01	2,86	0,11	890X1729X70
	17	1694	900	845	35	94	6	62	43	26	635	1640	2132	2559	8726	26,52	30,76	3,10	0,12	990X1729X70
Flat 1794	18	1794	300	245	35	94	6	62	43	26	224	579	753	903	3080	12,72	15,02	1,74	0,05	390X1829X70
	18	1794	400	345	35	94	6	62	43	26	305	789	1026	1231	4197	15,28	17,93	2,00	0,07	490X1829X70
	18	1794	500	445	35	94	6	62	43	26	390	1008	1310	1572	5362	17,84	20,85	2,25	0,08	590X1829X70
	18	1794	600	545	35	94	6	62	43	26	478	1236	1607	1929	6576	20,39	23,75	2,51	0,09	690X1829X70
	18	1794	700	645	35	94	6	62	43	26	546	1411	1835	2201	7507	22,95	26,69	2,77	0,11	790X1829X70
	18	1794	800	745	35	94	6	62	43	26	611	1578	2051	2462	8394	25,51	29,58	3,03	0,12	890X1829X70
	18	1794	900	845	35	94	6	62	43	26	672	1737	2258	2709	9239	28,07	32,51	3,28	0,13	990X1829X70
Flat 1894	19	1894	300	245	35	94	6	62	43	26	236	611	794	953	3251	13,43	15,82	1,84	0,06	390X1929X70
	19	1894	400	345	35	94	6	62	43	26	322	833	1083	1299	4430	16,13	18,90	2,11	0,07	490X1929X70
	19	1894	500	445	35	94	6	62	43	26	412	1064	1383	1660	5660	18,83	21,97	2,38	0,08	590X1929X70
	19	1894	600	545	35	94	6	62	43	26	505	1305	1696	2036	6942	21,53	25,04	2,65	0,10	690X1929X70
	19	1894	700	645	35	94	6	62	43	26	576	1490	1936	2324	7924	24,23	28,12	2,92	0,11	790X1929X70
	19	1894	800	745	35	94	6	62	43	26	645	1666	2165	2598	8860	26,93	31,19	3,19	0,13	890X1929X70
	19	1894	900	845	35	94	6	62	43	26	709	1833	2383	2860	9752	29,63	34,27	3,47	0,14	990X1929X70
Flat 1994	20	1994	300	245	35	94	6	62	43	26	249	643	836	1003	3422	14,14	16,61	1,93	0,06	390X2029X70
	20	1994	400	345	35	94	6	62	43	26	339	877	1140	1368	4663	16,98	19,85	2,22	0,07	490X2029X70
	20	1994	500	445	35	94	6	62	43	26	433	1120	1456	1747	5958	19,82	23,08	2,50	0,09	590X2029X70
	20	1994	600	545	35	94	6	62	43	26	532	1374	1786	2143	7307	22,66	26,30	2,79	0,10	690X2029X70
	20	1994	700	645	35	94	6	62	43	26	607	1568	2038	2446	8341	25,51	29,55	3,08	0,12	790X2029X70
	20	1994	800	745	35	94	6	62	43	26	679	1753	2279	2735	9327	28,35	32,79	3,36	0,13	890X2029X70
	20	1994	900	845	35	94	6	62	43	26	747	1930	2509	3010	10266	31,19	36,02	3,65	0,15	990X2029X70
	20	1994	1000	945	35	94	6	62	43	26	812	2098	2727	3273	11160	34,03	39,09	3,93	0,16	1090X2029X70