


Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Flora 306	3	306	1800	1745	29	100	3	72-98	56-82	43-69	180	465	605	726	2474	6,08	8,14	0,96	0,04	1920X331X61
	5	512	300	245	29	100	3	72-98	56-82	43-69	53	137	178	213	728	3,06	4,05	0,53	0,02	420X537X61
Flora 512	5	512	400	345	29	100	3	72-98	56-82	43-69	72	186	242	291	991	3,54	4,65	0,60	0,02	520X537X61
	5	512	500	445	29	100	3	72-98	56-82	43-69	92	238	310	371	1267	4,01	5,24	0,67	0,03	620X537X61
	5	512	600	545	29	100	3	72-98	56-82	43-69	113	292	380	456	1554	4,49	5,83	0,74	0,03	720X537X61
	5	512	700	645	29	100	3	72-98	56-82	43-69	129	333	433	520	1773	4,96	6,44	0,81	0,03	820X537X61
	5	512	800	745	29	100	3	72-98	56-82	43-69	144	373	485	581	1983	5,43	7,02	0,89	0,04	920X537X61
	5	512	900	845	29	100	3	72-98	56-82	43-69	159	410	533	640	2183	5,91	7,61	0,96	0,04	1020X537X61
	5	512	1000	945	29	100	3	72-98	56-82	43-69	173	446	580	696	2373	6,38	8,21	1,03	0,04	1120X537X61
	5	512	1200	1145	29	100	3	72-98	56-82	43-69	198	512	666	799	2724	7,33	9,39	1,17	0,05	1320X537X61
	5	512	1400	1345	29	100	3	72-98	56-82	43-69	228	588	764	917	3128	8,28	10,59	1,32	0,05	1520X537X61
	5	512	1600	1545	29	100	3	72-98	56-82	43-69	261	675	878	1053	3591	9,19	11,74	1,46	0,06	1720X537X61
5	512	1800	1745	29	100	3	72-98	56-82	43-69	300	775	1008	1209	4123	10,13	12,91	1,60	0,07	1920X537X61	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70\text{ }^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Flora 1954	19	1954	300	245	29	100	3	72-98	56-82	43-69	201	520	676	811	2765	11,62	13,85	2,00	0,06	420X1979X61
	19	1954	400	345	29	100	3	72-98	56-82	43-69	274	708	921	1105	3768	13,42	16,03	2,27	0,07	520X1979X61
	19	1954	500	445	29	100	3	72-98	56-82	43-69	350	905	1176	1412	4813	15,23	18,22	2,54	0,08	620X1979X61
	19	1954	600	545	29	100	3	72-98	56-82	43-69	429	1110	1443	1731	5904	17,03	20,39	2,81	0,09	720X1979X61
	19	1954	700	645	29	100	3	72-98	56-82	43-69	490	1267	1647	1976	6739	18,83	22,58	3,09	0,10	820X1979X61
	19	1954	800	745	29	100	3	72-98	56-82	43-69	548	1416	1841	2210	7535	20,63	24,75	3,36	0,12	920X1979X61
	19	1954	900	845	29	100	3	72-98	56-82	43-69	603	1559	2027	2432	8294	22,43	26,93	3,63	0,13	1020X1979X61
	19	1954	1000	945	29	100	3	72-98	56-82	43-69	656	1695	2203	2644	9016	24,23	29,12	3,90	0,14	1120X1979X61