


Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	G Space Between Two Groups (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m <sup>3</sup> )	Package Dimensions H x W x D (mm)
Linea 450	2 (2)	450	195	50	40	50	5	100	83-108	58-83	43-68	42	81	106	127	434	2,30	2,60	0,13	0,01	295 x 540 x 55
	4 (2+2)	450	400	50	40	50	5	100	83-108	58-83	43-68	83	164	214	256	873	4,19	4,66	0,22	0,01	500 x 540 x 55
	6 (2+2+2)	450	605	50	40	50	5	100	83-108	58-83	43-68	125	247	322	386	1317	6,07	6,72	0,32	0,02	705 x 540 x 55
	8 (2+2+2+2)	450	810	50	40	50	5	100	83-108	58-83	43-68	166	329	428	514	1753	7,96	8,79	0,42	0,03	910 x 540 x 55
	10 (2+2+2+2+2)	450	1015	50	40	50	5	100	83-108	58-83	43-68	208	412	536	643	2193	9,84	10,85	0,52	0,03	1115 x 540 x 55
	12 (2+2+2+2+2+2)	450	1220	50	40	50	5	100	83-108	58-83	43-68	250	495	644	773	2636	11,73	12,91	0,61	0,04	1320 x 540 x 55
	14 (2+2+2+2+2+2+2)	450	1425	50	40	50	5	100	83-108	58-83	43-68	126	249	324	389	1327	13,62	14,97	0,71	0,05	1525 x 540 x 55