


Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^\circ C$ (Watt)	Heat Output $\Delta T=50^\circ C$ (Watt)	Heat Output $\Delta T=60^\circ C$ (Watt)	Heat Output $\Delta T=70^\circ C$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m <sup>3</sup> )	Package Dimensions H x W x D (mm)
Pia Double 239	2	239	300	245	60	99	1	86-95	56-65	26-35	47	121	157	189	644	2,18	2,97	0,22	0,02	400X279X100
	2	239	400	345	60	99	1	86-95	56-65	26-35	64	165	214	257	877	2,71	3,59	0,25	0,02	500X279X100
	2	239	500	445	60	99	1	86-95	56-65	26-35	82	211	274	329	1121	3,25	4,24	0,28	0,02	600X279X100
	2	239	600	545	60	99	1	86-95	56-65	26-35	100	258	336	403	1374	3,79	4,90	0,30	0,02	700X279X100
	2	239	700	645	60	99	1	86-95	56-65	26-35	114	295	383	460	1569	4,32	5,49	0,33	0,03	800X279X100
	2	239	800	745	60	99	1	86-95	56-65	26-35	128	330	429	514	1754	4,86	6,13	0,36	0,03	900X279X100
	2	239	900	845	60	99	1	86-95	56-65	26-35	140	363	472	566	1931	5,40	6,77	0,39	0,03	1000X279X100
	2	239	1000	945	60	99	1	86-95	56-65	26-35	153	395	513	616	2099	5,93	7,39	0,42	0,04	1100X279X100
	2	239	1200	1145	60	99	1	86-95	56-65	26-35	175	453	589	707	2410	7,00	8,65	0,48	0,04	1300X279X100
	2	239	1400	1345	60	99	1	86-95	56-65	26-35	201	520	676	811	2767	8,08	9,92	0,53	0,05	1500X279X100
2	239	1600	1545	60	99	1	86-95	56-65	26-35	231	597	776	932	3177	9,14	11,17	0,59	0,05	1700X279X100	
2	239	1800	1745	60	99	1	86-95	56-65	26-35	265	686	891	1070	3648	10,21	12,58	0,65	0,06	1900X279X100	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m <sup>3</sup> )	Package Dimensions H x W x D (mm)
Pia Double 359	3	359	300	245	60	99	1	86-95	56-65	26-35	70	181	236	283	965	3,26	4,19	0,33	0,02	400X399X100
	3	359	400	345	60	99	1	86-95	56-65	26-35	96	247	321	386	1316	4,07	5,11	0,37	0,02	500X399X100
	3	359	500	445	60	99	1	86-95	56-65	26-35	122	316	411	493	1681	4,87	6,02	0,41	0,03	600X399X100
	3	359	600	545	60	99	1	86-95	56-65	26-35	150	388	504	605	2061	5,68	6,96	0,45	0,03	700X399X100
	3	359	700	645	60	99	1	86-95	56-65	26-35	171	442	575	690	2353	6,48	7,87	0,50	0,04	800X399X100
	3	359	800	745	60	99	1	86-95	56-65	26-35	191	495	643	772	2631	7,29	8,79	0,54	0,04	900X399X100
	3	359	900	845	60	99	1	86-95	56-65	26-35	211	544	708	849	2896	8,09	9,71	0,58	0,04	1000X399X100
	3	359	1000	945	60	99	1	86-95	56-65	26-35	229	592	769	923	3148	8,90	10,64	0,63	0,05	1100X399X100
	3	359	1200	1145	60	99	1	86-95	56-65	26-35	263	680	883	1060	3615	10,51	12,48	0,71	0,06	1300X399X100
	3	359	1400	1345	60	99	1	86-95	56-65	26-35	302	780	1014	1217	4150	12,12	14,33	0,80	0,06	1500X399X100
Pia Double 479	4	479	300	245	60	99	1	86-95	56-65	26-35	94	242	315	377	1287	4,35	5,39	0,43	0,03	400X519X100
	4	479	400	345	60	99	1	86-95	56-65	26-35	128	330	429	514	1754	5,42	6,60	0,49	0,03	500X519X100
	4	479	500	445	60	99	1	86-95	56-65	26-35	163	421	548	657	2241	6,50	7,83	0,55	0,04	600X519X100
	4	479	600	545	60	99	1	86-95	56-65	26-35	200	517	672	806	2749	7,57	9,03	0,61	0,04	700X519X100
	4	479	700	645	60	99	1	86-95	56-65	26-35	228	590	767	920	3137	8,64	10,24	0,66	0,05	800X519X100
	4	479	800	745	60	99	1	86-95	56-65	26-35	255	659	857	1029	3508	9,71	11,45	0,72	0,05	900X519X100
	4	479	900	845	60	99	1	86-95	56-65	26-35	281	726	944	1132	3861	10,79	12,67	0,78	0,06	1000X519X100
	4	479	1000	945	60	99	1	86-95	56-65	26-35	305	789	1026	1231	4198	11,86	13,88	0,83	0,06	1100X519X100
	4	479	1200	1145	60	99	1	86-95	56-65	26-35	351	906	1178	1413	4820	14,01	16,31	0,95	0,07	1300X519X100
	4	479	1400	1345	60	99	1	86-95	56-65	26-35	403	1040	1352	1623	5534	16,15	18,72	1,06	0,08	1500X519X100
Pia Double 599	5	599	300	245	60	99	1	86-95	56-65	26-35	117	302	393	472	1609	5,43	6,60	0,54	0,03	400X639X100
	5	599	400	345	60	99	1	86-95	56-65	26-35	160	412	536	643	2193	6,78	8,11	0,61	0,04	500X639X100
	5	599	500	445	60	99	1	86-95	56-65	26-35	204	527	685	821	2801	8,12	9,61	0,68	0,04	600X639X100
	5	599	600	545	60	99	1	86-95	56-65	26-35	250	646	840	1008	3436	9,46	11,11	0,76	0,05	700X639X100
	5	599	700	645	60	99	1	86-95	56-65	26-35	285	737	958	1150	3922	10,80	12,62	0,83	0,06	800X639X100
	5	599	800	745	60	99	1	86-95	56-65	26-35	319	824	1072	1286	4385	12,14	14,11	0,90	0,06	900X639X100
	5	599	900	845	60	99	1	86-95	56-65	26-35	351	907	1180	1415	4827	13,48	15,61	0,97	0,07	1000X639X100
	5	599	1000	945	60	99	1	86-95	56-65	26-35	382	986	1282	1539	5247	14,83	17,11	1,04	0,08	1100X639X100
	5	599	1200	1145	60	99	1	86-95	56-65	26-35	438	1133	1472	1767	6025	17,51	20,12	1,18	0,09	1300X639X100
	5	599	1400	1345	60	99	1	86-95	56-65	26-35	503	1300	1690	2029	6917	20,19	23,12	1,33	0,10	1500X639X100
Pia Double 719	6	719	300	245	60	99	1	86-95	56-65	26-35	140	363	472	566	1931	6,51	7,98	0,65	0,04	400X759X100
	6	719	400	345	60	99	1	86-95	56-65	26-35	191	495	643	772	2631	8,12	9,77	0,73	0,04	500X759X100
	6	719	500	445	60	99	1	86-95	56-65	26-35	245	632	821	986	3362	9,73	11,56	0,82	0,05	600X759X100
	6	719	600	545	60	99	1	86-95	56-65	26-35	300	775	1008	1209	4123	11,34	13,35	0,91	0,06	700X759X100
	6	719	700	645	60	99	1	86-95	56-65	26-35	342	885	1150	1380	4706	12,95	15,14	0,99	0,07	800X759X100
	6	719	800	745	60	99	1	86-95	56-65	26-35	383	989	1286	1543	5262	14,56	16,93	1,08	0,07	900X759X100
	6	719	900	845	60	99	1	86-95	56-65	26-35	421	1089	1415	1699	5792	16,17	18,72	1,16	0,08	1000X759X100
	6	719	1000	945	60	99	1	86-95	56-65	26-35	458	1184	1539	1847	6297	17,78	20,52	1,25	0,09	1100X759X100
	6	719	1200	1145	60	99	1	86-95	56-65	26-35	526	1359	1767	2120	7230	21,00	24,10	1,42	0,10	1300X759X100
	6	719	1400	1345	60	99	1	86-95	56-65	26-35	604	1560	2029	2434	8301	24,22	27,69	1,59	0,12	1500X759X100
Pia Double 839	7	839	300	245	60	99	1	86-95	56-65	26-35	164	423	550	661	2253	7,60	9,19	0,76	0,04	400X879X100
	7	839	400	345	60	99	1	86-95	56-65	26-35	223	577	750	900	3070	9,47	11,26	0,86	0,05	500X879X100
	7	839	500	445	60	99	1	86-95	56-65	26-35	285	737	958	1150	3922	11,35	13,35	0,96	0,06	600X879X100
	7	839	600	545	60	99	1	86-95	56-65	26-35	350	904	1175	1411	4810	13,23	15,43	1,06	0,07	700X879X100
	7	839	700	645	60	99	1	86-95	56-65	26-35	399	1032	1342	1610	5491	15,11	17,51	1,16	0,08	800X879X100
	7	839	800	745	60	99	1	86-95	56-65	26-35	447	1154	1500	1800	6139	16,99	19,60	1,26	0,08	900X879X100
	7	839	900	845	60	99	1	86-95	56-65	26-35	492	1270	1651	1982	6758	18,87	21,68	1,36	0,09	1000X879X100
	7	839	1000	945	60	99	1	86-95	56-65	26-35	534	1381	1795	2154	7346	20,74	23,75	1,46	0,10	1100X879X100
	7	839	1200	1145	60	99	1	86-95	56-65	26-35	614	1586	2061	2474	8435	24,50	27,92	1,66	0,12	1300X879X100
	7	839	1400	1345	60	99	1	86-95	56-65	26-35	705	1820	2367	2840	9684	28,26	32,08	1,86	0,14	1500X879X100
7	839	1600	1545	60	99	1	86-95	56-65	26-35	809	2090	2717	3261	11119	31,97	36,19	2,06	0,15	1700X879X100	
7	839	1800	1745	60	99	1	86-95	56-65	26-35	929	2400	3120	3744	12767	35,73	40,49	2,26	0,17	1900X879X100	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m <sup>3</sup> )	Package Dimensions H x W x D (mm)
Pia Double 959	8	959	300	245	60	99	1	86-95	56-65	26-35	187	484	629	755	2574	8,68	10,39	0,86	0,04	400X999X100
	8	959	400	345	60	99	1	86-95	56-65	26-35	255	659	857	1029	3508	10,83	12,76	0,98	0,05	500X999X100
	8	959	500	445	60	99	1	86-95	56-65	26-35	326	843	1095	1314	4482	12,98	15,14	1,09	0,06	600X999X100
	8	959	600	545	60	99	1	86-95	56-65	26-35	400	1033	1343	1612	5497	15,12	17,51	1,21	0,07	700X999X100
	8	959	700	645	60	99	1	86-95	56-65	26-35	456	1180	1533	1840	6275	17,27	19,88	1,32	0,08	800X999X100
	8	959	800	745	60	99	1	86-95	56-65	26-35	510	1319	1715	2058	7016	19,42	22,25	1,43	0,09	900X999X100
	8	959	900	845	60	99	1	86-95	56-65	26-35	562	1452	1887	2265	7723	21,56	24,62	1,55	0,10	1000X999X100
	8	959	1000	945	60	99	1	86-95	56-65	26-35	611	1578	2052	2462	8396	23,71	26,99	1,66	0,11	1100X999X100
	8	959	1200	1145	60	99	1	86-95	56-65	26-35	701	1812	2356	2827	9640	28,00	31,74	1,89	0,13	1300X999X100
	8	959	1400	1345	60	99	1	86-95	56-65	26-35	805	2081	2705	3246	11068	32,29	36,47	2,12	0,15	1500X999X100
8	959	1600	1545	60	99	1	86-95	56-65	26-35	924	2389	3105	3727	12708	36,54	41,17	2,35	0,17	1700X999X100	
8	959	1800	1745	60	99	1	86-95	56-65	26-35	1061	2743	3566	4279	14590	40,83	46,03	2,58	0,19	1900X999X100	
Pia Double 1079	9	1079	300	245	60	99	1	86-95	56-65	26-35	211	544	708	849	2896	9,77	11,61	0,97	0,05	400X1119X100
	9	1079	400	345	60	99	1	86-95	56-65	26-35	287	742	964	1157	3947	12,18	14,27	1,10	0,06	500X1119X100
	9	1079	500	445	60	99	1	86-95	56-65	26-35	367	948	1232	1479	5042	14,60	16,93	1,23	0,07	600X1119X100
	9	1079	600	545	60	99	1	86-95	56-65	26-35	450	1163	1511	1814	6184	17,01	19,59	1,36	0,08	700X1119X100
	9	1079	700	645	60	99	1	86-95	56-65	26-35	514	1327	1725	2070	7059	19,43	22,26	1,48	0,09	800X1119X100
	9	1079	800	745	60	99	1	86-95	56-65	26-35	574	1484	1929	2315	7893	21,84	24,91	1,61	0,11	900X1119X100
	9	1079	900	845	60	99	1	86-95	56-65	26-35	632	1633	2123	2548	8688	24,26	27,58	1,74	0,12	1000X1119X100
	9	1079	1000	945	60	99	1	86-95	56-65	26-35	687	1776	2308	2770	9445	26,67	30,23	1,87	0,13	1100X1119X100
	9	1079	1200	1145	60	99	1	86-95	56-65	26-35	789	2039	2650	3180	10845	31,50	35,56	2,13	0,15	1300X1119X100
	9	1079	1400	1345	60	99	1	86-95	56-65	26-35	906	2341	3043	3651	12451	36,33	40,88	2,39	0,17	1500X1119X100
9	1079	1600	1545	60	99	1	86-95	56-65	26-35	1040	2687	3494	4192	14296	41,10	46,14	2,64	0,20	1700X1119X100	
9	1079	1800	1745	60	99	1	86-95	56-65	26-35	1194	3086	4011	4814	16414	45,93	51,58	2,90	0,22	1900X1119X100	
Pia Double 1199	10	1199	300	245	60	99	1	86-95	56-65	26-35	234	605	786	944	3218	10,86	12,83	1,08	0,05	400X1239X100
	10	1199	400	345	60	99	1	86-95	56-65	26-35	319	824	1072	1286	4385	13,54	15,77	1,22	0,07	500X1239X100
	10	1199	500	445	60	99	1	86-95	56-65	26-35	408	1053	1369	1643	5603	16,22	18,72	1,36	0,08	600X1239X100
	10	1199	600	545	60	99	1	86-95	56-65	26-35	500	1292	1679	2015	6872	18,90	21,67	1,51	0,09	700X1239X100
	10	1199	700	645	60	99	1	86-95	56-65	26-35	571	1474	1917	2300	7844	21,59	24,62	1,65	0,10	800X1239X100
	10	1199	800	745	60	99	1	86-95	56-65	26-35	638	1649	2143	2572	8770	24,27	27,58	1,79	0,12	900X1239X100
	10	1199	900	845	60	99	1	86-95	56-65	26-35	702	1815	2359	2831	9654	26,95	30,52	1,93	0,13	1000X1239X100
	10	1199	1000	945	60	99	1	86-95	56-65	26-35	763	1973	2565	3078	10495	29,64	33,48	2,08	0,14	1100X1239X100
	10	1199	1200	1145	60	99	1	86-95	56-65	26-35	877	2265	2945	3534	12049	35,00	39,37	2,36	0,17	1300X1239X100
	10	1199	1400	1345	60	99	1	86-95	56-65	26-35	1006	2601	3381	4057	13835	40,37	45,28	2,65	0,19	1500X1239X100
10	1199	1600	1545	60	99	1	86-95	56-65	26-35	1156	2986	3882	4658	15885	45,66	51,11	2,94	0,22	1700X1239X100	
10	1199	1800	1745	60	99	1	86-95	56-65	26-35	1327	3428	4457	5348	18238	51,03	57,13	3,22	0,24	1900X1239X100	
Pia Double 1319	11	1319	300	245	60	99	1	86-95	56-65	26-35	258	665	865	1038	3540	11,94	14,04	1,18	0,06	400X1359X100
	11	1319	400	345	60	99	1	86-95	56-65	26-35	351	907	1179	1415	4824	14,89	17,28	1,34	0,07	500X1359X100
	11	1319	500	445	60	99	1	86-95	56-65	26-35	448	1159	1506	1807	6163	17,85	20,53	1,50	0,09	600X1359X100
	11	1319	600	545	60	99	1	86-95	56-65	26-35	550	1421	1847	2217	7559	20,80	23,76	1,66	0,10	700X1359X100
	11	1319	700	645	60	99	1	86-95	56-65	26-35	628	1622	2108	2530	8628	23,75	27,01	1,81	0,11	800X1359X100
	11	1319	800	745	60	99	1	86-95	56-65	26-35	702	1814	2358	2829	9648	26,70	30,25	1,97	0,13	900X1359X100
	11	1319	900	845	60	99	1	86-95	56-65	26-35	773	1996	2595	3114	10619	29,65	33,48	2,13	0,14	1000X1359X100
	11	1319	1000	945	60	99	1	86-95	56-65	26-35	840	2170	2821	3385	11544	32,60	36,72	2,29	0,15	1100X1359X100
	11	1319	1200	1145	60	99	1	86-95	56-65	26-35	964	2492	3239	3887	13254	38,50	43,20	2,60	0,18	1300X1359X100
	11	1319	1400	1345	60	99	1	86-95	56-65	26-35	1107	2861	3719	4463	15218	44,41	49,69	2,91	0,21	1500X1359X100
Pia Double 1439	12	1439	300	245	60	99	1	86-95	56-65	26-35	281	726	944	1132	3861	13,02	15,24	1,29	0,06	400X1479X100
	12	1439	400	345	60	99	1	86-95	56-65	26-35	383	989	1286	1543	5262	16,24	18,78	1,46	0,08	500X1479X100
	12	1439	500	445	60	99	1	86-95	56-65	26-35	489	1264	1643	1972	6723	19,46	22,30	1,63	0,09	600X1479X100
	12	1439	600	545	60	99	1	86-95	56-65	26-35	600	1550	2015	2418	8246	22,68	25,84	1,81	0,11	700X1479X100
	12	1439	700	645	60	99	1	86-95	56-65	26-35	685	1769	2300	2760	9412	25,90	29,37	1,98	0,12	800X1479X100
	12	1439	800	745	60	99	1	86-95	56-65	26-35	766	1978	2572	3086	10525	29,12	32,90	2,15	0,14	900X1479X100
	12	1439	900	845	60	99	1	86-95	56-65	26-35	843	2178	2831	3397	11584	32,34	36,42	2,32	0,15	1000X1479X100
	12	1439	1000	945	60	99	1	86-95	56-65	26-35	916	2367	3078	3693	12594	35,56	39,95	2,49	0,17	1100X1479X100
	12	1439	1200	1145	60	99	1	86-95	56-65	26-35	1052	2718	3534	4240	14459	42,00	47,02	2,84	0,20	1300X1479X100
	12	1439	1400	1345	60	99	1	86-95	56-65	26-35	1208	3121	4057	4869	16602	48,43	54,07	3,18	0,23	1500X1479X100

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m <sup>3</sup> )	Package Dimensions H x W x D (mm)
Pia Double 1559	13	1559	300	245	60	99	1	86-95	56-65	26-35	304	786	1022	1227	4183	14,11	16,46	1,40	0,07	400X1599X100
	13	1559	400	345	60	99	1	86-95	56-65	26-35	415	1072	1393	1672	5701	17,59	20,27	1,58	0,08	500X1599X100
	13	1559	500	445	60	99	1	86-95	56-65	26-35	530	1369	1780	2136	7283	21,08	24,09	1,77	0,10	600X1599X100
	13	1559	600	545	60	99	1	86-95	56-65	26-35	650	1679	2183	2620	8933	24,57	27,91	1,96	0,12	700X1599X100
	13	1559	700	645	60	99	1	86-95	56-65	26-35	742	1917	2492	2990	10197	28,06	31,73	2,14	0,13	800X1599X100
	13	1559	800	745	60	99	1	86-95	56-65	26-35	829	2143	2786	3344	11402	31,54	35,54	2,33	0,15	900X1599X100
	13	1559	900	845	60	99	1	86-95	56-65	26-35	913	2359	3067	3680	12550	35,03	39,37	2,51	0,16	1000X1599X100
	13	1559	1000	945	60	99	1	86-95	56-65	26-35	993	2565	3334	4001	13643	38,52	43,20	2,70	0,18	1100X1599X100
	13	1559	1200	1145	60	99	1	86-95	56-65	26-35	1140	2945	3828	4594	15664	45,50	50,84	3,07	0,21	1300X1599X100
13	1559	1400	1345	60	99	1	86-95	56-65	26-35	1308	3381	4395	5274	17985	52,47	58,47	3,44	0,24	1500X1599X100	
Pia Double 1679	14	1679	300	245	60	99	1	86-95	56-65	26-35	328	847	1101	1321	4505	15,19	17,67	1,51	0,07	400X1719X100
	14	1679	400	345	60	99	1	86-95	56-65	26-35	447	1154	1500	1800	6139	18,95	21,78	1,71	0,09	500X1719X100
	14	1679	500	445	60	99	1	86-95	56-65	26-35	571	1474	1917	2300	7844	22,70	25,88	1,91	0,11	600X1719X100
	14	1679	600	545	60	99	1	86-95	56-65	26-35	700	1808	2351	2821	9620	26,46	30,00	2,11	0,13	700X1719X100
	14	1679	700	645	60	99	1	86-95	56-65	26-35	799	2064	2684	3220	10981	30,22	34,11	2,31	0,14	800X1719X100
	14	1679	800	745	60	99	1	86-95	56-65	26-35	893	2308	3001	3601	12279	33,97	38,21	2,51	0,16	900X1719X100
	14	1679	900	845	60	99	1	86-95	56-65	26-35	983	2541	3303	3963	13515	37,73	42,33	2,71	0,18	1000X1719X100
	14	1679	1000	945	60	99	1	86-95	56-65	26-35	1069	2762	3591	4309	14692	41,48	46,44	2,91	0,19	1100X1719X100
	14	1679	1200	1145	60	99	1	86-95	56-65	26-35	1227	3171	4123	4947	16869	49,00	54,67	3,31	0,23	1300X1719X100
14	1679	1400	1345	60	99	1	86-95	56-65	26-35	1409	3641	4733	5680	19369	56,51	62,89	3,71	0,26	1500X1719X100	
Pia Double 1799	15	1799	300	245	60	99	1	86-95	56-65	26-35	351	907	1180	1415	4827	16,28	18,88	1,61	0,08	400X1839X100
	15	1799	400	345	60	99	1	86-95	56-65	26-35	479	1237	1607	1929	6578	20,30	23,28	1,83	0,10	500X1839X100
	15	1799	500	445	60	99	1	86-95	56-65	26-35	611	1580	2054	2464	8404	24,33	27,68	2,04	0,12	600X1839X100
	15	1799	600	545	60	99	1	86-95	56-65	26-35	750	1938	2519	3023	10307	28,35	32,08	2,26	0,13	700X1839X100
	15	1799	700	645	60	99	1	86-95	56-65	26-35	856	2212	2875	3450	11765	32,38	36,48	2,47	0,15	800X1839X100
	15	1799	800	745	60	99	1	86-95	56-65	26-35	957	2473	3215	3858	13156	36,40	40,88	2,69	0,17	900X1839X100
	15	1799	900	845	60	99	1	86-95	56-65	26-35	1053	2722	3539	4246	14481	40,43	45,29	2,90	0,19	1000X1839X100
	15	1799	1000	945	60	99	1	86-95	56-65	26-35	1145	2959	3847	4616	15742	44,45	49,67	3,11	0,21	1100X1839X100
	15	1799	1200	1145	60	99	1	86-95	56-65	26-35	1315	3398	4417	5300	18074	52,50	58,49	3,54	0,24	1300X1839X100
15	1799	1400	1345	60	99	1	86-95	56-65	26-35	1510	3901	5071	6086	20752	60,55	67,28	3,97	0,28	1500X1839X100	
Pia Double 1919	16	1919	300	245	60	99	1	86-95	56-65	26-35	375	968	1258	1510	5149	17,36	20,10	1,72	0,08	400X1959X100
	16	1919	400	345	60	99	1	86-95	56-65	26-35	510	1319	1715	2058	7016	21,66	24,79	1,95	0,10	500X1959X100
	16	1919	500	445	60	99	1	86-95	56-65	26-35	652	1685	2191	2629	8964	25,95	29,48	2,18	0,12	600X1959X100
	16	1919	600	545	60	99	1	86-95	56-65	26-35	800	2067	2687	3224	10994	30,24	34,17	2,41	0,14	700X1959X100
	16	1919	700	645	60	99	1	86-95	56-65	26-35	913	2359	3067	3680	12550	34,54	38,86	2,64	0,16	800X1959X100
	16	1919	800	745	60	99	1	86-95	56-65	26-35	1021	2638	3429	4115	14033	38,83	43,54	2,86	0,18	900X1959X100
	16	1919	900	845	60	99	1	86-95	56-65	26-35	1124	2904	3775	4530	15446	43,12	48,23	3,09	0,20	1000X1959X100
16	1919	1000	945	60	99	1	86-95	56-65	26-35	1222	3157	4103	4924	16791	47,41	52,72	3,32	0,22	1100X1959X100	