

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Tosina Double 326	4	326	300	245	51	80	2	76-85	51-60	26-35	55	142	184	221	754	2,18	3,05	0,35	0,02	390X361X86
	4	326	400	345	51	80	2	76-85	51-60	26-35	75	193	251	301	1027	2,61	3,58	0,40	0,02	490X361X86
	4	326	500	445	51	80	2	76-85	51-60	26-35	95	247	321	385	1313	3,04	4,11	0,46	0,02	590X361X86
	4	326	600	545	51	80	2	76-85	51-60	26-35	117	303	393	472	1610	3,47	4,63	0,52	0,03	690X361X86
	4	326	700	645	51	80	2	76-85	51-60	26-35	134	345	449	539	1838	3,90	5,16	0,58	0,03	790X361X86
	4	326	800	745	51	80	2	76-85	51-60	26-35	149	386	502	603	2055	4,33	5,69	0,63	0,03	890X361X86
	4	326	900	845	51	80	2	76-85	51-60	26-35	165	425	553	663	2262	4,76	6,21	0,69	0,04	990X361X86
	4	326	1000	945	51	80	2	76-85	51-60	26-35	179	462	601	721	2459	5,19	6,74	0,75	0,04	1090X361X86
	4	326	1200	1145	51	80	2	76-85	51-60	26-35	205	531	690	828	2823	6,05	7,79	0,86	0,05	1290X361X86
	4	326	1400	1345	51	80	2	76-85	51-60	26-35	236	609	792	951	3241	6,91	8,84	0,98	0,05	1490X361X86
Tosina Double 408	5	408	300	245	51	80	2	76-85	51-60	26-35	69	177	230	276	942	2,72	3,67	0,43	0,02	390X443X86
	5	408	400	345	51	80	2	76-85	51-60	26-35	93	241	314	377	1284	3,26	4,32	0,50	0,02	490X443X86
	5	408	500	445	51	80	2	76-85	51-60	26-35	119	308	401	481	1641	3,79	4,97	0,58	0,03	590X443X86
	5	408	600	545	51	80	2	76-85	51-60	26-35	146	378	492	590	2012	4,33	5,60	0,65	0,03	690X443X86
	5	408	700	645	51	80	2	76-85	51-60	26-35	167	432	561	674	2297	4,87	6,26	0,72	0,04	790X443X86
	5	408	800	745	51	80	2	76-85	51-60	26-35	187	483	628	753	2569	5,41	6,91	0,79	0,04	890X443X86
	5	408	900	845	51	80	2	76-85	51-60	26-35	206	531	691	829	2827	5,95	7,56	0,86	0,04	990X443X86
	5	408	1000	945	51	80	2	76-85	51-60	26-35	224	578	751	901	3073	6,48	8,21	0,93	0,05	1090X443X86
	5	408	1200	1145	51	80	2	76-85	51-60	26-35	257	663	862	1035	3529	7,56	9,50	1,08	0,05	1290X443X86
	5	408	1400	1345	51	80	2	76-85	51-60	26-35	295	762	990	1188	4052	8,64	10,80	1,22	0,06	1490X443X86
Tosina Double 490	6	490	300	245	51	80	2	76-85	51-60	26-35	82	213	276	332	1131	3,25	4,27	0,52	0,02	390X525X86
	6	490	400	345	51	80	2	76-85	51-60	26-35	112	290	377	452	1541	3,90	5,05	0,60	0,03	490X525X86
	6	490	500	445	51	80	2	76-85	51-60	26-35	143	370	481	577	1969	4,54	5,81	0,69	0,03	590X525X86
	6	490	600	545	51	80	2	76-85	51-60	26-35	176	454	590	708	2415	5,19	6,58	0,78	0,04	690X525X86
	6	490	700	645	51	80	2	76-85	51-60	26-35	201	518	674	808	2756	5,83	7,35	0,86	0,04	790X525X86
	6	490	800	745	51	80	2	76-85	51-60	26-35	224	579	753	904	3082	6,48	8,13	0,95	0,05	890X525X86
	6	490	900	845	51	80	2	76-85	51-60	26-35	247	638	829	995	3393	7,13	8,91	1,03	0,05	990X525X86
	6	490	1000	945	51	80	2	76-85	51-60	26-35	268	693	901	1082	3688	7,77	9,66	1,12	0,05	1090X525X86
	6	490	1200	1145	51	80	2	76-85	51-60	26-35	308	796	1035	1242	4235	9,06	11,21	1,29	0,06	1290X525X86
	6	490	1400	1345	51	80	2	76-85	51-60	26-35	354	914	1188	1426	4862	10,35	12,75	1,46	0,07	1490X525X86
Tosina Double 572	7	572	300	245	51	80	2	76-85	51-60	26-35	96	248	322	387	1319	3,80	4,89	0,60	0,03	390X607X86
	7	572	400	345	51	80	2	76-85	51-60	26-35	131	338	439	527	1798	4,55	5,79	0,70	0,03	490X607X86
	7	572	500	445	51	80	2	76-85	51-60	26-35	167	432	561	674	2297	5,30	6,67	0,80	0,04	590X607X86
	7	572	600	545	51	80	2	76-85	51-60	26-35	205	530	688	826	2817	6,05	7,55	0,90	0,04	690X607X86
	7	572	700	645	51	80	2	76-85	51-60	26-35	234	605	786	943	3216	6,81	8,47	1,00	0,05	790X607X86
	7	572	800	745	51	80	2	76-85	51-60	26-35	262	676	879	1055	3596	7,56	9,37	1,10	0,05	890X607X86
	7	572	900	845	51	80	2	76-85	51-60	26-35	288	744	967	1161	3958	8,31	10,25	1,20	0,06	990X607X86
	7	572	1000	945	51	80	2	76-85	51-60	26-35	313	809	1052	1262	4303	9,07	11,15	1,30	0,06	1090X607X86
	7	572	1200	1145	51	80	2	76-85	51-60	26-35	359	929	1207	1449	4940	10,57	12,93	1,50	0,07	1290X607X86
	7	572	1400	1345	51	80	2	76-85	51-60	26-35	413	1066	1386	1663	5672	12,08	14,72	1,71	0,08	1490X607X86
Tosina Double 654	8	654	300	245	51	80	2	76-85	51-60	26-35	110	283	368	442	1508	4,34	5,66	0,69	0,03	390X689X86
	8	654	400	345	51	80	2	76-85	51-60	26-35	149	386	502	603	2055	5,20	6,69	0,80	0,03	490X689X86
	8	654	500	445	51	80	2	76-85	51-60	26-35	191	493	642	770	2625	6,06	7,70	0,92	0,04	590X689X86
	8	654	600	545	51	80	2	76-85	51-60	26-35	234	605	787	944	3220	6,92	8,70	1,03	0,05	690X689X86
	8	654	700	645	51	80	2	76-85	51-60	26-35	267	691	898	1078	3675	7,78	9,73	1,15	0,05	790X689X86
	8	654	800	745	51	80	2	76-85	51-60	26-35	299	773	1004	1205	4110	8,64	10,74	1,26	0,06	890X689X86
	8	654	900	845	51	80	2	76-85	51-60	26-35	329	850	1105	1327	4523	9,50	11,75	1,38	0,06	990X689X86
	8	654	1000	945	51	80	2	76-85	51-60	26-35	358	924	1202	1442	4918	10,37	12,79	1,49	0,07	1090X689X86
	8	654	1200	1145	51	80	2	76-85	51-60	26-35	411	1061	1380	1656	5646	12,09	14,80	1,72	0,08	1290X689X86
	8	654	1400	1345	51	80	2	76-85	51-60	26-35	472	1219	1584	1901	6483	13,81	16,85	1,95	0,09	1490X689X86
8	654	1600	1545	51	80	2	76-85	51-60	26-35	541	1399	1819	2183	7443	15,48	18,82	2,18	0,11	1690X689X86	
8	654	1800	1745	51	80	2	76-85	51-60	26-35	622	1606	2088	2506	8546	17,20	20,85	2,41	0,12	1890X689X86	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Tosina Double 736	9	736	300	245	51	80	2	76-85	51-60	26-35	123	319	415	497	1696	4,88	6,29	0,78	0,03	390X771X86
	9	736	400	345	51	80	2	76-85	51-60	26-35	168	435	565	678	2312	5,85	7,42	0,90	0,04	490X771X86
	9	736	500	445	51	80	2	76-85	51-60	26-35	215	555	722	866	2953	6,82	8,56	1,03	0,04	590X771X86
	9	736	600	545	51	80	2	76-85	51-60	26-35	264	681	885	1062	3622	7,79	9,70	1,16	0,05	690X771X86
	9	736	700	645	51	80	2	76-85	51-60	26-35	301	777	1010	1213	4135	8,76	10,84	1,29	0,06	790X771X86
	9	736	800	745	51	80	2	76-85	51-60	26-35	336	869	1130	1356	4623	9,72	11,97	1,42	0,06	890X771X86
	9	736	900	845	51	80	2	76-85	51-60	26-35	370	957	1244	1492	5089	10,69	13,12	1,55	0,07	990X771X86
	9	736	1000	945	51	80	2	76-85	51-60	26-35	402	1040	1352	1622	5532	11,66	14,25	1,68	0,08	1090X771X86
	9	736	1200	1145	51	80	2	76-85	51-60	26-35	462	1194	1552	1863	6352	13,60	16,53	1,93	0,09	1290X771X86
	9	736	1400	1345	51	80	2	76-85	51-60	26-35	531	1371	1782	2139	7293	15,54	18,81	2,19	0,10	1490X771X86
9	736	1600	1545	51	80	2	76-85	51-60	26-35	609	1574	2046	2456	8373	17,41	21,02	2,45	0,12	1690X771X86	
9	736	1800	1745	51	80	2	76-85	51-60	26-35	699	1807	2349	2819	9614	19,35	23,28	2,71	0,13	1890X771X86	
Tosina Double 818	10	818	300	245	51	80	2	76-85	51-60	26-35	137	354	461	553	1885	5,43	6,90	0,86	0,03	390X853X86
	10	818	400	345	51	80	2	76-85	51-60	26-35	187	483	628	753	2569	6,50	8,16	1,00	0,04	490X853X86
	10	818	500	445	51	80	2	76-85	51-60	26-35	239	617	802	962	3282	7,58	9,43	1,15	0,05	590X853X86
	10	818	600	545	51	80	2	76-85	51-60	26-35	293	757	984	1180	4025	8,65	10,67	1,29	0,06	690X853X86
	10	818	700	645	51	80	2	76-85	51-60	26-35	334	864	1123	1347	4594	9,73	11,95	1,43	0,06	790X853X86
	10	818	800	745	51	80	2	76-85	51-60	26-35	374	966	1255	1506	5137	10,81	13,21	1,58	0,07	890X853X86
	10	818	900	845	51	80	2	76-85	51-60	26-35	411	1063	1382	1658	5654	11,88	14,46	1,72	0,08	990X853X86
	10	818	1000	945	51	80	2	76-85	51-60	26-35	447	1156	1502	1803	6147	12,96	15,73	1,86	0,08	1090X853X86
	10	818	1200	1145	51	80	2	76-85	51-60	26-35	513	1327	1725	2070	7058	15,11	18,25	2,15	0,10	1290X853X86
	10	818	1400	1345	51	80	2	76-85	51-60	26-35	590	1523	1980	2376	8103	17,26	20,75	2,43	0,11	1490X853X86
10	818	1600	1545	51	80	2	76-85	51-60	26-35	677	1749	2274	2728	9304	19,34	23,22	2,72	0,13	1690X853X86	
10	818	1800	1745	51	80	2	76-85	51-60	26-35	777	2008	2611	3133	10682	21,50	25,74	3,01	0,14	1890X853X86	
Tosina Double 900	11	900	300	245	51	80	2	76-85	51-60	26-35	151	390	507	608	2073	5,97	7,52	0,95	0,04	390X935X86
	11	900	400	345	51	80	2	76-85	51-60	26-35	206	531	690	829	2825	7,15	8,90	1,10	0,04	490X935X86
	11	900	500	445	51	80	2	76-85	51-60	26-35	263	679	882	1059	3610	8,34	10,29	1,26	0,05	590X935X86
	11	900	600	545	51	80	2	76-85	51-60	26-35	322	832	1082	1298	4427	9,52	11,66	1,42	0,06	690X935X86
	11	900	700	645	51	80	2	76-85	51-60	26-35	368	950	1235	1482	5054	10,71	13,06	1,58	0,07	790X935X86
	11	900	800	745	51	80	2	76-85	51-60	26-35	411	1062	1381	1657	5651	11,89	14,44	1,73	0,08	890X935X86
	11	900	900	845	51	80	2	76-85	51-60	26-35	452	1169	1520	1824	6220	13,07	15,82	1,89	0,08	990X935X86
	11	900	1000	945	51	80	2	76-85	51-60	26-35	492	1271	1652	1983	6762	14,26	17,20	2,05	0,09	1090X935X86
	11	900	1200	1145	51	80	2	76-85	51-60	26-35	565	1459	1897	2277	7763	16,62	19,96	2,36	0,11	1290X935X86
	11	900	1400	1345	51	80	2	76-85	51-60	26-35	648	1676	2178	2614	8914	18,99	22,73	2,68	0,12	1490X935X86
11	900	1600	1545	51	80	2	76-85	51-60	26-35	745	1924	2501	3001	10234	21,29	25,43	2,99	0,14	1690X935X86	
11	900	1800	1745	51	80	2	76-85	51-60	26-35	855	2209	2872	3446	11751	23,65	28,19	3,31	0,16	1890X935X86	
Tosina Double 982	12	982	300	245	51	80	2	76-85	51-60	26-35	165	425	553	663	2262	6,50	8,12	1,03	0,04	390X1017X86
	12	982	400	345	51	80	2	76-85	51-60	26-35	224	579	753	904	3082	7,80	9,64	1,20	0,05	490X1017X86
	12	982	500	445	51	80	2	76-85	51-60	26-35	286	740	962	1155	3938	9,09	11,14	1,38	0,06	590X1017X86
	12	982	600	545	51	80	2	76-85	51-60	26-35	351	908	1180	1416	4830	10,38	12,64	1,55	0,07	690X1017X86
	12	982	700	645	51	80	2	76-85	51-60	26-35	401	1036	1347	1617	5513	11,67	14,14	1,72	0,07	790X1017X86
	12	982	800	745	51	80	2	76-85	51-60	26-35	448	1159	1506	1808	6164	12,96	15,66	1,89	0,08	890X1017X86
	12	982	900	845	51	80	2	76-85	51-60	26-35	494	1276	1658	1990	6785	14,25	17,16	2,06	0,09	990X1017X86
	12	982	1000	945	51	80	2	76-85	51-60	26-35	537	1387	1803	2163	7376	15,54	18,65	2,23	0,10	1090X1017X86
	12	982	1200	1145	51	80	2	76-85	51-60	26-35	616	1592	2070	2484	8469	18,12	21,67	2,58	0,12	1290X1017X86
	12	982	1400	1345	51	80	2	76-85	51-60	26-35	707	1828	2376	2852	9724	20,71	24,69	2,92	0,14	1490X1017X86
12	982	1600	1545	51	80	2	76-85	51-60	26-35	812	2099	2728	3274	11165	23,22	27,62	3,26	0,15	1690X1017X86	
12	982	1800	1745	51	80	2	76-85	51-60	26-35	933	2410	3133	3759	12819	25,80	30,62	3,61	0,17	1890X1017X86	
Tosina Double 1064	13	1064	300	245	51	80	2	76-85	51-60	26-35	178	461	599	719	2450	7,05	8,75	1,12	0,04	390X1099X86
	13	1064	400	345	51	80	2	76-85	51-60	26-35	243	628	816	979	3339	8,45	10,38	1,30	0,05	490X1099X86
	13	1064	500	445	51	80	2	76-85	51-60	26-35	310	802	1043	1251	4266	9,85	12,00	1,49	0,06	590X1099X86
	13	1064	600	545	51	80	2	76-85	51-60	26-35	381	984	1279	1534	5232	11,24	13,61	1,68	0,07	690X1099X86
	13	1064	700	645	51	80	2	76-85	51-60	26-35	434	1123	1460	1751	5972	12,64	15,25	1,86	0,08	790X1099X86
	13	1064	800	745	51	80	2	76-85	51-60	26-35	486	1255	1632	1958	6678	14,04	16,89	2,05	0,09	890X1099X86
	13	1064	900	845	51	80	2	76-85	51-60	26-35	535	1382	1796	2156	7351	15,44	18,51	2,23	0,10	990X1099X86
	13	1064	1000	945	51	80	2	76-85	51-60	26-35	581	1502	1953	2343	7991	16,84	20,14	2,42	0,11	1090X1099X86
13	1064	1200	1145	51	80	2	76-85	51-60	26-35	667	1725	2242	2691	9175	19,64	23,40	2,79	0,13	1290X1099X86	
13	1064	1400	1345	51	80	2	76-85	51-60	26-35	766	1980	2574	3089	10534	22,43	26,64	3,16	0,15	1490X1099X86	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Tosina Double 1146	14	1146	300	245	51	80	2	76-85	51-60	26-35	192	496	645	774	2639	7,59	9,36	1,20	0,04	390X1181X86
	14	1146	400	345	51	80	2	76-85	51-60	26-35	262	676	879	1055	3596	9,10	11,12	1,40	0,05	490X1181X86
	14	1146	500	445	51	80	2	76-85	51-60	26-35	334	864	1123	1347	4594	10,60	12,86	1,60	0,06	590X1181X86
	14	1146	600	545	51	80	2	76-85	51-60	26-35	410	1059	1377	1652	5635	12,11	14,60	1,80	0,08	690X1181X86
	14	1146	700	645	51	80	2	76-85	51-60	26-35	468	1209	1572	1886	6432	13,62	16,37	2,00	0,09	790X1181X86
	14	1146	800	745	51	80	2	76-85	51-60	26-35	523	1352	1758	2109	7192	15,12	18,11	2,21	0,10	890X1181X86
	14	1146	900	845	51	80	2	76-85	51-60	26-35	576	1488	1935	2321	7916	16,63	19,86	2,41	0,11	990X1181X86
	14	1146	1000	945	51	80	2	76-85	51-60	26-35	626	1618	2103	2524	8606	18,14	21,62	2,61	0,12	1090X1181X86
Tosina Double 1228	15	1228	300	245	51	80	2	76-85	51-60	26-35	206	531	691	829	2827	8,14	9,99	1,29	0,05	390X1263X86
	15	1228	400	345	51	80	2	76-85	51-60	26-35	280	724	942	1130	3853	9,75	11,86	1,50	0,06	490X1263X86
	15	1228	500	445	51	80	2	76-85	51-60	26-35	358	925	1203	1443	4922	11,36	13,72	1,72	0,07	590X1263X86
	15	1228	600	545	51	80	2	76-85	51-60	26-35	439	1135	1475	1770	6037	12,98	15,60	1,93	0,08	690X1263X86
	15	1228	700	645	51	80	2	76-85	51-60	26-35	501	1295	1684	2021	6891	14,59	17,47	2,15	0,09	790X1263X86
	15	1228	800	745	51	80	2	76-85	51-60	26-35	561	1449	1883	2260	7706	16,21	19,35	2,36	0,10	890X1263X86
	15	1228	900	845	51	80	2	76-85	51-60	26-35	617	1594	2073	2487	8481	17,82	21,22	2,58	0,11	990X1263X86
	15	1228	1000	945	51	80	2	76-85	51-60	26-35	671	1733	2253	2704	9220	19,43	23,08	2,79	0,12	1090X1263X86
Tosina Double 1310	16	1310	300	245	51	80	2	76-85	51-60	26-35	219	567	737	884	3016	8,68	10,60	1,38	0,05	390X1345X86
	16	1310	400	345	51	80	2	76-85	51-60	26-35	299	773	1004	1205	4110	10,40	12,59	1,60	0,06	490X1345X86
	16	1310	500	445	51	80	2	76-85	51-60	26-35	382	987	1283	1540	5250	12,12	14,59	1,83	0,07	590X1345X86
	16	1310	600	545	51	80	2	76-85	51-60	26-35	468	1211	1574	1888	6440	13,84	16,57	2,06	0,08	690X1345X86
	16	1310	700	645	51	80	2	76-85	51-60	26-35	535	1382	1796	2156	7351	15,56	18,58	2,29	0,10	790X1345X86
	16	1310	800	745	51	80	2	76-85	51-60	26-35	598	1545	2009	2410	8219	17,29	20,57	2,52	0,11	890X1345X86
	16	1310	900	845	51	80	2	76-85	51-60	26-35	658	1701	2211	2653	9047	19,01	22,57	2,75	0,12	990X1345X86
	16	1310	1000	945	51	80	2	76-85	51-60	26-35	715	1849	2403	2884	9835	20,73	24,56	2,98	0,13	1090X1345X86
Tosina Double 1392	17	1392	300	245	51	80	2	76-85	51-60	26-35	233	602	783	940	3204	9,22	11,21	1,46	0,05	390X1427X86
	17	1392	400	345	51	80	2	76-85	51-60	26-35	318	821	1067	1280	4366	11,05	13,34	1,70	0,07	490X1427X86
	17	1392	500	445	51	80	2	76-85	51-60	26-35	406	1049	1363	1636	5579	12,88	15,45	1,95	0,08	590X1427X86
	17	1392	600	545	51	80	2	76-85	51-60	26-35	498	1286	1672	2006	6842	14,71	17,56	2,19	0,09	690X1427X86
	17	1392	700	645	51	80	2	76-85	51-60	26-35	568	1468	1909	2290	7810	16,54	19,68	2,43	0,10	790X1427X86
	17	1392	800	745	51	80	2	76-85	51-60	26-35	635	1642	2134	2561	8733	18,37	21,80	2,68	0,11	890X1427X86
	17	1392	900	845	51	80	2	76-85	51-60	26-35	699	1807	2349	2819	9612	20,20	23,92	2,92	0,13	990X1427X86
	17	1392	1000	945	51	80	2	76-85	51-60	26-35	760	1964	2554	3064	10450	22,03	26,03	3,16	0,14	1090X1427X86
Tosina Double 1474	18	1474	300	245	51	80	2	76-85	51-60	26-35	247	638	829	995	3393	9,76	11,83	1,55	0,06	390X1509X86
	18	1474	400	345	51	80	2	76-85	51-60	26-35	336	869	1130	1356	4623	11,69	14,06	1,80	0,07	490X1509X86
	18	1474	500	445	51	80	2	76-85	51-60	26-35	430	1110	1443	1732	5907	13,63	16,30	2,06	0,08	590X1509X86
	18	1474	600	545	51	80	2	76-85	51-60	26-35	527	1362	1770	2125	7245	15,57	18,54	2,32	0,09	690X1509X86
	18	1474	700	645	51	80	2	76-85	51-60	26-35	602	1555	2021	2425	8269	17,50	20,77	2,58	0,11	790X1509X86
	18	1474	800	745	51	80	2	76-85	51-60	26-35	673	1738	2260	2712	9247	19,44	23,02	2,83	0,12	890X1509X86
	18	1474	900	845	51	80	2	76-85	51-60	26-35	740	1913	2487	2985	10178	21,38	25,26	3,09	0,13	990X1509X86
Tosina Double 1556	19	1556	300	245	51	80	2	76-85	51-60	26-35	261	673	875	1050	3581	10,30	12,44	1,63	0,06	390X1591X86
	19	1556	400	345	51	80	2	76-85	51-60	26-35	355	917	1193	1431	4880	12,34	14,79	1,90	0,07	490X1591X86
	19	1556	500	445	51	80	2	76-85	51-60	26-35	454	1172	1524	1828	6235	14,39	17,16	2,18	0,09	590X1591X86
	19	1556	600	545	51	80	2	76-85	51-60	26-35	556	1438	1869	2243	7647	16,43	19,51	2,45	0,10	690X1591X86
	19	1556	700	645	51	80	2	76-85	51-60	26-35	635	1641	2133	2560	8729	18,48	21,89	2,72	0,11	790X1591X86
	19	1556	800	745	51	80	2	76-85	51-60	26-35	710	1835	2385	2862	9760	20,52	24,25	2,99	0,13	890X1591X86
	19	1556	900	845	51	80	2	76-85	51-60	26-35	782	2020	2625	3151	10743	22,57	26,62	3,26	0,14	990X1591X86
	19	1556	1000	945	51	80	2	76-85	51-60	26-35	850	2195	2854	3425	11679	24,61	28,97	3,53	0,15	1090X1591X86

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Tosina Double 1638	20	1638	300	245	51	80	2	76-85	51-60	26-35	274	709	921	1105	3770	10,84	13,05	1,72	0,06	390X1673X86
	20	1638	400	345	51	80	2	76-85	51-60	26-35	374	966	1255	1506	5137	12,99	15,54	2,00	0,08	490X1673X86
	20	1638	500	445	51	80	2	76-85	51-60	26-35	477	1234	1604	1925	6563	15,15	18,03	2,29	0,09	590X1673X86
	20	1638	600	545	51	80	2	76-85	51-60	26-35	586	1513	1967	2361	8050	17,30	20,50	2,58	0,10	690X1673X86
	20	1638	700	645	51	80	2	76-85	51-60	26-35	668	1727	2245	2695	9188	19,45	22,99	2,86	0,12	790X1673X86
	20	1638	800	745	51	80	2	76-85	51-60	26-35	747	1931	2511	3013	10274	21,60	25,48	3,15	0,13	890X1673X86
	20	1638	900	845	51	80	2	76-85	51-60	26-35	823	2126	2764	3316	11309	23,75	27,95	3,43	0,15	990X1673X86
	20	1638	1000	945	51	80	2	76-85	51-60	26-35	894	2311	3004	3605	12294	25,91	30,45	3,72	0,16	1090X1673X86
Tosina Double 1720	21	1720	300	245	51	80	2	76-85	51-60	26-35	288	744	967	1161	3958	11,39	13,69	1,80	0,06	390X1755X86
	21	1720	400	345	51	80	2	76-85	51-60	26-35	392	1014	1318	1582	5394	13,65	16,29	2,10	0,08	490X1755X86
	21	1720	500	445	51	80	2	76-85	51-60	26-35	501	1295	1684	2021	6891	15,91	18,89	2,40	0,09	590X1755X86
	21	1720	600	545	51	80	2	76-85	51-60	26-35	615	1589	2065	2479	8452	18,17	21,49	2,71	0,11	690X1755X86
	21	1720	700	645	51	80	2	76-85	51-60	26-35	702	1814	2358	2829	9648	20,42	24,10	3,01	0,12	790X1755X86
	21	1720	800	745	51	80	2	76-85	51-60	26-35	785	2028	2636	3164	10788	22,68	26,70	3,31	0,14	890X1755X86
	21	1720	900	845	51	80	2	76-85	51-60	26-35	864	2232	2902	3482	11874	24,94	29,31	3,61	0,15	990X1755X86
	21	1720	1000	945	51	80	2	76-85	51-60	26-35	939	2427	3155	3785	12908	27,20	31,91	3,91	0,17	1090X1755X86
Tosina Double 1802	22	1802	300	245	51	80	2	76-85	51-60	26-35	302	779	1013	1216	4147	11,93	14,28	1,89	0,07	390X1837X86
	22	1802	400	345	51	80	2	76-85	51-60	26-35	411	1062	1381	1657	5651	14,30	17,03	2,20	0,08	490X1837X86
	22	1802	500	445	51	80	2	76-85	51-60	26-35	525	1357	1764	2117	7219	16,67	19,76	2,52	0,10	590X1837X86
	22	1802	600	545	51	80	2	76-85	51-60	26-35	644	1665	2164	2597	8854	19,03	22,47	2,83	0,11	690X1837X86
	22	1802	700	645	51	80	2	76-85	51-60	26-35	735	1900	2470	2964	10107	21,40	25,21	3,15	0,13	790X1837X86
	22	1802	800	745	51	80	2	76-85	51-60	26-35	822	2124	2762	3314	11301	23,77	27,93	3,46	0,15	890X1837X86
	22	1802	900	845	51	80	2	76-85	51-60	26-35	905	2338	3040	3648	12440	26,13	30,66	3,78	0,16	990X1837X86
	22	1802	1000	945	51	80	2	76-85	51-60	26-35	984	2542	3305	3966	13523	28,50	33,39	4,09	0,18	1090X1837X86
Tosina Double 1884	23	1884	300	245	51	80	2	76-85	51-60	26-35	315	815	1059	1271	4335	12,47	14,91	1,98	0,07	390X1919X86
	23	1884	400	345	51	80	2	76-85	51-60	26-35	430	1111	1444	1732	5908	14,95	17,77	2,30	0,09	490X1919X86
	23	1884	500	445	51	80	2	76-85	51-60	26-35	549	1419	1844	2213	7548	17,42	20,61	2,63	0,10	590X1919X86
	23	1884	600	545	51	80	2	76-85	51-60	26-35	673	1740	2262	2715	9257	19,90	23,46	2,96	0,12	690X1919X86
	23	1884	700	645	51	80	2	76-85	51-60	26-35	769	1986	2582	3099	10567	22,37	26,31	3,29	0,14	790X1919X86
	23	1884	800	745	51	80	2	76-85	51-60	26-35	860	2221	2887	3465	11815	24,85	29,17	3,62	0,15	890X1919X86
	23	1884	900	845	51	80	2	76-85	51-60	26-35	946	2445	3178	3814	13005	27,32	32,00	3,95	0,17	990X1919X86
	23	1884	1000	945	51	80	2	76-85	51-60	26-35	1029	2658	3455	4146	14138	29,80	34,87	4,28	0,18	1090X1919X86
Tosina Double 1966	24	1966	300	245	51	80	2	76-85	51-60	26-35	329	850	1105	1327	4523	13,01	15,52	2,06	0,07	390X2001X86
	24	1966	400	345	51	80	2	76-85	51-60	26-35	448	1159	1506	1808	6164	15,59	18,49	2,40	0,09	490X2001X86
	24	1966	500	445	51	80	2	76-85	51-60	26-35	573	1480	1925	2310	7876	18,17	21,46	2,75	0,11	590X2001X86
	24	1966	600	545	51	80	2	76-85	51-60	26-35	703	1816	2361	2833	9659	20,75	24,43	3,09	0,12	690X2001X86
	24	1966	700	645	51	80	2	76-85	51-60	26-35	802	2073	2695	3233	11026	23,34	27,41	3,43	0,14	790X2001X86
	24	1966	800	745	51	80	2	76-85	51-60	26-35	897	2318	3013	3616	12329	25,92	30,39	3,78	0,16	890X2001X86
	24	1966	900	845	51	80	2	76-85	51-60	26-35	987	2551	3316	3980	13570	28,50	33,36	4,12	0,18	990X2001X86
	24	1966	1000	945	51	80	2	76-85	51-60	26-35	1073	2773	3605	4326	14753	31,08	36,22	4,46	0,19	1090X2001X86