


Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Turquoise Double 280	3	280	300	245	61	90	5	86-95	56-65	26-35	56	144	188	225	768	2,51	3,35	0,28	0,02	400X320X101
	3	280	400	345	61	90	5	86-95	56-65	26-35	76	197	256	307	1046	3,10	4,05	0,32	0,02	500X320X101
	3	280	500	445	61	90	5	86-95	56-65	26-35	97	251	327	392	1336	3,69	4,73	0,37	0,02	600X320X101
	3	280	600	545	61	90	5	86-95	56-65	26-35	119	308	401	481	1639	4,28	5,45	0,41	0,03	700X320X101
	3	280	700	645	61	90	5	86-95	56-65	26-35	136	352	457	549	1871	4,87	6,12	0,45	0,03	800X320X101
	3	280	800	745	61	90	5	86-95	56-65	26-35	152	393	511	613	2092	5,46	6,81	0,50	0,03	900X320X101
	3	280	900	845	61	90	5	86-95	56-65	26-35	168	433	563	675	2303	6,05	7,51	0,54	0,04	1000X320X101
	3	280	1000	945	61	90	5	86-95	56-65	26-35	182	471	612	734	2503	6,64	8,20	0,58	0,04	1100X320X101
	3	280	1200	1145	61	90	5	86-95	56-65	26-35	209	540	702	843	2874	7,82	9,58	0,67	0,05	1300X320X101
	3	280	1400	1345	61	90	5	86-95	56-65	26-35	240	620	806	968	3300	9,00	10,97	0,75	0,05	1500X320X101
	3	280	1600	1545	61	90	5	86-95	56-65	26-35	276	712	926	1111	3789	10,15	12,32	0,84	0,06	1700X320X101
3	280	1800	1745	61	90	5	86-95	56-65	26-35	316	818	1063	1276	4350	11,33	13,86	0,92	0,07	1900X320X101	
3	280	2000	1945	61	90	5	86-95	56-65	26-35	363	939	1221	1465	4995	12,51	15,11	1,01	0,07	2100X320X101	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Turquoise Double 375	4	375	300	245	61	90	5	86-95	56-65	26-35	75	193	251	301	1026	3,36	4,30	0,37	0,02	400X415X101
	4	375	400	345	61	90	5	86-95	56-65	26-35	102	263	342	410	1398	4,15	5,20	0,43	0,03	500X415X101
	4	375	500	445	61	90	5	86-95	56-65	26-35	130	336	437	524	1787	4,94	6,12	0,49	0,03	600X415X101
	4	375	600	545	61	90	5	86-95	56-65	26-35	159	412	535	643	2191	5,73	7,03	0,55	0,03	700X415X101
	4	375	700	645	61	90	5	86-95	56-65	26-35	182	470	611	733	2501	6,52	7,95	0,60	0,04	800X415X101
	4	375	800	745	61	90	5	86-95	56-65	26-35	203	526	683	820	2797	7,31	8,85	0,66	0,04	900X415X101
	4	375	900	845	61	90	5	86-95	56-65	26-35	224	579	752	903	3078	8,10	9,76	0,72	0,05	1000X415X101
	4	375	1000	945	61	90	5	86-95	56-65	26-35	243	629	818	981	3346	8,88	10,66	0,77	0,05	1100X415X101
	4	375	1200	1145	61	90	5	86-95	56-65	26-35	280	722	939	1127	3842	10,46	12,47	0,89	0,06	1300X415X101
	4	375	1400	1345	61	90	5	86-95	56-65	26-35	321	829	1078	1294	4412	12,04	14,30	1,00	0,07	1500X415X101
Turquoise Double 470	5	470	300	245	61	90	5	86-95	56-65	26-35	93	241	314	377	1285	4,21	5,25	0,47	0,03	400X510X101
	5	470	400	345	61	90	5	86-95	56-65	26-35	127	329	428	513	1751	5,20	6,38	0,54	0,03	500X510X101
	5	470	500	445	61	90	5	86-95	56-65	26-35	163	420	547	656	2237	6,19	7,50	0,61	0,04	600X510X101
	5	470	600	545	61	90	5	86-95	56-65	26-35	200	516	670	804	2743	7,18	8,63	0,68	0,04	700X510X101
	5	470	700	645	61	90	5	86-95	56-65	26-35	228	589	765	918	3131	8,16	9,75	0,75	0,05	800X510X101
	5	470	800	745	61	90	5	86-95	56-65	26-35	255	658	856	1027	3501	9,15	10,88	0,83	0,05	900X510X101
	5	470	900	845	61	90	5	86-95	56-65	26-35	280	724	942	1130	3854	10,14	12,00	0,90	0,06	1000X510X101
	5	470	1000	945	61	90	5	86-95	56-65	26-35	305	788	1024	1229	4190	11,13	13,13	0,97	0,06	1100X510X101
	5	470	1200	1145	61	90	5	86-95	56-65	26-35	350	904	1176	1411	4811	13,10	15,38	1,11	0,07	1300X510X101
	5	470	1400	1345	61	90	5	86-95	56-65	26-35	402	1038	1350	1620	5523	15,08	17,63	1,25	0,08	1500X510X101
Turquoise Double 565	6	565	300	245	61	90	5	86-95	56-65	26-35	112	290	377	453	1543	5,05	6,20	0,56	0,03	400X605X101
	6	565	400	345	61	90	5	86-95	56-65	26-35	153	395	514	617	2103	6,24	7,54	0,65	0,04	500X605X101
	6	565	500	445	61	90	5	86-95	56-65	26-35	195	505	657	788	2687	7,43	8,88	0,73	0,04	600X605X101
	6	565	600	545	61	90	5	86-95	56-65	26-35	240	620	805	966	3295	8,61	10,22	0,82	0,05	700X605X101
	6	565	700	645	61	90	5	86-95	56-65	26-35	274	707	919	1103	3762	9,80	11,56	0,90	0,05	800X605X101
	6	565	800	745	61	90	5	86-95	56-65	26-35	306	791	1028	1233	4206	10,99	12,91	0,99	0,06	900X605X101
	6	565	900	845	61	90	5	86-95	56-65	26-35	337	870	1131	1358	4630	12,18	14,25	1,08	0,07	1000X605X101
	6	565	1000	945	61	90	5	86-95	56-65	26-35	366	946	1230	1476	5033	13,36	15,59	1,16	0,07	1100X605X101
	6	565	1200	1145	61	90	5	86-95	56-65	26-35	420	1086	1412	1695	5779	15,74	18,27	1,33	0,08	1300X605X101
	6	565	1400	1345	61	90	5	86-95	56-65	26-35	483	1247	1621	1946	6635	18,11	20,95	1,50	0,10	1500X605X101
Turquoise Double 660	7	660	300	245	61	90	5	86-95	56-65	26-35	131	339	440	528	1802	5,90	7,31	0,65	0,03	400X700X101
	7	660	400	345	61	90	5	86-95	56-65	26-35	179	462	600	720	2455	7,29	8,86	0,75	0,04	500X700X101
	7	660	500	445	61	90	5	86-95	56-65	26-35	228	590	767	920	3137	8,68	10,42	0,85	0,05	600X700X101
	7	660	600	545	61	90	5	86-95	56-65	26-35	280	723	940	1128	3848	10,06	11,96	0,95	0,05	700X700X101
	7	660	700	645	61	90	5	86-95	56-65	26-35	320	826	1073	1288	4392	11,45	13,53	1,05	0,06	800X700X101
	7	660	800	745	61	90	5	86-95	56-65	26-35	357	923	1200	1440	4911	12,83	15,08	1,15	0,07	900X700X101
	7	660	900	845	61	90	5	86-95	56-65	26-35	393	1016	1321	1585	5406	14,22	16,64	1,25	0,08	1000X700X101
	7	660	1000	945	61	90	5	86-95	56-65	26-35	428	1105	1436	1723	5876	15,61	18,21	1,35	0,08	1100X700X101
	7	660	1200	1145	61	90	5	86-95	56-65	26-35	491	1268	1649	1979	6747	18,38	21,31	1,55	0,10	1300X700X101
	7	660	1400	1345	61	90	5	86-95	56-65	26-35	564	1456	1893	2272	7747	21,15	24,42	1,75	0,11	1500X700X101
Turquoise Double 755	8	755	300	245	61	90	5	86-95	56-65	26-35	150	387	504	604	2060	6,75	8,25	0,75	0,04	400X795X101
	8	755	400	345	61	90	5	86-95	56-65	26-35	204	528	686	823	2808	8,34	10,03	0,86	0,05	500X795X101
	8	755	500	445	61	90	5	86-95	56-65	26-35	261	674	877	1052	3587	9,93	11,80	0,98	0,05	600X795X101
	8	755	600	545	61	90	5	86-95	56-65	26-35	320	827	1075	1290	4400	11,51	13,58	1,09	0,06	700X795X101
	8	755	700	645	61	90	5	86-95	56-65	26-35	365	944	1227	1473	5022	13,10	15,35	1,20	0,07	800X795X101
	8	755	800	745	61	90	5	86-95	56-65	26-35	409	1056	1372	1647	5616	14,68	17,13	1,32	0,08	900X795X101
	8	755	900	845	61	90	5	86-95	56-65	26-35	450	1162	1511	1813	6181	16,27	18,89	1,43	0,09	1000X795X101
	8	755	1000	945	61	90	5	86-95	56-65	26-35	489	1263	1642	1971	6720	17,85	20,67	1,55	0,09	1100X795X101
	8	755	1200	1145	61	90	5	86-95	56-65	26-35	561	1450	1885	2263	7715	21,02	24,21	1,78	0,11	1300X795X101
	8	755	1400	1345	61	90	5	86-95	56-65	26-35	644	1665	2165	2598	8858	24,19	27,76	2,01	0,13	1500X795X101
Turquoise Double 755	8	755	1600	1545	61	90	5	86-95	56-65	26-35	740	1912	2486	2983	10171	27,31	31,25	2,23	0,14	1700X795X101
	8	755	1800	1745	61	90	5	86-95	56-65	26-35	850	2195	2854	3425	11678	30,48	34,92	2,46	0,16	1900X795X101
	8	755	2000	1945	61	90	5	86-95	56-65	26-35	975	2520	3277	3932	13408	33,65	38,36	2,69	0,17	2100X795X101

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Turquoise Double 850	9	850	300	245	61	90	5	86-95	56-65	26-35	169	436	567	680	2319	7,60	9,20	0,84	0,04	400X890X101
	9	850	400	345	61	90	5	86-95	56-65	26-35	230	594	772	927	3160	9,39	11,19	0,97	0,05	500X890X101
	9	850	500	445	61	90	5	86-95	56-65	26-35	294	759	987	1184	4038	11,17	13,18	1,10	0,06	600X890X101
	9	850	600	545	61	90	5	86-95	56-65	26-35	360	931	1210	1452	4952	12,96	15,18	1,23	0,07	700X890X101
	9	850	700	645	61	90	5	86-95	56-65	26-35	411	1063	1381	1658	5653	14,74	17,16	1,35	0,08	800X890X101
	9	850	800	745	61	90	5	86-95	56-65	26-35	460	1188	1545	1854	6321	16,53	19,15	1,48	0,09	900X890X101
	9	850	900	845	61	90	5	86-95	56-65	26-35	506	1308	1700	2040	6957	18,31	21,14	1,61	0,09	1000X890X101
	9	850	1000	945	61	90	5	86-95	56-65	26-35	550	1422	1848	2218	7563	20,10	23,13	1,74	0,10	1100X890X101
	9	850	1200	1145	61	90	5	86-95	56-65	26-35	632	1632	2122	2547	8684	23,66	27,11	2,00	0,12	1300X890X101
	9	850	1400	1345	61	90	5	86-95	56-65	26-35	725	1874	2436	2924	9970	27,23	31,08	2,26	0,14	1500X890X101
Turquoise Double 945	9	850	1600	1545	61	90	5	86-95	56-65	26-35	833	2152	2797	3357	11447	30,74	35,01	2,51	0,16	1700X890X101
	9	850	1800	1745	61	90	5	86-95	56-65	26-35	956	2471	3212	3854	13143	34,31	39,11	2,77	0,18	1900X890X101
	9	850	2000	1945	61	90	5	86-95	56-65	26-35	1098	2837	3688	4425	15091	37,88	42,97	3,03	0,19	2100X890X101
	10	945	300	245	61	90	5	86-95	56-65	26-35	188	485	630	756	2578	8,45	10,15	0,93	0,04	400X985X101
	10	945	400	345	61	90	5	86-95	56-65	26-35	256	660	858	1030	3513	10,44	12,36	1,08	0,05	500X985X101
	10	945	500	445	61	90	5	86-95	56-65	26-35	326	844	1097	1316	4488	12,42	14,57	1,22	0,06	600X985X101
	10	945	600	545	61	90	5	86-95	56-65	26-35	400	1035	1345	1614	5504	14,41	16,78	1,36	0,07	700X985X101
	10	945	700	645	61	90	5	86-95	56-65	26-35	457	1181	1535	1842	6283	16,39	18,99	1,51	0,08	800X985X101
	10	945	800	745	61	90	5	86-95	56-65	26-35	511	1321	1717	2060	7025	18,37	21,18	1,65	0,09	900X985X101
	10	945	900	845	61	90	5	86-95	56-65	26-35	563	1454	1890	2268	7733	20,36	23,40	1,79	0,10	1000X985X101
Turquoise Double 1040	10	945	1000	945	61	90	5	86-95	56-65	26-35	612	1580	2054	2465	8406	22,34	25,59	1,93	0,11	1100X985X101
	10	945	1200	1145	61	90	5	86-95	56-65	26-35	702	1814	2359	2830	9652	26,31	30,01	2,22	0,13	1300X985X101
	10	945	1400	1345	61	90	5	86-95	56-65	26-35	806	2083	2708	3250	11082	30,27	34,42	2,51	0,15	1500X985X101
	10	945	1600	1545	61	90	5	86-95	56-65	26-35	926	2392	3109	3731	12724	34,17	38,77	2,79	0,17	1700X985X101
	10	945	1800	1745	61	90	5	86-95	56-65	26-35	1063	2746	3570	4284	14609	38,14	43,30	3,08	0,19	1900X985X101
	10	945	2000	1945	61	90	5	86-95	56-65	26-35	1220	3153	4099	4919	16773	42,11	47,59	3,36	0,21	2100X985X101
	11	1040	300	245	61	90	5	86-95	56-65	26-35	206	533	693	832	2836	9,30	11,10	1,03	0,05	400X1080X101
	11	1040	400	345	61	90	5	86-95	56-65	26-35	281	727	945	1133	3865	11,49	13,53	1,18	0,06	500X1080X101
	11	1040	500	445	61	90	5	86-95	56-65	26-35	359	928	1207	1448	4938	13,67	15,95	1,34	0,07	600X1080X101
	11	1040	600	545	61	90	5	86-95	56-65	26-35	441	1139	1480	1776	6056	15,85	18,37	1,50	0,08	700X1080X101
Turquoise Double 1135	11	1040	700	645	61	90	5	86-95	56-65	26-35	503	1300	1689	2027	6913	18,04	20,80	1,66	0,09	800X1080X101
	11	1040	800	745	61	90	5	86-95	56-65	26-35	562	1453	1889	2267	7730	20,22	23,22	1,81	0,10	900X1080X101
	11	1040	900	845	61	90	5	86-95	56-65	26-35	619	1599	2079	2495	8508	22,40	25,63	1,97	0,11	1000X1080X101
	11	1040	1000	945	61	90	5	86-95	56-65	26-35	673	1739	2260	2713	9250	24,58	28,05	2,13	0,12	1100X1080X101
	11	1040	1200	1145	61	90	5	86-95	56-65	26-35	773	1996	2595	3114	10620	28,95	32,90	2,44	0,15	1300X1080X101
	11	1040	1400	1345	61	90	5	86-95	56-65	26-35	887	2292	2980	3576	12194	33,32	37,76	2,76	0,17	1500X1080X101
	11	1040	1600	1545	61	90	5	86-95	56-65	26-35	1019	2632	3421	4106	14000	37,61	42,52	3,07	0,19	1700X1080X101
	11	1040	1800	1745	61	90	5	86-95	56-65	26-35	1169	3022	3928	4714	16074	41,98	47,49	3,39	0,21	1900X1080X101
	11	1040	2000	1945	61	90	5	86-95	56-65	26-35	1343	3469	4510	5412	18456	46,34	52,22	3,70	0,23	2100X1080X101
	Turquoise Double 1230	12	1135	300	245	61	90	5	86-95	56-65	26-35	225	582	756	908	3095	10,14	12,04	1,12	0,05
12		1135	400	345	61	90	5	86-95	56-65	26-35	307	793	1031	1237	4217	12,53	14,70	1,29	0,06	500X1175X101
12		1135	500	445	61	90	5	86-95	56-65	26-35	392	1013	1317	1580	5388	14,91	17,33	1,46	0,08	600X1175X101
12		1135	600	545	61	90	5	86-95	56-65	26-35	481	1242	1615	1938	6609	17,29	19,96	1,63	0,09	700X1175X101
12		1135	700	645	61	90	5	86-95	56-65	26-35	549	1418	1843	2212	7543	19,67	22,59	1,81	0,10	800X1175X101
12		1135	800	745	61	90	5	86-95	56-65	26-35	614	1586	2061	2474	8435	22,05	25,24	1,98	0,11	900X1175X101
12		1135	900	845	61	90	5	86-95	56-65	26-35	675	1745	2269	2723	9284	24,44	27,88	2,15	0,12	1000X1175X101
12		1135	1000	945	61	90	5	86-95	56-65	26-35	734	1897	2467	2960	10093	26,82	30,51	2,32	0,14	1100X1175X101
12		1135	1200	1145	61	90	5	86-95	56-65	26-35	843	2178	2832	3398	11588	31,58	35,80	2,66	0,16	1300X1175X101
12		1135	1400	1345	61	90	5	86-95	56-65	26-35	968	2501	3252	3902	13305	36,35	41,07	3,01	0,18	1500X1175X101
Turquoise Double 1230	13	1230	300	245	61	90	5	86-95	56-65	26-35	244	630	819	983	3353	10,99	13,00	1,21	0,06	400X1270X101
	13	1230	400	345	61	90	5	86-95	56-65	26-35	332	859	1117	1340	4570	13,58	15,86	1,40	0,07	500X1270X101
	13	1230	500	445	61	90	5	86-95	56-65	26-35	425	1098	1427	1712	5838	16,16	18,72	1,58	0,08	600X1270X101
	13	1230	600	545	61	90	5	86-95	56-65	26-35	521	1346	1750	2100	7161	18,74	21,56	1,77	0,09	700X1270X101
	13	1230	700	645	61	90	5	86-95	56-65	26-35	595	1537	1997	2397	8174	21,32	24,42	1,96	0,11	800X1270X101
	13	1230	800	745	61	90	5	86-95	56-65	26-35	665	1718	2234	2680	9140	23,90	27,27	2,14	0,12	900X1270X101
	13	1230	900	845	61	90	5	86-95	56-65	26-35	732	1891	2458	2950	10060	26,48	30,13	2,33	0,13	1000X1270X101
	13	1230	1000	945	61	90	5	86-95	56-65	26-35	796	2056	2673	3207	10936	29,06	32,98	2,51	0,15	1100X1270X101
13	1230	1200	1145	61	90	5	86-95	56-65	26-35	913	2360	3069	3682	12557	34,23	38,70	2,89	0,17	1300X1270X101	
13	1230	1400	1345	61	90	5	86-95	56-65	26-35	1049	2710	3523	4228	14417	39,39	44,40	3,26	0,20	1500X1270X101	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70\text{ }^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Turquoise Double 1325	14	1325	300	245	61	90	5	86-95	56-65	26-35	263	679	883	1059	3612	11,84	13,94	1,31	0,06	400X1365X101
	14	1325	400	345	61	90	5	86-95	56-65	26-35	358	925	1203	1443	4922	14,62	17,02	1,51	0,07	500X1365X101
	14	1325	500	445	61	90	5	86-95	56-65	26-35	457	1182	1537	1844	6289	17,41	20,10	1,71	0,09	600X1365X101
	14	1325	600	545	61	90	5	86-95	56-65	26-35	561	1450	1885	2262	7713	20,19	23,17	1,91	0,10	700X1365X101
	14	1325	700	645	61	90	5	86-95	56-65	26-35	640	1655	2152	2582	8804	22,97	26,24	2,11	0,12	800X1365X101
	14	1325	800	745	61	90	5	86-95	56-65	26-35	716	1851	2406	2887	9844	25,75	29,31	2,31	0,13	900X1365X101
	14	1325	900	845	61	90	5	86-95	56-65	26-35	788	2037	2648	3178	10836	28,53	32,37	2,51	0,14	1000X1365X101
	14	1325	1000	945	61	90	5	86-95	56-65	26-35	857	2214	2879	3454	11780	31,31	35,45	2,71	0,16	1100X1365X101
Turquoise Double 1420	14	1325	1200	1145	61	90	5	86-95	56-65	26-35	984	2542	3305	3966	13525	36,87	41,59	3,11	0,18	1300X1365X101
	14	1325	1400	1345	61	90	5	86-95	56-65	26-35	1130	2919	3795	4554	15529	42,43	47,74	3,51	0,21	1500X1365X101
	15	1420	300	245	61	90	5	86-95	56-65	26-35	282	728	946	1135	3870	12,69	14,90	1,40	0,06	400X1460X101
	15	1420	400	345	61	90	5	86-95	56-65	26-35	384	992	1289	1547	5275	15,67	18,19	1,61	0,08	500X1460X101
	15	1420	500	445	61	90	5	86-95	56-65	26-35	490	1267	1647	1976	6739	18,65	21,48	1,83	0,09	600X1460X101
	15	1420	600	545	61	90	5	86-95	56-65	26-35	601	1554	2020	2424	8265	21,63	24,76	2,04	0,11	700X1460X101
	15	1420	700	645	61	90	5	86-95	56-65	26-35	686	1773	2306	2767	9434	24,61	28,05	2,26	0,12	800X1460X101
	15	1420	800	745	61	90	5	86-95	56-65	26-35	767	1983	2578	3094	10549	27,59	31,33	2,47	0,14	900X1460X101
Turquoise Double 1515	15	1420	900	845	61	90	5	86-95	56-65	26-35	845	2183	2838	3405	11611	30,57	34,62	2,69	0,15	1000X1460X101
	15	1420	1000	945	61	90	5	86-95	56-65	26-35	918	2373	3085	3702	12623	33,55	37,91	2,90	0,17	1100X1460X101
	15	1420	1200	1145	61	90	5	86-95	56-65	26-35	1054	2724	3542	4250	14493	39,51	44,49	3,33	0,20	1300X1460X101
	15	1420	1400	1345	61	90	5	86-95	56-65	26-35	1211	3128	4067	4880	16640	45,47	51,06	3,76	0,23	1500X1460X101
	16	1515	300	245	61	90	5	86-95	56-65	26-35	300	776	1009	1211	4129	13,54	15,86	1,49	0,07	400X1555X101
	16	1515	400	345	61	90	5	86-95	56-65	26-35	409	1058	1375	1650	5627	16,72	19,36	1,72	0,08	500X1555X101
	16	1515	500	445	61	90	5	86-95	56-65	26-35	523	1351	1757	2108	7189	19,90	22,86	1,95	0,10	600X1555X101
	16	1515	600	545	61	90	5	86-95	56-65	26-35	641	1658	2155	2586	8817	23,08	26,36	2,18	0,11	700X1555X101
Turquoise Double 1610	16	1515	700	645	61	90	5	86-95	56-65	26-35	732	1892	2460	2951	10065	26,26	29,87	2,41	0,13	800X1555X101
	16	1515	800	745	61	90	5	86-95	56-65	26-35	819	2116	2750	3300	11254	29,44	33,37	2,64	0,15	900X1555X101
	16	1515	900	845	61	90	5	86-95	56-65	26-35	901	2329	3027	3633	12387	32,62	36,87	2,86	0,16	1000X1555X101
	16	1515	1000	945	61	90	5	86-95	56-65	26-35	980	2531	3291	3949	13466	35,80	40,38	3,09	0,18	1100X1555X101
	17	1610	300	245	61	90	5	86-95	56-65	26-35	319	825	1072	1287	4388	14,39	16,79	1,58	0,07	400X1650X101
	17	1610	400	345	61	90	5	86-95	56-65	26-35	435	1124	1461	1753	5979	17,77	20,51	1,83	0,09	500X1650X101
	17	1610	500	445	61	90	5	86-95	56-65	26-35	556	1436	1867	2240	7639	21,15	24,24	2,07	0,10	600X1650X101
	17	1610	600	545	61	90	5	86-95	56-65	26-35	682	1761	2290	2748	9369	24,53	27,96	2,31	0,12	700X1650X101
Turquoise Double 1705	17	1610	700	645	61	90	5	86-95	56-65	26-35	778	2010	2614	3136	10695	27,91	31,68	2,56	0,14	800X1650X101
	17	1610	800	745	61	90	5	86-95	56-65	26-35	870	2248	2922	3507	11959	31,28	35,39	2,80	0,15	900X1650X101
	17	1610	900	845	61	90	5	86-95	56-65	26-35	958	2474	3217	3860	13163	34,66	39,10	3,04	0,17	1000X1650X101
	17	1610	1000	945	61	90	5	86-95	56-65	26-35	1041	2690	3497	4196	14310	38,04	42,84	3,29	0,19	1100X1650X101
	18	1705	300	245	61	90	5	86-95	56-65	26-35	338	873	1135	1363	4646	15,23	17,74	1,68	0,08	400X1745X101
	18	1705	400	345	61	90	5	86-95	56-65	26-35	461	1190	1547	1857	6332	18,81	21,67	1,94	0,09	500X1745X101
	18	1705	500	445	61	90	5	86-95	56-65	26-35	589	1521	1977	2372	8089	22,39	25,62	2,19	0,11	600X1745X101
	18	1705	600	545	61	90	5	86-95	56-65	26-35	722	1865	2425	2910	9922	25,97	29,55	2,45	0,13	700X1745X101
Turquoise Double 1800	18	1705	700	645	61	90	5	86-95	56-65	26-35	824	2129	2768	3321	11325	29,54	33,47	2,71	0,15	800X1745X101
	18	1705	800	745	61	90	5	86-95	56-65	26-35	921	2381	3095	3714	12663	33,12	37,42	2,96	0,16	900X1745X101
	18	1705	900	845	61	90	5	86-95	56-65	26-35	1014	2620	3406	4088	13939	36,70	41,35	3,22	0,18	1000X1745X101
	18	1705	1000	945	61	90	5	86-95	56-65	26-35	1102	2849	3703	4444	15153	40,27	45,29	3,48	0,20	1100X1745X101
	19	1800	300	245	61	90	5	86-95	56-65	26-35	357	922	1199	1438	4905	16,08	18,68	1,77	0,08	400X1840X101
	19	1800	400	345	61	90	5	86-95	56-65	26-35	486	1257	1633	1960	6684	19,86	22,84	2,04	0,10	500X1840X101
	19	1800	500	445	61	90	5	86-95	56-65	26-35	621	1605	2087	2504	8540	23,64	27,00	2,31	0,12	600X1840X101
	19	1800	600	545	61	90	5	86-95	56-65	26-35	762	1969	2560	3071	10474	27,41	31,14	2,59	0,14	700X1840X101
Turquoise Double 1800	19	1800	700	645	61	90	5	86-95	56-65	26-35	870	2247	2922	3506	11955	31,19	35,30	2,86	0,15	800X1840X101
	19	1800	800	745	61	90	5	86-95	56-65	26-35	973	2513	3267	3920	13368	34,97	39,45	3,13	0,17	900X1840X101
	19	1800	900	845	61	90	5	86-95	56-65	26-35	1070	2766	3596	4315	14714	38,74	43,60	3,40	0,19	1000X1840X101
	19	1800	1000	945	61	90	5	86-95	56-65	26-35	1164	3007	3909	4691	15996	42,5197	47,7497	3,67	0,21	1100X1840X101

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Turquoise Double 1895	20	1895	300	245	61	90	5	86-95	56-65	26-35	376	971	1262	1514	5163	16,93464	19,64464	1,86	0,08	400X1935X101
	20	1895	400	345	61	90	5	86-95	56-65	26-35	512	1323	1720	2063	7037	20,91024	24,01024	2,15	0,1	500X1935X101
	20	1895	500	445	61	90	5	86-95	56-65	26-35	654	1690	2197	2636	8990	24,88584	28,37584	2,44	0,12	600X1935X101
	20	1895	600	545	61	90	5	86-95	56-65	26-35	802	2073	2695	3233	11026	28,86144	32,74144	2,72	0,14	700X1935X101
	20	1895	700	645	61	90	5	86-95	56-65	26-35	916	2366	3076	3691	12586	32,83704	37,11704	3,01	0,16	800X1935X101
	20	1895	800	745	61	90	5	86-95	56-65	26-35	1024	2646	3439	4127	14073	36,81264	41,49264	3,29	0,18	900X1935X101
	20	1895	900	845	61	90	5	86-95	56-65	26-35	1127	2912	3785	4543	15490	40,78824	45,84824	3,58	0,2	1000X1935X101
	20	1895	1000	945	61	90	5	86-95	56-65	26-35	1225	3166	4115	4938	16840	44,76384	50,21384	3,87	0,22	1100X1935X101
Turquoise Double 1990	21	1990	300	245	61	90	5	86-95	56-65	26-35	394	1019	1325	1590	5422	17,78438	20,58438	1,96	0,09	400X2030X101
	21	1990	400	345	61	90	5	86-95	56-65	26-35	538	1389	1806	2167	7389	21,95918	25,16918	2,26	0,11	500X2030X101
	21	1990	500	445	61	90	5	86-95	56-65	26-35	687	1775	2307	2768	9440	26,13398	29,76398	2,56	0,13	600X2030X101
	21	1990	600	545	61	90	5	86-95	56-65	26-35	842	2177	2829	3395	11578	30,30878	34,34878	2,86	0,15	700X2030X101
	21	1990	700	645	61	90	5	86-95	56-65	26-35	961	2484	3230	3876	13216	34,48358	38,93358	3,16	0,17	800X2030X101
	21	1990	800	745	61	90	5	86-95	56-65	26-35	1075	2778	3611	4334	14778	38,65838	43,51838	3,46	0,19	900X2030X101
	21	1990	900	845	61	90	5	86-95	56-65	26-35	1183	3058	3975	4770	16266	42,83318	48,09318	3,76	0,21	1000X2030X101
21	1990	1000	945	61	90	5	86-95	56-65	26-35	1286	3324	4321	5186	17683	47,00798	52,41798	4,06	0,23	1100X2030X101	