


Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60\text{ }^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70\text{ }^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Vera Double 449	3	449	300	245	66	149	1	93-102	59-68	26-35	66	171	222	266	908	3,55	4,57	0,38	0,03	400X489X106
	3	449	400	345	66	149	1	93-102	59-68	26-35	90	233	302	363	1237	4,38	5,53	0,42	0,03	500X489X106
	3	449	500	445	66	149	1	93-102	59-68	26-35	115	297	386	463	1580	5,20	6,49	0,46	0,04	600X489X106
	3	449	600	545	66	149	1	93-102	59-68	26-35	141	364	474	568	1938	6,02	7,45	0,51	0,04	700X489X106
	3	449	700	645	66	149	1	93-102	59-68	26-35	161	416	541	649	2212	6,85	8,41	0,55	0,05	800X489X106
	3	449	800	745	66	149	1	93-102	59-68	26-35	180	465	605	725	2474	7,67	9,37	0,59	0,05	900X489X106
	3	449	900	845	66	149	1	93-102	59-68	26-35	198	512	665	798	2723	8,49	10,32	0,63	0,06	1000X489X106
	3	449	1000	945	66	149	1	93-102	59-68	26-35	215	556	723	868	2960	9,32	11,28	0,68	0,06	1100X489X106
	3	449	1200	1145	66	149	1	93-102	59-68	26-35	247	639	831	997	3399	10,97	13,19	0,76	0,07	1300X489X106
	3	449	1400	1345	66	149	1	93-102	59-68	26-35	284	734	954	1144	3902	12,61	15,10	0,85	0,08	1500X489X106
3	449	1600	1545	66	149	1	93-102	59-68	26-35	326	842	1095	1314	4480	14,24	17,00	0,93	0,09	1700X489X106	
3	449	1800	1745	66	149	1	93-102	59-68	26-35	374	967	1257	1509	5144	15,89	19,05	1,02	0,10	1900X489X106	

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output $\Delta T=30^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=50^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=60^{\circ}\text{C}$ (Watt)	Heat Output $\Delta T=70^{\circ}\text{C}$ (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m ³)	Package Dimensions H x W x D (mm)
Vera Double 1349	9	1349	300	245	66	149	1	93-102	59-68	26-35	198	512	665	798	2723	10,64	12,78	1,12	0,06	400X1389X106
	9	1349	400	345	66	149	1	93-102	59-68	26-35	270	698	907	1088	3711	13,11	15,54	1,25	0,08	500X1389X106
	9	1349	500	445	66	149	1	93-102	59-68	26-35	345	891	1159	1390	4741	15,58	18,31	1,38	0,09	600X1389X106
	9	1349	600	545	66	149	1	93-102	59-68	26-35	423	1093	1421	1705	5814	18,06	21,09	1,51	0,11	700X1389X106
	9	1349	700	645	66	149	1	93-102	59-68	26-35	483	1248	1622	1946	6637	20,53	23,85	1,64	0,12	800X1389X106
	9	1349	800	745	66	149	1	93-102	59-68	26-35	540	1395	1814	2176	7421	23,00	26,62	1,77	0,14	900X1389X106
	9	1349	900	845	66	149	1	93-102	59-68	26-35	594	1536	1996	2395	8169	25,47	29,39	1,89	0,15	1000X1389X106
	9	1349	1000	945	66	149	1	93-102	59-68	26-35	646	1669	2170	2604	8880	27,94	32,15	2,02	0,17	1100X1389X106
Vera Double 1499	10	1499	300	245	66	149	1	93-102	59-68	26-35	220	569	739	887	3025	11,82	14,12	1,25	0,07	400X1539X106
	10	1499	400	345	66	149	1	93-102	59-68	26-35	300	775	1008	1209	4123	14,57	17,19	1,39	0,09	500X1539X106
	10	1499	500	445	66	149	1	93-102	59-68	26-35	383	990	1287	1545	5267	17,32	20,27	1,53	0,10	600X1539X106
	10	1499	600	545	66	149	1	93-102	59-68	26-35	470	1214	1579	1895	6460	20,06	23,33	1,68	0,12	700X1539X106
	10	1499	700	645	66	149	1	93-102	59-68	26-35	536	1386	1802	2163	7374	22,81	26,40	1,82	0,14	800X1539X106
	10	1499	800	745	66	149	1	93-102	59-68	26-35	600	1550	2015	2418	8246	25,55	29,46	1,96	0,15	900X1539X106
	10	1499	900	845	66	149	1	93-102	59-68	26-35	660	1706	2218	2662	9076	28,30	32,53	2,10	0,17	1000X1539X106
	10	1499	1000	945	66	149	1	93-102	59-68	26-35	718	1855	2411	2893	9867	31,05	35,60	2,25	0,18	1100X1539X106
Vera Double 1649	11	1649	300	245	66	149	1	93-102	59-68	26-35	242	626	813	976	3328	13,01	15,47	1,37	0,08	400X1689X106
	11	1649	400	345	66	149	1	93-102	59-68	26-35	330	853	1108	1330	4535	16,03	18,84	1,53	0,09	500X1689X106
	11	1649	500	445	66	149	1	93-102	59-68	26-35	422	1089	1416	1699	5794	19,05	22,21	1,69	0,11	600X1689X106
	11	1649	600	545	66	149	1	93-102	59-68	26-35	517	1336	1737	2084	7106	22,07	25,58	1,84	0,13	700X1689X106
	11	1649	700	645	66	149	1	93-102	59-68	26-35	590	1525	1982	2379	8112	25,09	28,96	2,00	0,15	800X1689X106
	11	1649	800	745	66	149	1	93-102	59-68	26-35	660	1705	2217	2660	9070	28,11	32,32	2,16	0,17	900X1689X106
	11	1649	900	845	66	149	1	93-102	59-68	26-35	726	1877	2440	2928	9984	31,13	35,69	2,31	0,18	1000X1689X106
	11	1649	1000	945	66	149	1	93-102	59-68	26-35	790	2040	2652	3183	10853	34,15	39,05	2,47	0,20	1100X1689X106
Vera Double 1799	12	1799	300	245	66	149	1	93-102	59-68	26-35	264	682	887	1065	3630	14,18	16,80	1,50	0,08	400X1839X106
	12	1799	400	345	66	149	1	93-102	59-68	26-35	360	930	1209	1451	4947	17,48	20,48	1,67	0,10	500X1839X106
	12	1799	500	445	66	149	1	93-102	59-68	26-35	460	1188	1545	1854	6321	20,77	24,14	1,84	0,12	600X1839X106
	12	1799	600	545	66	149	1	93-102	59-68	26-35	564	1457	1895	2273	7753	24,07	27,82	2,01	0,14	700X1839X106
	12	1799	700	645	66	149	1	93-102	59-68	26-35	644	1664	2163	2595	8849	27,36	31,49	2,18	0,16	800X1839X106
	12	1799	800	745	66	149	1	93-102	59-68	26-35	720	1860	2418	2902	9895	30,66	35,16	2,35	0,18	900X1839X106
	12	1799	900	845	66	149	1	93-102	59-68	26-35	792	2047	2662	3194	10891	33,95	38,83	2,52	0,20	1000X1839X106
Vera Double 1949	13	1949	300	245	66	149	1	93-102	59-68	26-35	286	739	961	1153	3933	15,36	18,14	1,62	0,09	400X1989X106
	13	1949	400	345	66	149	1	93-102	59-68	26-35	390	1008	1310	1572	5360	18,93	22,11	1,81	0,11	500X1989X106
	13	1949	500	445	66	149	1	93-102	59-68	26-35	498	1287	1673	2008	6848	22,50	26,09	1,99	0,13	600X1989X106
	13	1949	600	545	66	149	1	93-102	59-68	26-35	611	1579	2052	2463	8399	26,07	30,07	2,18	0,15	700X1989X106
	13	1949	700	645	66	149	1	93-102	59-68	26-35	697	1802	2343	2811	9587	29,64	34,04	2,36	0,17	800X1989X106
	13	1949	800	745	66	149	1	93-102	59-68	26-35	780	2015	2620	3144	10720	33,21	38,01	2,55	0,19	900X1989X106
	13	1949	900	845	66	149	1	93-102	59-68	26-35	858	2218	2883	3460	11799	36,78	41,99	2,73	0,22	1000X1989X106
13	1949	1000	945	66	149	1	93-102	59-68	26-35	933	2411	3135	3762	12827	40,35	45,79	2,92	0,24	1100X1989X106	